



Resource and Patient Management System

**IHS DICTIONARIES
(POINTERS)
(AUT)**

Technical Manual

Version 98.1

March 1998

**Office of Information Resource Management
Division of Information Resources
Albuquerque, New Mexico**

Preface

This manual provides technical details concerning the contents of the IHS Data Dictionaries (Pointer) package (AUT). Because of its technical nature, its primary audience will be Information System personnel responsible for installing and maintaining the package.

TABLE OF CONTENTS

PREFACE	I
1. INTRODUCTION	1
2. ENHANCEMENTS	2
2. IMPLEMENTATION NOTES FOR THE PACKAGE	3
4. PROGRAMMER'S NOTES	4
5. ROUTINE DESCRIPTIONS	5
6. FILE LISTINGS	6
7. FILE DESCRIPTIONS	8
8. FILE DATA DICTIONARIES	13
8.1. USER CONVERSION.....	13
8.2. PATIENT RECORD DISPOSITION	13
8.3. TRIBES	13
8.4. IMM MANUFACTURER	14
8.5. COMMUNITY.....	14
8.6. LOCATION	15
8.7. MEASUREMENT TYPE	16
8.8. RECODE ICD/APC	16
8.9. APC RECODE CATEGORY	16
8.10. EDUCATION TOPICS.....	17
8.11. VENDOR.....	17
8.12. RECODE INJURY	20
8.13. LAB TEST	20
8.14. IMMUNIZATION	20
8.15. EXAM.....	21
8.16. MEDICATION.....	21
8.17. TREATMENT.....	21
8.18. INSURER.....	22
8.19. SURVEILLANCE CODE.....	23
8.20. AREA	24
8.21. SERVICE UNIT	24
8.22. COUNTY	24
8.23. CLINICAL REMINDER CODE	25
8.24. BENEFICIARY	25
8.25. SERVICE CATEGORY	25
8.26. PROVIDER NARRATIVE.....	25
8.27. SKIN TEST.....	26
8.28. DISTRICT.....	26
8.29. ADA CODE	26
8.30. MEDICARE SUFFIX	27
8.31. RAILROAD PREFIX	27
8.32. VENDOR TYPE	27
8.33. QUANTUM CODE.....	27
8.34. RELATIONSHIP.....	28

TABLE OF CONTENTS, Continued

8.35.	DENIAL REASONS	28
8.36.	ERROR MESSAGES	28
8.37.	RPMS SITES.....	29
8.38.	IMMUNIZATION LOT.....	29
8.39.	HOUSEHOLD STATUS	30
8.40.	EMPLOYMENT STATUS	30
8.41.	INCOME SOURCE.....	30
8.42.	RPMS APPLICATION PARAMETERS	31
8.43.	PHYSICAL THERAPY.....	32
8.44.	RPMS RESERVATION	32
8.45.	BIC ELIGIBILITY	32
8.46.	IHS TASK REPRINT	32
8.47.	APPROPRIATION NO	33
8.48.	ALLOWANCE NO.	33
8.49.	BUDGET ACTIVITY	33
8.50.	SUB ACTIVITY	34
8.51.	SUB-SUB-ACTIVITY.....	34
8.52.	COMMON ACCOUNTING NUMBER	35
8.53.	COST CENTER	35
8.54.	OBJECT/SUB-OBJECT	36
8.55.	OBJECT CLASS GROUP	36
8.56.	OBJECT CLASS CATEGORY.....	36
8.57.	FMS DEPARTMENT/PROGRAM.....	37
8.58.	REFERENCE CODE.....	38
8.59.	HEALTH FACTORS.....	38
8.60.	COVERAGE TYPE.....	39
8.61.	LOCATION CODE.....	39
8.62.	OBJECT CLASS REPORT GRP.....	40
8.63.	DIAGNOSTIC PROCEDURE RESULT	40
8.64.	ACCOUNTING POINT.....	41
8.65.	IHS COMMUNICATIONS PARAMETERS.....	41
8.66.	REVENUE CODES	42
8.67.	CHA ICD RECODE TABLE	42
8.68.	EMPLOYER	42
8.69.	TYPE OF BUSINESS.....	43
8.70.	EMPLOYER GROUP INSURANCE.....	43
8.71.	SSN STATUS.....	43
8.72.	GEOGRAPHICAL LOCATION.....	43
8.73.	SIZE OF SMALL BUSINESS	44
8.74.	PERCENTILES.....	44
8.75.	PREGNANCY PRESENTATION TYPES.....	44
8.76.	CPT MODIFIER.....	45
9.	CROSS REFERENCES.....	46
9.1.	PATIENT RECORD DISPOSITION	46
9.2.	TRIBE.....	46
9.3.	IMM MANUFACTURER	46
9.4.	COMMUNITY.....	47
9.5.	LOCATION	48
9.6.	MEASUREMENT TYPE	48
9.7.	RECODE ICD/APC	49
9.8.	APC RECODE CATEGORY	49
9.9.	EDUCATION TOPICS	49
9.10.	VENDOR.....	50

TABLE OF CONTENTS, Continued

9.11.	RECODE INJURY	51
9.12.	LAB TEST	51
9.13.	IMMUNIZATION	52
9.14.	EXAM.....	52
9.15.	MEDICATION.....	52
9.16.	TREATMENT	52
9.17.	INSURER.....	53
9.18.	SURVEILLANCE CODE.....	54
9.19.	AREA	54
9.20.	SERVICE UNIT	54
9.21.	COUNTY	55
9.22.	CLINICAL REMINDER CODE	55
9.23.	BENEFICIARY	55
9.24.	SERVICE CATEGORY	55
9.25.	PROVIDER NARRATIVE	56
9.26.	SKIN TEST	56
9.27.	DISTRICT.....	56
9.28.	ADA CODE	56
9.29.	MEDICARE SUFFIX	56
9.30.	RAILROAD PREFIX	57
9.31.	VENDOR TYPE	57
9.32.	QUANTUM CODE	57
9.33.	RELATIONSHIP.....	57
9.34.	U/R DENIAL REASONS	57
9.35.	ERROR MESSAGES	58
9.36.	RPMS SITE.....	58
9.37.	IMMUNIZATION LOT.....	58
9.38.	HOUSEHOLD STATUS	58
9.39.	EMPLOYMENT STATUS	58
9.40.	INCOME SOURCE.....	59
9.41.	RPMS APPLICATION PARAMETERS	59
9.42.	PHYSICAL THERAPY	59
9.43.	RPMS RESERVATION	59
9.44.	BIC ELIGIBILITY	60
9.45.	IHS TASK REPRINT	60
9.46.	APPROPRIATION NO.	60
9.47.	ALLOWANCE NO.	61
9.48.	BUDGET ACTIVITY	61
9.49.	SUB-ACTIVITY	61
9.50.	SUB-SUB-ACTIVITY.....	62
9.51.	COMMON ACCOUNTING NUMBER	62
9.52.	COST CENTER	62
9.53.	OBJECT/SUB-OBJECT	63
9.54.	OBJECT CLASS GROUP	63
9.55.	OBJECT CLASS CATEGORY.....	63
9.56.	FMS DEPARTMENT/PROGRAM	63
9.57.	REFERENCE CODE.....	64
9.58.	HEALTH FACTORS.....	64
9.59.	COVERAGE TYPE.....	65
9.60.	LOCATION CODE.....	66
9.61.	OBJECT CLASS REPORT GRP	66
9.62.	DIAGNOSTIC PROCEDURE RESULT	67
9.63.	ACCOUNTING POINT.....	67
9.64.	IHS COMMUNICATIONS PARAMETERS.....	67

TABLE OF CONTENTS, Concluded

9.65. PCC RJE NUMBER(S)..... 68
9.66. REVENUE CODES..... 68
9.67. CHA ICD RECODE TABLE 68
9.68. EMPLOYER 68
9.69. TYPE OF BUSINESS..... 69
9.70. EMPLOYER GROUP INSURANCE..... 69
9.71. SSN STATUS..... 69
9.72. GEOGRAPHICAL LOCATION 69
9.73. SIZE OF SMALL BUSINESS 70
9.74. PERCENTILES..... 70
9.75. PREGNANCY PRESENTATION TYPES..... 70
9.76. CPT MODIFIER..... 70

10. PACKAGE INPUT TEMPLATES 71

11. PACKAGE PRINT TEMPLATES 72

12. PACKAGE SORT TEMPLATES..... 73

13. OPTIONS LIST..... 74

14. OPTION DESCRIPTION 75

15. SECURITY KEYS 76

16. GLOSSARY 77

17. EXCEPTIONS TO SAC..... 78

1. INTRODUCTION

Package Name: Data Dictionaries (Pointers)
Package Prefix: AUT
Developer: Dale F. Melton Sr.
Current Version: 98.1

The IHS Dictionaries (Pointers) package consists of the Data Dictionaries for all standard pointer files used by all other Resource and Patient Management System (RPMS) packages. The files are commonly known as “Tables” of standard codes and their related descriptions and demographics, and if applicable, cross-references to other standard code tables.

2. ENHANCEMENTS

The following is a list of enhancements for version 98.1 of the IHS Dictionaries (Pointers) package.

1. ELECTRONIC FUNDS TRANSFER (EFT) fields have been added to the Vendor file.
2. REMIT TO field has been added to the Billing file.
3. New CPT codes were added to the Measurement Types file.
4. New APC recode categories were added to the Recode Category file.
5. New APC recode categories were added to the Recode ICD/APC file.
6. New ICD codes were added to the Recode ICD/APC file.
7. New CPT codes were added to the Immunization file.
8. New CPT codes were added to the Exam file
9. New CPT codes were added to the Skin Test file.
10. New Health Factors were added to the Health Factors file.
11. New Pregnancy Presentation Types were added to the Presentation Type file.

2. IMPLEMENTATION NOTES FOR THE PACKAGE

Proper implementation of the AUT package includes executing the INIT routines. (See the Installation Guide for details.)

4. PROGRAMMER'S NOTES

For the post-inits to execute as part of the init routine, it is necessary that it be run under programmer mode. To accomplish this, the person executing the init should first execute the following Mumps code: D P^DI and press RETURN until FileMan has been exited.

5. ROUTINE DESCRIPTIONS

The majority of the routines distributed with this package are Init, Preinit, Postinit, and Compiled templates. Only those routines which do not fit in these categories are documented here.

AUTNKWII - INTERFACE FOR INSURER DICTIONARY AND LOOKUP

AUTNKWLD - DRIVER ROUTINE FOR "AND"ING INVERTED LIST SEARCHES

AUTNPOV - PROVIDER NARRATIVE TRUE INPUT TRANSFORM

AUTTVLK - VENDOR FILE INTERFACE

Screen for association between the Vendor and the PACKAGE when a non-LAYGOed Vendor lookup being performed and trigger to create Vendor/PACKAGE association when new Vendor added by package.

AUTTVND1 - BETTER SOUNDEX

Extrinsic function. Call with string, returns converted string.

AUTTVNDR - CHECK FOR VENDOR FILE DUPLICATES

AUTVDUP - SEARCH FOR DUP EIN NUMBERS IN VENDOR FILE

6. FILE LISTINGS

FILE NAME	FILE NUMBER	GLOBAL
USER CONVERSION	999999.01	^AUTTUCV(
PATIENT RECORD DISPOSITION	999999.02	^AUTTDIS(
TRIBE	999999.03	^AUTTTRI(
IMM MANUFACTURER	999999.04	^AUTTIMAN(
COMMUNITY	999999.05	^AUTTCOM(
LOCATION	999999.06	^AUTTLOC(
MEASUREMENT TYPE	999999.07	^AUTTMSR(
RECODE ICD/APC	999999.08	^AUTTRCD(
APC RECODE CATEGORY	999999.081	^AUTTRCDC(
EDUCATION TOPICS	999999.09	^AUTTEDT
VENDOR	999999.11	^AUTTVNDR(
RECODE INJURY	999999.12	^AUTTRIJ(
LAB TEST	999999.13	^AUTTLAB(
IMMUNIZATION	999999.14	^AUTTIMM(
EXAM	999999.15	^AUTTEXAM(
MEDICATION	999999.16	^AUTTMED(
TREATMENT	999999.17	^AUTTTRT(
INSURER	999999.18	^AUTNINS(
SURVEILLANCE CODE	999999.19	^AUTTSURC(
AREA	999999.21	^AUTTAREA(
SERVICE UNIT	999999.22	^AUTTSU(
COUNTY	999999.23	^AUTTCITY(
CLINICAL REMINDER CODE	999999.24	^AUTTCRC(
BENEFICIARY	999999.25	^AUTTBEN(
SERVICE CATEGORY	999999.26	^AUTTSC(
PROVIDER NARRATIVE	999999.27	^AUTNPOV(
SKIN TEST	999999.28	^AUTTSK(
DISTRICT	999999.29	^AUTTDST(
ADA CODE	999999.31	^AUTTADA(
MEDICARE SUFFIX	999999.32	^AUTTMCS(
RAILROAD PREFIX	999999.33	^AUTTRRP(
VENDOR TYPE	999999.34	^AUTTVTYP(
QUANTUM CODE	999999.35	^AUTTQUAN(
RELATIONSHIP	999999.36	^AUTTRLSH(
U/R DENIAL REASONS	999999.37	^AUTTREAS(
ERROR MESSAGES	999999.38	^AUTTEMSG(
RPMS SITE	999999.39	^AUTTSITE(
IMMUNIZATION LOT	999999.41	^AUTTIML(

File Listings, Continued

FILE NAME	FILE NUMBER	GLOBAL
HOUSEHOLD STATUS	9999999.42	^AUTTHHS(
EMPLOYMENT STATUS	9999999.43	^AUTTEMP(
INCOME SOURCE	9999999.44	^AUTTINC(
RPMS APPLICATION PARAMETERS	9999999.45	^AUTNSYS(
PHYSICAL THERAPY	9999999.46	^AUTTPHTH(
RPMS RESERVATION	9999999.47	^AUTTRES(
BIC ELIGIBILITY	9999999.48	^AUTTBICE(
IHS TASK REPRINT	9999999.49	^AUTTZTSK(
APPROPRIATION NO	9999999.51	^AUTTPRO(
ALLOWANCE NO.	9999999.52	^AUTTALLW(
BUDGET ACTIVITY	9999999.54	^AUTTBAC(
SUB-ACTIVITY	9999999.55	^AUTTSA(
SUB-SUB-ACTIVITY	9999999.56	^AUTTSSA(
COMMON ACCOUNTING NUMBER	9999999.57	^AUTTCAN(
COST CENTER	9999999.58	^AUTTCCT(
OBJECT/SUB-OBJECT	9999999.59	^AUTTOBJC(
OBJECT CLASS GROUP	9999999.591	^AUTTOCG(
OBJECT CLASS CATEGORY	9999999.61	^AUTTOBCC(
FMS DEPARTMENT/PROGRAM	9999999.62	^AUTTPRG(
REFERENCE CODE	9999999.63	^AUTTDOCR(
HEALTH FACTORS	9999999.64	^AUTTHF(
COVERAGE TYPE	9999999.65	^AUTTPIC(
LOCATION CODE	9999999.66	^AUTTLCOD(
OBJECT CLASS REPORT GRP	9999999.67	^AUTTOCRG(
DIAGNOSTIC PROCEDURE RESULT	9999999.68	^AUTTDXPR(
ACCOUNTING POINT	9999999.69	^AUTTACPT(
IHS COMMUNICATIONS PARAMETERS	9999999.71	^AUTTTEL(
REVENUE CODES	9999999.72	^AUTTREVN(
CHA ICD RECODE TABLE	9999999.74	^AUTTCHA(
EMPLOYER	9999999.75	^AUTNEMPL(
TYPE OF BUSINESS	9999999.76	^AUTTTOB(
EMPLOYER GROUP INSURANCE	9999999.77	^AUTNEGRP(
SSN STATUS	9999999.78	^AUTTSSN(
GEOGRAPHICAL LOCATION	9999999.79	^AUTTGL(
SIZE OF SMALL BUSINESS	9999999.81	^AUTTSOB(
PERCENTILES	9999999.82	^AUTTPCT(
PREGNANCY PRESENTATION TYPES	9999999.87	^AUTTPPT(
CPT MODIFIER	9999999.88	^AUTTCMOD(

7. FILE DESCRIPTIONS

<u>FILE NAME</u>	<u>FILE NUMBER</u>	<u>FILE GLOBAL</u>	<u>D</u>	<u>R</u>	<u>W</u>	<u>D</u>	<u>L</u>	<u>A</u>
<u>DESCRIPTION</u>			<u>D</u>	<u>D</u>	<u>R</u>	<u>E</u>	<u>G</u>	<u>U</u>
						<u>L</u>	<u>O</u>	<u>D</u>
USER CONVERSION Table of Valid User Conversion codes and related data	9999999.01	^AUTTUCV(@		@	@	@	@
PATIENT RECORD DISPOSITION Table of Valid Patient Record Disposition codes and related data	9999999.02	^AUTTDIS(@		@	@	@	@
TRIBE Table of Valid Tribe codes and related data	9999999.03	^AUTTTRI(@		@	@	@	@
IMM MANUFACTURER Table of valid Immunization Manufacturer codes and related data	9999999.04	^AUTTIMAN(@		@	@	@	@
COMMUNITY Table of valid Community codes and related data	9999999.05	^AUTTCOM(@		@	@	@	@
LOCATION Table of valid Location codes and related data	9999999.06	^AUTTLOC(@		@	@	@	@
MEASUREMENT TYPE Table of valid Measurement type codes and related data	9999999.07	^AUTTMSR(@		@	@	@	@
RECODE ICD/APC Table of cross references between ICD and APC codes and related data	9999999.08	^AUTTRCD(@		@	@	@	@
APC RECODE CATEGORY Table of valid APC Categories and related data	9999999.081	^AUTTRCDC(@		@	@	@	@
EDUCATION TOPICS Table of valid APC Categories and related data	9999999.09	^AUTTEDT(@		#	@	#	@
VENDOR Table of valid Vendors and related data	9999999.11	^AUTTVNDR(@		CA	@	CA	@
RECODE INJURY Table of valid Injury re-codes and related data	9999999.12	^AUTTRIJ(@		@	@	@	@
LAB TEST Table of valid Lab Test codes and related data	9999999.13	^AUTTLAB(@		@	@	@	@
IMMUNIZATION Table of valid Immunization codes and related data	9999999.14	^AUTTIMM(@		@	@	@	@
EXAM Table of valid Exam codes and related data	9999999.15	^AUTTEXAM(@		@	@	@	@

<u>FILE NAME</u>	<u>FILE NUMBER</u>	<u>FILE GLOBAL</u>	<u>D</u>	<u>R</u>	<u>ACCESS</u>				
<u>DESCRIPTION</u>			<u>D</u>	<u>D</u>	<u>R</u>	<u>W</u>	<u>D</u>	<u>L</u>	<u>A</u>
						<u>E</u>	<u>L</u>	<u>O</u>	<u>U</u>
									<u>D</u>
MEDICATION Table of valid Medication codes and related data	9999999.16	^AUTTMED(@		@	@	@	@	@
TREATMENT Table of valid Treatment codes and related data	9999999.17	^AUTTTRT(@		@	@	@	@	@
INSURER Table of valid Insurers and related data	9999999.18	^AUTNINS(@		#	@	#	@	@
SURVEILLANCE CODE Table of valid surveillance codes and related data	9999999.19	^AUTTSURC(@		@	@	@	@	@
AREA Table of valid Area codes and related data	9999999.21	^AUTTAREA(@		@	@	@	@	@
SERVICE UNIT Table of valid Service Unit codes and related data	9999999.22	^AUTTSU(@		@	@	@	@	@
COUNTY Table of valid County codes and related data	9999999.23	^AUTTCTY(@		@	@	@	@	@
CLINICAL REMINDER CODE Table of valid Clinical Reminder codes and related data	9999999.24	^AUTTCRC(@		@	@	@	@	@
BENEFICIARY Table of valid Beneficiary codes and related data	9999999.25	^AUTTBEN(@		@	@	@	@	@
SERVICE CATEGORY Table of valid Service Category codes and related data	9999999.26	^AUTTSC(@		@	@	@	@	@
PROVIDER NARRATIVE Table of valid Provider Narratives and related data	9999999.27	^AUTNPOV(@		M	@	M	@	@
SKIN TEST Table of valid Skin Test codes and related data	9999999.28	^AUTTSK(@		@	@	@	@	@
DISTRICT Table of valid District codes and related data	9999999.29	^AUTTDST(@		@	@	@	@	@
ADA CODE Table of valid ADA codes and related data	9999999.31	^AUTTADA(@		@	@	@	@	@
MEDICARE SUFFIX Table of valid Mdicare Suffix codes and related data	9999999.32	^AUTTMCS(@		@	@	@	@	@
RAILROAD PREFIX Table of valid Railroad prefix codes and related data	9999999.33	^AUTTRRP(@		@	@	@	@	@
VENDOR TYPE Table of valid Vendor Type codes and related data	9999999.34	^AUTTVTYP(@		@	@	@	@	@

<u>FILE NAME</u>	<u>FILE NUMBER</u>	<u>FILE GLOBAL</u>	<u>D</u>	<u>R</u>	<u>ACCESS</u>				
<u>DESCRIPTION</u>			<u>D</u>	<u>D</u>	<u>R</u>	<u>D</u>	<u>L</u>	<u>A</u>	<u>U</u>
						<u>L</u>	<u>O</u>	<u>D</u>	
QUANTUM CODE Table of valid Quantum codes and related data	9999999.35	^AUTTQUAN(@		@	@	@	@	
RELATIONSHIP Table of valid Relationship codes and related data	9999999.36	^AUTTRLSH(@		@	@	@	@	
U/R DENIAL REASONS Table of valid U/R Denial Reason codes and related data	9999999.37	^AUTTREAS(@		@	@	@	@	
ERROR MESSAGES Table of valid Error Messages and related data	9999999.38	^AUTTEMSG(@		@	@	@	@	
RPMS SITE Table of valid RPMS Site codes and related data	9999999.39	^AUTTSITE(@		@	@	@	@	
IMMUNIZATION LOT Table of valid Immunization Lot codes and related data	9999999.41	^AUTTIML(@		#	@	#	@	
HOUSEHOLD STATUS Table of valid Household Status codes and related data	9999999.42	^AUTTHHS(@		@	@	@	@	
EMPLOYMENT STATUS Table of valid Employment Status codes and related data	9999999.43	^AUTTEMP(@		@	@	@	@	
INCOME SOURCE Table of valid Income Source codes and related data	9999999.44	^AUTTINC(@		@	@	@	@	
RPMS APPLICATION PARAMETERS Table of valid RPMS Application Parameters and related data	9999999.45	^AUTNSYS(@		@	@	@	@	
PHYSICAL THERAPY Table of valid Physical Therapy codes and related data	9999999.46	^AUTTPHTH(@		@	@	@	@	
RPMS RESERVATION Table of valid RPMS Reservation codes and related data	9999999.47	^AUTTRES(@		@	@	@	@	
BIC ELIGIBILITY Table of valid BIC Eligibility codes and related data	9999999.48	^AUTTBICE(@		@	@	@	@	
IHS TASK REPRINT Table of valid IHS Task Reprint codes and related data	9999999.49	^AUTTZTSK(@		@	@	@	@	
APPROPRIATION NO Table of valid Appropriation Numbers and related data	9999999.51	^AUTTPRO(@		@	@	@	@	
ALLOWANCE NO. Table of valid Allowance Numbers and related data	9999999.52	^AUTTALLW(@		@	@	@	@	

<u>FILE NAME</u>	<u>FILE NUMBER</u>	<u>FILE GLOBAL</u>	<u>D</u>	<u>R</u>	<u>ACCESS</u>			
<u>DESCRIPTION</u>			<u>D</u>	<u>D</u>	<u>W</u>	<u>D</u>	<u>L</u>	<u>A</u>
					<u>R</u>	<u>E</u>	<u>G</u>	<u>U</u>
						<u>L</u>	<u>O</u>	<u>D</u>
BUDGET ACTIVITY Table of valid Budget Activity codes and related data	9999999.54	^AUTTBA(@		@	@	@	@
SUB-ACTIVITY Table of valid Sub Activity codes and related data	9999999.55	^AUTTSA(@		@	@	@	@
SUB-SUB-ACTIVITY Table of valid Sub-Sub Activity codes and related data	9999999.56	^AUTTSSA(@		@	@	@	@
COMMON ACCOUNTING NUMBER Table of valid Common Accounting Numbers and related data	9999999.57	^AUTTCAN(@		A	@	A	@
COST CENTER Table of valid Cost Center codes and related data	9999999.58	^AUTTCCT(@		@	@	@	@
OBJECT/SUB-OBJECT Table of valid Object/Sub Object codes and related data	9999999.59	^AUTTOBJC(@		A	A	A	@
OBJECT CLASS GROUP Table of valid Object Class Group codes and related data	9999999.591	^AUTTOCG(@		@	@	@	@
OBJECT CLASS CATEGORY Table of valid Object Class Category codes and related data	9999999.61	^AUTTOBCC(@		@	@	@	@
FMS DEPARTMENT/PROGRAM Table of valid FMS Department/Program codes and related data	9999999.62	^AUTTPRG(@		A	@	A	A
REFERENCE CODE Table of valid Reference codes and related data	9999999.63	^AUTTDOCR(@		@	@	@	@
HEALTH FACTORS Table of valid Health Factors and related data	9999999.64	^AUTTHF(@		@	@	@	@
COVERAGE TYPE Table of valid Coverage Type codes and related data	9999999.65	^AUTTPIC(@		M	@	M	@
LOCATION CODE Table of valid Location codes and related data	9999999.66	^AUTTLCOD(@		A	A	A	@
OBJECT CLASS REPORT GRP Table of valid Object Class Report Group codes and related data	9999999.67	^AUTTOCRG(@		@	@	@	@
DIAGNOSTIC PROCEDURE RESULT Table of valid Diagonstic Procedure Result codes and related data	9999999.68	^AUTTDXPR(@		@	@	@	@
ACCOUNTING POINT Table of valid Accounting Point codes and related data	9999999.69	^AUTTACPT(@		@	@	@	@

<u>FILE NAME</u>	<u>FILE NUMBER</u>	<u>FILE GLOBAL</u>	<u>D</u>	<u>R</u>	<u>ACCESS</u>			
<u>DESCRIPTION</u>			<u>D</u>	<u>D</u>	<u>W</u>	<u>D</u>	<u>L</u>	<u>A</u>
					<u>R</u>	<u>E</u>	<u>G</u>	<u>U</u>
						<u>L</u>	<u>O</u>	<u>D</u>
IHS COMMUNICATIONS PARAMETERS Table of valid IHS Communications Parameters and related data	9999999.71	^AUTTTEL(@		@	@	#	@
REVENUE CODES Table of valid Revenue codes and related data	9999999.72	^AUTTREVN(@		@	@	@	@
CHA ICD RECODE TABLE Table of valid CHA to ICD Recode Cross References and related data	9999999.74	^AUTTCHA(@		@	@	@	@
EMPLOYER Table of valid Employer codes and related data	9999999.75	^AUTNEMPL(@		M	@	M	@
TYPE OF BUSINESS Table of valid Type of Business codes and related data	9999999.76	^AUTTTOB(@		@	@	@	@
EMPLOYER GROUP INSURANCE Table of valid Employer Group Insurance codes and related data	9999999.77	^AUTNEGRP(@		M	@	M	@
SSN STATUS Table of valid Sub SSN Status codes and related data	9999999.78	^AUTTSSN(@		@	@	@	@
GEOGRAPHICAL LOCATION Table of valid Geographical Location codes and related data	9999999.79	^AUTTGL(@		@	@	@	@
SIZE OF SMALL BUSINESS Table of valid Size of Small Business codes and related data	9999999.81	^AUTTSOB(@		@	@	@	@
PERCENTILES Table of valid Percentile codes and related data	9999999.82	^AUTTPCT(@		@	@	@	@
PREGNANCY PRESENTATION TYPES Table of valid Pregnancy Presentation Type codes and related data	9999999.87	^AUTTPPT(@		@	@	@	@
CPT MODIFIER	9999999.88	^AUTTCMOD(@		V	@	V	@

8. FILE DATA DICTIONARIES

8.1. USER CONVERSION

GLOBAL: ^AUTTUCV(FILE #: 9999999.01				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.001	USER NUMBER			F
.01	LETTER	D0,0	1	F

8.2. PATIENT RECORD DISPOSITION

GLOBAL: ^AUTTDIS(FILE #: 9999999.02				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	DESCRIPTION (SHORT)	D0,0	1	F
.02	DESCRIPTION (LONG)	"	2	F
8801	MNEMONIC	D0,88	1	F

8.3. TRIBES

GLOBAL: ^AUTTTRI(FILE #: 9999999.03				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	LONG NAME	"	3	F
.04	OLD TRIBE NAME (UNUSED)	"	4	S
1101	SYNONYM (9999999.0311)			
.01	SYNONYM	D0,11,D1,0	1	F
1201	KEYWORDS (9999999.31201)			
.01	KEYWORDS	D0,12,D1,0	1	F
8801	MNEMONIC	D0,88	1	F
.01	MNEMONIC	D0,88	1	F

8.4. IMM MANUFACTURER

GLOBAL: ^AUTTIMAN(FILE #: 9999999.04				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
1101	VACCINE (9999999.0411)			
.01	VACCINE	D0,11,D1,0	1	F
8801	MNEMONIC	D0,88	1	F

8.5. COMMUNITY

GLOBAL: ^AUTTCOM FILE #: 9999999.05				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	COUNTY	"	2	P
.03	STATE	"	3	P
.04	DISTRICT	"	4	P
.05	SERVICE UNIT	"	5	P
.06	AREA	"	6	P
.07	CODE	"	7	F
.08	STCTYCOM INDEX	"	8	F
.09	CHS DELIVERY AREA	"	9	S
.11991	AREA CODE	COMPUTED		
.11992	SU CODE	"		
.12991	ST CODE	"		
.12992	CTY CODE	"		
.12993	STCOCOMM CODE	"		
.13991	DISTRICT CODE	"		
.14	SHORT NAME	D0,0	10	F
.15	LOCAL FACILITY	"	15	P
.16	SECONDARY FACILITY	"	16	P
.17	TERTIARY FACILITY	"	17	P
1101	OTHER NAME (9999999.0511)			
.01	OTHER NAME	D0,11,D1,0	1	F
8801	MNEMONIC	D0,88	1	F

8.6. LOCATION

GLOBAL: ^AUTTLOC(FILE #: 9999999.06				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	P
.02	SHORT NAME	"	2	F
.03	HRNO	"	3	S
.04	AREA	"	4	P
.0499	AREA CODE COMPUTED			
.05	SERVICE UNIT	D0,0	5	P
.0599	SU CODE	COMPUTED		
.0699	ASU CODE	"		
.07	CODE	D0,0	6	F
.0799	ASUFAC CODE	COMPUTED		
.08	ABBRV	D0,0	7	F
.09	HIGH NUMBER	"	8	N
.11	DEA REGISTRATION NO.	"	9	F
.12	ASUFAC INDEX	"	10	F
.13	PHONE	"	11	F
.14	MAILING ADDRESS-STREET	"	12	F
.15	MAILING ADDRESS-CITY	"	13	F
.16	MAILING ADDRESS-STATE	"	14	P
.17	MAILING ADDRESS-ZIP	"	15	F
.18	FACILITY LOCATION CODE	"	16	F
.19	FINANCIAL LOCATION CODE	"	17	F
.21	FEDERAL TAX NO.	"	18	F
.22	MEDICARE NO.	"	19	F
.23	STATE	"	23	P
.24	CONVERT ON EXPORT	"	24	S
.25	CURRENT TYPE	"	25	S
.26	ID CARD FACILITY NAME	"	20	F
.27	INACTIVE DATE	"	21	D
.28	MODIFIED DATE	"	22	D
.29	UNIX/UUCP SYS NAME (ADDRESS)	D0,1	1	F
.31	PSEUDO PREFIX "		2	F
1101	CLASS (9999999.0611)			
.01	BEGIN DATE	D0,11,D1,0	1	D
.02	END DATE	"	2	D
.03	AFFILIATION	"	3	S
.04	IHS/NON-HIS	"	4	S
.05	FACILITY TYPE	"	5	S
.06	ASUFAC CODE	"	6	F
8801	MNEMONIC	D0,88	1	F

8.7. MEASUREMENT TYPE

GLOBAL: ^AUTTMSR(FILE #: 9999999.07				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	TYPE	D0,0	1	F
.02	DESCRIPTION	"	2	F
.03	CODE	"	3	F
.11	CPT CODE	"	11	P

8.8. RECODE ICD/APC

GLOBAL: ^AUTTRCD(FILE #: 9999999.08				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	ICD9 CODE	"	2	F
.03	NARRATIVE	"	3	F
.04	CATEGORY	"	4	P
.05	ICD DIAGNOSIS POINTER	"	5	P
.06	ICD DIAGNOSIS (CODE)	"	6	F
1101	RANGE (9999999.81101)			
.01	LOWEST ICD9	D0,11,D1,0	1	F
.02	HIGHEST ICD9	"	2	F

8.9. APC RECODE CATEGORY

GLOBAL: ^AUTTRCDC(FILE #: 9999999.081				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	APC CATEGORY	D0,0	1	F

8.10. EDUCATION TOPICS

GLOBAL: ^AUTTEDT(FILE #: 9999999.09				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.03	INACTIVE FLAG	"	3	S
.11	CPT CODE	"	11	P
1	MNEMONIC	"	2	F

8.11. VENDOR

GLOBAL: ^AUTTVNDR(FILE #: 9999999.11				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.05	DATE INACTIVATED	"	5	D
.06	BUSINESS SIZE	"	6	S
.07	DUNN AND BRADSTREET NUMBER	"	7	F
1101	EIN NO .	D0,11	1	F
01	EIN SUFFIX	"	2	F
1102	EIN NO. AND SUFFIX	"	13	F
1103	VENDOR TYPE	"	3	P
1104	CONTRACT (9999999.1112)			
.01	CONTRACT NUMBER	D0,"CN",D1,0	1	F
1	BEGINNING DATE	"	2	D
2	ENDING DATE	"	3	D
3	AMOUNT OF CONTRACT	"	4	N
4	DESCRIPTION	"	5	F
5	CONTRACT AWARD DATE	"	6	D
6	FOB POINT	"	7	F
7	CONTRACT TERMS	"	8	F
1105	SCHEDULE NO.	D0,11	5	N
1106	1099 (Y/N)	"	6	S
1107	YTD PAID	"	7	N
1108	LAST AUTH DATE	"	8	D
1109	MAILING ADDRESS-PHONE	"	9	F
1110	FED NON FED CODE	"	10	S
1111	DATE OF LAST UPDATE	"	11	D
1112	CHS TX DATE	"	12	D
1114	MAILING ADDRESS-FAX	"	14	F
1115	WOMEN OWNED SMALL BUSINESS	"	15	S

FILE: VENDOR
 GLOBAL: ^AUTTVNDR(
 FILE #: 9999999.11

FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
1116	CONGRESSIONAL DISTRICT	"	16	F
1117	LABOR SURPLUS AREA	"	17	S
1118	SIZE OF BUSINESS	"	18	P
1119	ORGANIZATION/INDIVIDUAL	"	19	S
1120	MINORITY BUSINESS (FOR PROFIT)	"	20	S
1121	MINORITY NONPROFIT BUSINESS	"	21	S
1122	SMALL BUSINESS STATUS	"	22	S
1123	CITY NUMBER	"	23	F
1124	PARENT COMPANY	"	24	P
1125	GEOGRAPHICAL LOCATION	"	25	P
1126	TYPE OF BUSINESS	"	26	P
1127	SMALL PURCHASE TYPE OF BUS	"	27	S
1128	SMALL PURCHASE TYPE OF VENDOR	"	28	S
1129	LAST 1099 PRT-DT	D0,2	1	D
1301	MAILING ADDRESS-STREET	D0,13	1	F
1302	MAILING ADDRESS-CITY	"	2	F
1303	MAILING ADDRESS-STATE	"	3	P
1304	MAILING ADDRESS-ZIP	"	4	F
1305	MAILING ADDRESS-ATTENTION	"	5	F
1306	BILLING ADDRESS-STREET	"	6	F
1307	BILLING ADDRESS-CITY	"	7	F
1308	BILLING ADDRESS-STATE	"	8	P
1309	BILLING ADDRESS-ZIP	"	9	F
1310	MAILING ADDRESS-STREET 2	"	10	F
1311	BILLING ADDRESS-STREET 2	"	11	F
1312	BILLING ADDRESS-ATTENTION	"	12	F
1401	REMIT TO ADDRESS-STREET	D0,14	1	F
1402	REMIT TO ADDRESS-STREET 2	"	2	F
1403	REMIT TO ADDRESS-CITY	"	3	F
1404	REMIT TO ADDRESS-STATE	"	4	P
1405	REMIT TO ADDRESS-ZIP	"	5	F
1406	REMIT TO ADDRESS-ATTENTION "	"	6	F
1407	REMIT TO ADDRESS-PHONE	"	7	F
1408	BILLING ADDRESS-PHONE	"	8	F
1409	BILLING ADDRESS-FAX	"	9	F
1410	REMIT TO ADDRESS-FAX	"	10	F
1501	PREVIOUS EIN NO. (9999999.1115)			
.01	PREVIOUS EIN NO.	D0,15,D1,0	1	N
.02	PREVIOUS EIN SUFFIX	..."	2	F

FILE: VENDOR			
GLOBAL: ^AUTTVNDR(
FILE #: 9999999.11			
FIELD #	FIELD NAME	SUBSCRIPT	PIECE TYPE
1601	OTHER NAMES/ABBREVIATIONS (9999999.1116)		
.01	OTHER NAMES/ABBREVIATIONS	D0,16,D1,0	1 F
1701	UNIFORM PROVIDER ID NUMBER	D0,17	1 F
1702	RATE ID NUMBER (9999999.111702)		
.01	RATE ID NUMBER	D0,1,D1,0	1 N
1	PRICING TYPE	"	2 S
2	RATE QUOTATION DATE	"	3 D
3	RATE OF SERVICE	"	4 S
4	OTHER RATE	"	5 F
5	RATE DESCRIPTION	"	6 F
1801	AGREEMENT/RATE/BPA NUMBER (9999999.111801)		
.01	AGREEMENT/RATE/BPA NUMBER	D0,18,D1,0	1 N
.02	INPATIENT RATE DESCRIPTION	"	2 F
.03	OUTPATIENT RATE DESCRIPTION	"	3 F
.04	MEDICARE RATE FOR INPATIENT	"	4 S
.05	MEDICARE RATE FOR OUTPATIENT	"	5 S
.06	DATE OF AGREEMENT	"	6 D
.07	PROF. SERVICES RATE DESC.	"	7 F
.08	EFFECTIVE DATE	"	8 D
.09	EXPIRATION DATE	"	9 D
.11	TYPE OF AGREEMENT	"	10 S
1901	EFT ACCOUNT TYPE	D0,19	1 S
1902	EFT ROUTING TRANSIT NUMBER	"	2 F
1903	EFT DEPOSITOR ACCOUNT NUMBER	"	3 F
1904	EFT SUB-ROUTING TRANSIT NUMBER	"	4 F
1905	EFT SUB-DEPOSITOR ACCOUNT NUMBER "	"	5 F
2001	PACKAGE (9999999.112001)		
.01	PACKAGE	D0,20,D1,0	1 P
.02	DATE PACKAGE ADDED	"	2 D
.03	ACTIVE STATUS	"	3 S
2101	TELECOMM. ADDRESS	D0,21	1 F
8801	MNEMONIC	D0,88	1 F

8.12. RECODE INJURY

GLOBAL: ^AUTTRIJ(FILE #: 9999999.12				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	RECODE	D0,0	1	F
.02	ICD DIAGNOSIS POINTER	"	2	P
.03	ICD DIAGNOSIS CODE	"	3	F
.04	NARRATIVE	"	4	F
1101	RANGE (9999999.121101)			
.01	LOWEST ICD9	D0,11,D1,0	1	F
.02	HIGHEST ICD9	"	2	F

8.13. LAB TEST

GLOBAL: ^AUTTLAB(FILE #: 9999999.13				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
1101	EDIT RESULT	D0,11	1	F
8801	MNEMONIC	D0,88	1	F

8.14. IMMUNIZATION

GLOBAL: ^AUTTIMM(FILE #: 9999999.14				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	SHORT NAME	"	2	F
.03	CODE	"	3	F
.04	CURRENT LOT	"	4	P
.05	MAX # IN SERIES	"	5	S
.06	CHILDHOOD IMMUNIZATION	"	6	S
.07	INACTIVE	"	7	S
.11	CPT CODE	"	11	P
8801	MNEMONIC	D0,88	1	F

8.15. EXAM

GLOBAL: ^AUTTEXAM(FILE #: 9999999.15				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	SEX SPECIFIC	"	3	S
.04	INACTIVE FLAG	"	4	S
.11	CPT CODE	"	11	P
8801	MNEMONIC	D0,88	1	F

8.16. MEDICATION

GLOBAL: ^AUTTMED FILE #: 9999999.16				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	NAME	"	2	F
1101	TYPE/STRENGTH (9999999.1611)			
.01	TYPE/STRENGTH	D0,11,D1,0	1	F
.02	TYPE/STRENGTH/NAME	"	2	F
8801	MNEMONIC	D0,88	1	F

8.17. TREATMENT

GLOBAL: ^AUTTRT(FILE #: 9999999.17				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	SUMMARY FLAG	"	3	F
.04	INACTIVE FLAG	"	4	S
.11	CPT CODE	"	11	P
8801	MNEMONIC	D0,88	1	F

8.18. INSURER

GLOBAL: ^AUTTINS(FILE #: 9999999.18				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	STREET	"	2	F
.03	CITY	"	3	F
.04	STATE	"	4	P
.05	ZIP	"	5	F
.06	PHONE	"	6	F
.07	EIN NUMBER	"	7	F
.08	CONTROL NUMBER	"	8	N
.09	CONTACT PERSON	"	9	F
.16	DOMICILE	D0,1	6	P
.17	STATUS	"	7	S
.21	TYPE OF INSURER	D0,2	1	S
.22	ALL INCLUSIVE BILLING (Y/N)	"	2	S
.23	RX BILLING STATUS	"	3	S
.24	BACKBILLING LIMIT (MONTHS)	"	4	N
.25	DENTAL BILLING STATUS	"	5	S
.26	OLD DFN	"	6	N
.27	MERGED TO DFN	"	7	P
.41	LONG NAME	D0,4	1	F
1	BILLING OFFICE	D0,1	1	F
2	BILLING STREET	"	2	F
3	BILLING CITY	"	3	F
4	BILLING STATE	"	4	P
5	BILLING ZIP	"	5	F
1101	DENIAL CODES (9999999.1811)			
.01	DENIAL CODE	D0,11,D1,0	1	F
.02	EXPLANATION	"	2	F
1301	MEDICAID FI (9999999.1813)			
.01	MEDICAID STATE	D0,13,D1,0	1	P
.02	MEDICAID FI	"	2	P
.03	WORKMEN'S COMP FI	"	3	P
1501	LOCATIONS ASSIGNED W/ PROV # (9999999.181501)			
.01	LOCATIONS ASSIGNED W/ PROV#	D0,15,D1,0	1	P
.02	PROVIDER NUMBER	"	2	F
1701	CLINIC UNBILLABLE (9999999.181701)			
.01	CLINIC UNBILLABLE	D0,17,D1,0	1	P
2101	COVERAGE (9999999.1821)			
.01	COVERAGE CODE	D0,21,D1,0	1	F
.02	EXPLANATION	"	2	F

FILE: INSURER (cont.)				
GLOBAL: ^AUTTINS(
FILE #: 9999999.18				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
3101	DATE SPLIT BILLING REQ'D (9999999.1831)			
.01	DATE SPLIT BILLING REQ'D	D0,31,D1,0	1	D
3901	VISIT TYPE (9999999.183901)			
.01	VISIT TYPE	D0,39,D1,0	1	P
.02	PROCEDURE CODING METHOD	"	2	S
.03	REVENUE CODE	"	3	P
.04	MODE OF EXPORT	"	4	P
.05	FEE SCHEDULE	"	5	P
.06	BILL PROF. COMPONENT SEPARATE	"	6	S
.07	BILLABLE (Y/N)	"	7	S
.08	INSURER ASSIGNED NUMBER	"	8	F
.09	REVENUE DESCRIPTION	"	9	F
.11	UB82 BILL TYPE	"	11	P
.12	ITEMIZED UB-92?	"	12	S
.13	AUTO APPROVE?	"	13	S
11	START DATE (9999999.18390111)			
.01	START DATE	D0,39,D1,11,D2,0	1	D
.02	RATE (\$)	"	2	N
.03	STOP DATE	"	3	D
4301	PRIOR APPROVAL REQUIRED (9999999.1843)			
.01	PRIOR APPROVAL REQUIRED	D0,43,D1,0	1	P
8801	MNEMONIC	D0,88	1	F

8.19. SURVEILLANCE CODE

GLOBAL: ^AUTTSURC(
FILE #: 9999999.19				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	NAME	"	2	F

8.20. AREA

GLOBAL: ^AUTTAREA(FILE #: 9999999.21				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	PREFIX/REGION	"	3	S
.04	CAN NUMBER PREFIX	"	4	F

8.21. SERVICE UNIT

GLOBAL: ^AUTTSU(FILE #: 9999999.22				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	AREA	"	2	P
.0299	AREA CODE	COMPUTED		
.03	CODE	D0,0	3	F
.0399	ASU CODE	COMPUTED		
.04	ASU INDEX	D0,0	4	F

8.22. COUNTY

GLOBAL: ^AUTTCITY(FILE #: 9999999.23				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	STATE	"	2	P
.0299	STATE CODE	COMPUTED		
.03	CODE	D0,0	3	F
.0399	STCTY CODE	COMPUTED		
.04	STCTY INDEX	D0,0	4	F
.05	HSDA INDICATOR	"	5	S
.06	FIPS CODE	"	6	F

8.23. CLINICAL REMINDER CODE

GLOBAL: ^AUTTCRC(FILE #: 9999999.24				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	NAME	"	2	F
.03	PROMPT	"	3	F

8.24. BENEFICIARY

GLOBAL: ^AUTTBEN(FILE #: 9999999.25				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
8801	MNEMONIC	D0,88	1	F

8.25. SERVICE CATEGORY

GLOBAL: ^AUTTSC(FILE #: 9999999.26				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	ABBREVIATION	"	2	F

8.26. PROVIDER NARRATIVE

GLOBAL: ^AUTTPOV(FILE #: 9999999.27				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NARRATIVE	D0,0	1	F
8801	MNEMONIC	D0,88	1	F

8.27. SKIN TEST

GLOBAL: ^AUTTSK(FILE #: 999999.28				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	INACTIVE FLAG	"	3	S
.11	CPT CODE	"	11	P
8801	MNEMONIC	D0,88	1	F

8.28. DISTRICT

GLOBAL: ^AUTTDST(FILE #: 999999.29				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F

8.29. ADA CODE

GLOBAL: ^AUTTADA(FILE #: 999999.31				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	DESCRIPTION	"	2	F
.03	DIAGNOSIS	"	3	P
.04	ESTIMATED MINUTES	"	4	N
.05	LEVEL OF SERVICE	"	5	F
.06	SYNONYM	"	6	F
.07	EXCLUSION	"	7	S
.08	INACTIVE	"	8	D
.09	NO OPSITE	"	9	S
1101	RECOMMENDED USE (999999.3111)			
.01	USE	D0,11,D1,0	1	W
8801	MNEMONIC	D0,88	1	F

8.30. MEDICARE SUFFIX

GLOBAL: ^AUTTMCS(FILE #: 9999999.32				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE TYPE	
.01	CODE	D0,0	1	F

8.31. RAILROAD PREFIX

GLOBAL: ^AUTTRRP(FILE #: 9999999.33				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE TYPE	
.01	CODE	D0,0	1	F

8.32. VENDOR TYPE

GLOBAL: ^AUTTVTYP(FILE #: 9999999.34				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE TYPE	
.01	CODE	D0,0	1	F
.02	NAME	"	2	F

8.33. QUANTUM CODE

GLOBAL: ^AUTTQUAN(FILE #: 9999999.35				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE TYPE	
.01	CODE	D0,0	1	F
.02	TEXT	"	2	F

8.34. RELATIONSHIP

GLOBAL: ^AUTTRLSH(FILE #: 9999999.36				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	UB-82 CODE	"	2	F
.03	RECODE	"	3	F
.04	COVD BY ACCIDENT INS	"	4	S
8801	MNEMONIC	D0,88	1	F

8.35. DENIAL REASONS

GLOBAL: ^AUTTREAS(FILE #: 9999999.37				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	DENIAL REASON	D0,0	1	F
.02	DENIAL CODE	"	2	N

8.36. ERROR MESSAGES

GLOBAL: ^AUTTEMSG(FILE #: 9999999.38				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	PACKAGE CODE	D0,0	1	F
1101	ERROR (9999999.3811)			
.01	CODE	D0,11,D1,0	1	F
1101	ERROR MESSAGE (9999999.381111)			
.01	ERROR MESSAGE	D0,11,D1,11,D2,0	1	W

8.37. RPMS SITES

		FILE: RPMS SITE	
		GLOBAL: ^AUTTSITE(
		FILE #: 9999999.39	
FIELD #	FIELD NAME	SUBSCRIPT	PIECE TYPE
.001	NUMBER		N
.01	LOCATION NAME	D0,0	1 P
.02	ACCOUNTING POINT NUMBER	"	2 F
.03	DPSB REMOTE NUMBER	"	3 F
.04	PCC REMOTE NUMBER	"	4 F
.05	NIH REMOTE NUMBER	"	5 F
.06	FEDERAL TAX NUMBER	"	6 F
.07	DEA REGISTRATION NO	"	7 F
.08	PATIENT CARE COMPONENT PRESENT	"	8 S
.09	PCC USER ID	"	9 F
.11	PCC PASSWORD	"	11 F
.12	UNIX BACKUP CMD	"	12 F
.13	UNIVERSAL LOOKUP FOR VISITS	"	13 S
.14	AREA OFFICE SYSTEM ID	"	14 F
.15	THIRD-PARTY BILLING PRESENT	"	15 S
.16	MFI RUNNING	"	16 S
.17	CHS FI REMOTE NUMBER	"	17 F
.18	CHS FI PASSWORD	"	18 F
.19	QMAN RUNNING	"	19 F
.21	OPERATING SYSTEM	"	21 S
.22	PCC FILE 200 CONVERSION	"	22 S
.23	PHYSICAL THERAPY CONV DONE	"	23 S
.24	DATE PCC VISIT RELINKER RUN	"	24 D
1	DOS IMPORT PATH	D0,1	1 F
2	DOS EXPORT PATH	"	2 F
1101	REGISTERING FACILITIES (9999999.3911)		
.01	PARENT FACILITY	D0,11,D1,0	1 P

8.38. IMMUNIZATION LOT

		GLOBAL: ^AUTTIML(
		FILE #: 9999999.41	
FIELD #	FIELD NAME	SUBSCRIPT	PIECE TYPE
.01	NMBR	D0,0	1 F
.02	MANUFACTURER	"	2 P
.03	STATUS	"	3 S
.04	IMMUNIZATION	"	4 P

8.39. HOUSEHOLD STATUS

GLOBAL: ^AUTTHHS(FILE #: 9999999.42				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
1	CODE	"	2	F

8.40. EMPLOYMENT STATUS

GLOBAL: ^AUTTEMP(FILE #: 9999999.43				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
1	CODE	"	2	F

8.41. INCOME SOURCE

GLOBAL: ^AUTTINC(FILE #: 9999999.44				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
1	CODE	"	2	F

8.42. RPMS APPLICATION PARAMETERS

GLOBAL: ^AUTTSYS(FILE #: 999999.45				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
1	REGISTRATION SYSTEM (999999.4501)			
.01	REGISTRATION SYSTEM	D0,"AG",D1,0	1	F
1	Ask for TRIBAL BLOOD QUANTUM	"	2	S
2	Ask TRIBAL ENROLLMENT NUMBER	"	3	S
3	Ask for OTHER NAMES	"	4	S
4	Ask for MEDICAID DATA	"	5	S
5	Ask for PRIVATE INSURANCE DAT	"	6	SA
6	Ask DIRECTIONS TO PAT'S HOME	"	7	S
7	Ask for NEXT OF KIN	"	8	S
8	Ask for OTHER TRIBES	"	9	S
9	Ask for ADDITIONAL REG. INFO.	"	10	S
10	Add extra IDENTIFIERS to SCAN	"	11	S
11	DECEASED PATIENTS in look-ups	..."	12	S
12	Limited DOB editing	"	13	S
13	LIMITED MEDICARE editing?	"	14	S
14	LIMITED MEDICAID editing?	"	15	S
2	PHARMACY SYSTEM (999999.4502)			
.01	PHARMACY SYSTEM	D0,"PS",D1,0	1	F
1	USE PRE-PRINTED LABELS	"	2	S
2	DEFAULT PATIENT STATUS	"	3	P
3	LABEL WIDTH	"	4	N
4	PRINTABLE LINES	"	5	N
5	SKIP LINES BEGINNING	"	6	N
6	SKIP LINES END	"	7	N
7	MAIL/WINDOW OPTION	"	8	S
8	NUMBER OF LABELS TO SKIP	"	9	N
9	MARGIN TAB	"	10	N
3	AMBULATORY PATIENT CARE (999999.4503)			
.01	AMBULATORY PATIENT CARE	D0,"AAPC",D1,0	1	F
1	MCD DIAGNOSIS EDIT	"	2	S
2	MCD INDIVIDUAL PROV. EDIT	"	3	S
3	MCD IND PROV LIC # EDIT	"	4	S
4	ALL RCDS DIAG EDIT	"	5	S
5	ALL RCDS PROVIDER EDIT	"	6	S
6	APC'S FOR MULTIPLE SITES	"	7	S
4	CONTRACT HEALTH SYSTEM (999999.4504)			
.01	CONTRACT HEALTH SYSTEM	D0,"ACHS",D1,0	1	F
1	DO CHS FOR MULTIPLE SITES	"	2	S
2	CAN UNOBLIGATED BAL. BE NEG.	"	3	S

8.43. PHYSICAL THERAPY

GLOBAL: ^AUTTPH(
FILE #: 999999.46				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	NAME	"	2	F

8.44. RPMS RESERVATION

GLOBAL: ^AUTTRES(
FILE #: 999999.47				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	STATE CODE	"	3	P
.04	AREA NUMBER 1	"	4	P
.05	AREA NUMBER 2	"	5	P
.06	SERVICE UNIT	"	6	P
.07	COUNTY	"	7	P
.08	COMMUNITY	"	8	P

8.45. BIC ELIGIBILITY

GLOBAL: ^AUTTBICE(
FILE #: 999999.48				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	TYPE	D0,0	1	F
.02	CODE	"	2	F

8.46. IHS TASK REPRINT

GLOBAL: ^AUTTZTSK(
FILE #: 999999.49				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F

8.47. APPROPRIATION NO

GLOBAL: ^AUTTPRO(FILE #: 9999999.51				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NUMBER	D0,0	1	F
.02	CODE	"	2	F
1	APPROPRIATED YTD	D0,"BA"	1	N
2	REQUESTED YTD	"	2	N
3	SPENT YTD	"	3	N
4	BALANCE	"	4	N
5	TOTAL OBLIGATIONS	"	5	N
6	IMN NO.	D0,0	3	F

8.48. ALLOWANCE NO.

GLOBAL: ^AUTTALLW(FILE #: 9999999.52				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NUMBER	D0,0	1	F
.02	ACCOUNTING POINT	"	2	P
.03	ACTIVITY	"	3	P
1	ALLOWANCE YTD	D0,"BA"	1	N
2	REQUESTED YTD	"	2	N
3	SPENT YTD	"	3	N
4	BALANCE	"	4	N
5	TOTAL OBLIGATIONS	"	5	N

8.49. BUDGET ACTIVITY

GLOBAL: ^AUTTTBA(FILE #: 9999999.54				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	NAME	"	2	F

8.50. SUB ACTIVITY

GLOBAL: ^AUTTSA(FILE #: 999999.55				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	SUB-ACTIVITY	D0,0	1	F
.02	NAME	"	2	F
.03	ACTIVITY	"	3	P

8.51. SUB-SUB-ACTIVITY

GLOBAL: ^AUTTTSSA FILE #: 999999.56				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	SSA	D0,0	1	F
.02	NAME	"	2	F
.03	SSA NUMBER	"	3	F
.04	SHORT NAME	"	4	F
.05	ALLOWANCE	"	5	P
1	SSA YTD	D0,"BA"	1	N
2	REQUESTED YTD	"	2	N
3	SPENT YTD	"	3	N
4	BALANCE	"	4	N
5	TOTAL OBLIGATIONS YTD	"	5	N
10	ACTIVITY	D0,"DT"	1	P
20	SUB-ACTIVITY	"	2	P
30	COST CENTER	"	3	P

8.52. COMMON ACCOUNTING NUMBER

GLOBAL: ^AUTTCAN(FILE #: 9999999.57				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CAN NO.	D0,0	1	F
.02	CAN NO. CODE	"	2	F
.03	APPROPRIATION NO.	"	3	P
.04	SHORT NAME	"	4	F
.05	SUB-SUB ACTIVITY	"	5	P
.06	LOCATION CODE	"	6	P
.07	STATE	"	7	P
.08	COUNTY	"	8	P
.09	FY	"	9	N
.11	PAYROLL CAN (Y/N)	"	11	S
.12	CITY	"	12	P
.13	ORGANIZATION	"	13	P
.14	STATUS	"	14	S
.15	COST CENTER	"	15	P
.16	STATUS DATE	"	16	D
.17	LOCATION	"	17	P
.18	FARS CODE	"	18	F
.19	M&M CAN	"	19	S
1	ALLOWANCE NUMBER	D0,"DT"	1	F
2	BUDGET ACTIVITY	"	2	F
3	COST CENTER NUMBER	"	3	F
4	LOCATION CODE NUMBER	"	4	F
5	STATE CODE	"	5	F
6	CITY CODE	"	6	F
7	COUNTY CODE	"	7	F
8	CONGRESSIONAL DISTRICT	"	8	F

8.53. COST CENTER

GLOBAL: ^AUTTCCT(FILE #: 9999999.58				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NO.	D0,0	1	F
1	TITLE	"	2	F
10	OBJECT CLASS (9999999.581)			
.01	OBJECT CLASS	D0,1,D1,0	1	P

8.54. OBJECT/SUB-OBJECT

GLOBAL: ^AUTTOBJC(FILE #: 9999999.59				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	OBJECT CLASS	D0,0	1	F
.02	GROUP	"	2	P
.03	CATEGORY	"	4	P
.04	REPORT GROUP	"	6	P
1	GENERAL LEDGER ACCOUNT	"	9	F
2	ADP CODE	"	10	S
3	SHORT NAME	"	3	F
4	NUMERIC COLLATING	"	5	F
5	TRANSACTION TYPE	"	7	P
6	STOCK/DIRECT ISSUE	"	8	S
11	FUND PROJECTION CODE	"	11	S
12	ACTIVE	"	12	S

8.55. OBJECT CLASS GROUP

GLOBAL: ^AUTTOCG(FILE #: 9999999.591				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NUMBER	D0,0	1	F
1	NAME	"	2	F

8.56. OBJECT CLASS CATEGORY

GLOBAL: ^AUTTOBCC(FILE #: 9999999.61				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CATEGORY	"	2	F

8.57. FMS DEPARTMENT/PROGRAM

GLOBAL: ^AUTTPRG(FILE #: 9999999.62				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	ORGANIZATIONAL LEVEL	"	3	S
.04	FINANCE OFFICE CODE	"	4	F
.05	PROCUREMENT OFFICE	"	5	P
.06	COST CENTER PREFIX	"	6	S
1	BALANCE	D0,"BA"	1	N
2	REQUESTED	"	2	N
3	SPENT	"	3	N
10	STREET 1	D0,"DT"	1	F
11	STREET 2	"	2	F
12	CITY	"	3	F
13	STATE	"	4	P
14	ZIP-CODE	"	5	F
15	PHONE NUMBER	"	6	F
16	PHONE (FTS)	"	7	F
17	FAX NUMBER	"	8	F
18	PRINTER ID	"	10	P
2100	PRIMARY CAN NO.	"	9	P
2101	CAN NO (9999999.622101)			
.01	CAN NO	D0,2101,D1,0	1	P
2102	LAST NUMBER USED (9999999.622102)			
.01	FISCAL YEAR	D0,1,D1,0	1	F
.02	REFERENCE CODE (9999999.632102)			
.01	REFERENCE CODE	D0,1,D1,1,D2,0	1	P
.02	LAST NUMBER USED	"	2	N

8.58. REFERENCE CODE

GLOBAL: ^AUTTDOCR(FILE #: 9999999.63				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	REF. CODE	D0,0	1	F
1	DOCUMENT TITLE	..."	2	F
2	FORM NUMBER	"	3	F
3	CODE	"	4	F
4	DEVICE	"	5	P
10	SITE (9999999.631)			
.01	SITE	D0,1,D1,0	1	P
20	LAST NUMBER USED (9999999.632)			
.01	FISCAL YEAR	D0,2,D1,0	1	N
.02	LAST NUMBER USED	"	2	N

8.59. HEALTH FACTORS

GLOBAL: ^AUTTHF(FILE #: 9999999.64				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	FACTOR	D0,0	1	F
.02	CODE	"	2	F
.03	CATEGORY	"	3	P
.04	SHORT NAME	"	4	F
.05	USE ONLY WITH SEX	"	5	S
.06	LOWER AGE	"	6	N
.07	UPPER AGE	"	7	N
.08	DISPLAY ON HEALTH SUMMARY	"	8	S
.09	SYNONYM	"	9	F
.1	ENTRY TYPE	"	10	S
.11	PHRASE FOR QUANTITY	"	11	F
.12	PHRASE FOR LEVEL	"	12	F
.13	INACTIVE FLAG	"	13	S
1101	NOT USED WITH (9999999.641101)			
.01	NOT USED WITH	D0,11,D1,0	1	P

8.60. COVERAGE TYPE

GLOBAL: ^AUTTPIC(FILE #: 999999.65				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	INSURER	"	2	P
.03	PLAN CODE	"	3	F
.04	PLAN TYPE	"	4	S
.05	SUPPLEMENTAL TO MEDICARE (Y/N)	"	5	S
11	CLINICS UNBILLABLE (999999.6511)			
.01	CLINICS UNBILLABLE	D0,11,D1,0	1	P
13	DIAGNOSIS UNBILLABLE (999999.6513)			
.01	UNBILLABLE DIAGNOSIS (ICD9)	D0,13,D1,0	1	P
15	PROV CLASS (UN)BILLABLE (999999.6515)			
.01	PROV CLASS (UN)BILLABLE	D0,15,D1,0	1	P
.02	BILLABLE/UNBILLABLE	"	2	S
1	CPT (999999.65151)			
.01	CPT LOW	D0,15,D1,1,D2,0	1	P
.02	CPT HIGH	"	2	P
2	ICD PROCEDURES (999999.65152)			
.01	ICD PROC LOW	D0,15,D1,2,D2,0	1	P
.02	ICD PROC HIGH	"	2	P
3	ICD DIAGNOSES (999999.65153)			
.01	ICD DIAGNOSES LOW	D0,15,D1,3,D2,0	1	P
.02	ICD DIAGNOSES HIGH	"	2	P
17	DENTAL CATEGORIES UNBILLABLE (999999.6517)			
.01	DENTAL CATEGORIES UNBILLABLE	D0,17,D1,0	1	S
.02	ADA CODE EXCEPTIONS	"	2	P

8.61. LOCATION CODE

GLOBAL: ^AUTTLCOD(FILE #: 999999.66				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	LOCATION NAME	"	2	F
.03	ACCOUNTING POINT	"	3	P
.04	STATE	"	4	P
1	ACT PT	D0,"DT"	1	F
2	ST.	"	2	F

8.62. OBJECT CLASS REPORT GRP

GLOBAL: ^AUTTOCRG(FILE #: 999999.67				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	ALPHA COLLATING	"	2	F
.03	OBJECT CLASS REFERENCE	"	4	F
1	CATEGORY	"	3	S
10	AMOUNT BUDGETED	D0,"AB"	1	N

8.63. DIAGNOSTIC PROCEDURE RESULT

GLOBAL: ^AUTDXPR(FILE #: 999999.68				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	RESULT	D0,0	1	F
.02	DATA TYPE	"	2	S
.03	PARAMS	"	3	F
.04	PARENT	"	4	P
.05	CONTEXT	"	5	S
.06	MODIFIER	"	6	S
.07	AQ INDEX ACTIVE	"	7	S
1	AKA (999999.681)			
.01	AKA	D0,1,D1,0	1	F
2	DESCRIPTION (999999.682)			
.01	DESCRIPTION	D0,2,D1,0	1	W
3	HELP MESSAGE	D0,3,E1,246		F
4	CPT CODE (999999.684)			
.01	CPT CODE	D0,4,D1,0	1	P
5.1	HEADER	D0,5	1	F
5.2	COLUMN WIDTH	"	2	N
5.3	UNITS	"	3	F
6.1	METADictionary ENTRY	D0,6	1	P
6.2	ATTRIBUTE CONTEXT	"	2	P
6.3	DESCENDANT CONTEXT	"	3	P

8.64. ACCOUNTING POINT

GLOBAL: ^AUTTACPT(FILE #: 999999.69				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	ACCOUNTING POINT	D0,0	1	F
1	AREA	"	2	P

8.65. IHS COMMUNICATIONS PARAMETERS

GLOBAL: ^AUTTTEL(FILE #: 999999.71				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.001	NUMBER			N
.01	LOCATION NAME	D0,0	1	P
1	COMPUTER CENTER (999999.711)			
.01	COMPUTER CENTER	D0,1,D1,0	1	S
1	DEFAULT RJE #	"	2	N
2	DEFAULT RJE PASSWORD	"	3	F
2.01	PAD RJE # ON SIGN-ON VERIFY	"	4	S
2.05	RJE PREFIX ON SIGN-ON VERIFY	"	5	F
2.07	X.25 ADDRESS	"	6	F
2.09	PORT BAUD RATE	"	7	S
3	OTHER RJE NUMBERS (999999.7113)			
.01	OTHER RJE NUMBERS	D0,1,D1,1,D2,0	1	N
1	OTHER RJE PASSWORD	"	2	F
2	3780 TTY DEFAULT PORT	D0,2	1	F
2.11	DEFAULT TTY PORT TYPE	"	2	S
2.13	*BCBS DEDICATED TTY PORT	"	3	N
2.14	*BCS PORT BAUD RATE	"	4	S
2.15	TTY DEFAULT PORT BAUD RATE	"	5	S
3	OTHER 3780 TTY PORTS (999999.713)			
.01	OTHER 3780 TTY PORTS	D0,3,D1,0	1	F
.11	DEFAULT TTY PORT TYPE	"	2	S
.12	X.25 ADDRESS	"	3	F
.13	TTY PORT BAUD RATE	"	4	S
4	APPLICATION INFORMATION (999999.714)			
.01	PACKAGE NAME	D0,4,D1,0	1	P
1	USER AGENCY CODE	"	2	F
2	USER PASSWORD	"	3	F
3	USER ID	"	4	F
4	UNIX EXPORT NAME (lower case)	"	5	F
5	TX COMPUTER CENTER	"	6	S
6	AIB GLOBAL NAMESPACE	"	7	F
5	DEFAULT PRINTER PORT (MUMPS)	D0,5	1	N
6	OTHER PRINTER PORTS (MUMPS) (999999.716)			
.01	OTHER PRINTER PORTS (MUMPS)	D0,6,D1,0	1	N

8.66. REVENUE CODES

GLOBAL: ^AUTREVN(FILE #: 999999.72				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	REVENUE CODE	D0,0	1	F
1	STANDARD ABBREVIATION	"	2	F
2	INACTIVATE	"	3	S
3	DESCRIPTION	"	4	F
4	ALL INCLUSIVE	"	5	S

8.67. CHA ICD RECODE TABLE

GLOBAL: ^AUTTCHA(FILE #: 999999.74				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	ICD9 CODE	"	2	F
.03	NARRATIVE	"	3	F
1101	RANGE (999999.7411)			
.01	LOWEST ICD9	D0,11,D1,0	1	F
.02	HIGHEST ICD9	"	2	F

8.68. EMPLOYER

GLOBAL: ^AUTTEMPL(FILE #: 999999.75				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	EMPLOYER	D0,0	1	F
.02	STREET ADDRESS	"	2	F
.03	CITY	"	3	F
.04	STATE	"	4	P
.05	ZIP	"	5	F
.06	PHONE	"	6	F
.07	ABBREVIATION	"	7	F
.08	WORKMEN'S COMP INSURER	"	8	P
.09	GROUP PLAN	"	9	P

8.69. TYPE OF BUSINESS

GLOBAL: ^AUTTOB(FILE #: 999999.76				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	DESCRIPTION	"	2	F
.03	GROUP	"	3	S

8.70. EMPLOYER GROUP INSURANCE

GLOBAL: ^AUTNEGRP(FILE #: 999999.77				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	GROUP NAME	D0,0	1	F
.02	GROUP NUMBER	"	2	F
11	VISIT TYPE (999999.7711)			
.01	VISIT TYPE	D0,11,D1,0	1	S
.02	GROUP NUMBER (VISIT SPECIFIC)	"	2	F

8.71. SSN STATUS

GLOBAL: ^AUTSSN(FILE #: 999999.78				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	DESCRIPTION	"	2	F

8.72. GEOGRAPHICAL LOCATION

GLOBAL: ^AUTGGL(FILE #: 999999.79				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	GEOGRAPHICAL LOCATION	D0,0	1	F
.02	COUNTY CODE	"	2	F
.03	CITY CODE	"	3	F
.04	CONGRESSIONAL DISTRICT	"	4	F
.05	COUNTY	"	5	P
.06	STATE	"	6	P
.07	LABOR SURPLUS AREA	"	7	S

8.73. SIZE OF SMALL BUSINESS

GLOBAL: ^AUTTSOB(FILE #: 9999999.81				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	CODE	D0,0	1	F
.02	DESCRIPTION	"	2	F
.03	GROUP	"	3	S

8.74. PERCENTILES

GLOBAL: ^AUTTPCT(FILE #: 9999999.82				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	MEASUREMENT	D0,0	1	F
1	SEX (9999999.821)			
.01	SEX	D0,1,D1,0	1	F
1	MONTHS OF AGE (9999999.8211)			
.01	MONTHS OF AGE	D0,1,D1,1,D2,0	1	N
1	MEASUREMENT VALUES	"	2	F

8.75. PREGNANCY PRESENTATION TYPES

GLOBAL: ^AUTTPPT(FILE #: 9999999.87				
FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	NAME	D0,0	1	F
.02	CODE	"	2	F
.03	ABBREVIATION	"	3	F

8.76. CPT MODIFIER

GLOBAL: ^AUTTCMOD(FILE #: 9999999.88				
FIELD #	FIELD NAME		SUBSCRIPT	PIECE TYPE
.01	CODE		0;1	F
.02	DESCRIPTION		0;2	F

9. CROSS REFERENCES

9.1. PATIENT RECORD DISPOSITION

FILE # 9999999.02			
FIELD #	FIELD NAME	INDEX	TYPE
.01	DESCRIPTION (SHORT)	B	Regular
8801	MNEMONIC	B	MNEMONIC

9.2. TRIBE

FILE # 9999999.03			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC
1101	SYNONYM		
.01	SYNONYM	B	MNEMONIC
1201	KEYWORDS		
.01	KEYWORDS	D	Regular

9.3. IMM MANUFACTURER

FILE # 9999999.04			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
8801	MNEMONIC	B	MNEMONIC
1101	VACCINE		
.01	VACCINE	B	Regular

9.4. COMMUNITY

FILE # 9999999.05			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	COUNTY	#1	TRIGGER When new value created, set STCOCOMM CODE into field STCTYCOM INDEX When the value is deleted the value in field STCTYCOM INDEX is also deleted.
		#2	TRIGGER When new value created, set COUNTY:INTERNAL(#.02) into field STATE When the value is deleted the value in field STATE is also deleted.
.03	STATE	#1	TRIGGER When new value created, set STCOCOMM CODE into field STCTYCOM INDEX When the value is deleted the value in field STCTYCOM INDEX is also deleted.
.07	CODE	#1	TRIGGER When new value created, set STCOCOMM CODE into field STCTYCOM INDEX When the value is deleted the value in field STCTYCOM INDEX is also deleted.
.08	STCTYCOM INDEX	C	Regular
8801	MNEMONIC	B	MNEMONIC
1101	OTHER NAME		
.01	OTHER NAME	B	MNEMONIC

9.5. LOCATION

9999999.06			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.04	AREA	#1	TRIGGER When new value created, set ASUFAC CODE into field ASUFAC INDEX When the value is deleted the value in field ASUFAC INDEX is also deleted.
.05	SERVICE UNIT	#1	TRIGGER When new value created, set ASUFAC CODE into field ASUFAC INDEX When the value is deleted the value in field ASUFAC INDEX is also deleted.
.07	CODE	AC #1	Regular TRIGGER When new value created, set ASUFAC CODE into field ASUFAC INDEX When the value is deleted the value in field ASUFAC INDEX is also deleted.
.08	ABBRV	D	Regular
.12	ASUFAC INDEX	C	Regular
.16	MAILING ADDRESS-STATE	AE	MUMPS
.19	FINANCIAL LOCATION CODE	FL FLC	Regular MUMPS
.31	PSEUDO PREFIX	PS	Regular
8801	MNEMONIC	E	Regular
1101	CLASS		
.03	AFFILIATION	#1	TRIGGER When new value created, set LAST(CLASS:AFFILIATION) into field CURRENT TYPE AD MUMPS
.06	ASUFAC CODE	CTOO	Regular

9.6. MEASUREMENT TYPE

9999999.07			
FIELD #	FIELD NAME	INDEX	TYPE
.01	TYPE	B	Regular
.03	CODE	C	Regular

9.7. RECODE ICD/APC

9999999.08			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
.03	NARRATIVE	C	Regular
.05	ICD DIAGNOSIS POINTER	#1	TRIGGER
		When new value created, set #.05:#.01 into field #.06	
.06	ICD DIAGNOSIS (CODE)	AC	Regular
1101 RANGE			
.01	LOWEST ICD9	B	Regular
.02	HIGHEST ICD9	AH	MUMPS

9.8. APC RECODE CATEGORY

9999999.081			
FIELD #	FIELD NAME	INDEX	TYPE
.01	APC CATEGORY	B	Regular

9.9. EDUCATION TOPICS

9999999.09			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
1	MNEMONIC	C	Regular

9.10. VENDOR

9999999.11			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B AD G	Regular MUMPS KWIC
DON'T DELETE THIS X-REF. Used in an attempt to prevent duplicate entries of vendors.			
1101	EIN NO.	AE C #1	MUMPS Regular TRIGGER
When new value created, set EIN NO._EIN SUFFIX into field EIN NO. AND SUFFIX When the value is deleted the value in field EIN NO. AND SUFFIX is also deleted.			
1102	EIN SUFFIX	D #1	MUMPS TRIGGER
If new value created only do set if EIN NO.'="" is true. When new value created, set EIN NO._EIN SUFFIX into field EIN NO. AND SUFF If value deleted only do following action if EIN NO.'="" is true.			
1102.01	EIN NO. AND SUFFIX	E	Regular
1125	GEOGRAPHICAL LOCATION	#1	TRIGGER
When new value created, set #1125:#.04 into field #1116			
		#2	TRIGGER
When new value created, set #1125:INTERNAL(#.07) into field #1117			
		#3	TRIGGER
When new value created, set #1125:#.03 into field #1123			
1126	TYPE OF BUSINESS	AC	MUMPS
2101	TELECOMM. ADDRESS	TC	MUMPS
8801	MNEMONIC	B	MNEMONIC
1104	CONTRACT		
.01	CONTRACT NUMBER	AB CN	Regular Regular
		F	Regular
2	ENDING DATE	E	MUMPS

9999999.11 VENDOR (cont.)			
FIELD #	FIELD NAME	INDEX	TYPE
1501	PREVIOUS EIN NO.		
.01	PREVIOUS EIN NO.	C-TOO	Regular
.02	PREVIOUS EIN SUFFIX	D-TOO	MUMPS
1601	OTHER NAMES/ABBREVIATIONS		
.01	OTHER NAMES/ABBREVIATIONS	B BAKA	Regular Regular
1702	RATE ID NUMBER		
.01	RATE ID NUMBER	B	Regular
1801	AGREEMENT/RATE/BPA NUMBER		
.01	AGREEMENT/RATE/BPA NUMBER	B	Regular
.11	TYPE OF AGREEMENT	AGR	Regular
2001	PACKAGE		
.01	PACKAGE	B	Regular

9.11. RECODE INJURY

9999999.12			
FIELD #	FIELD NAME	INDEX	TYPE
.01	RECODE	B	Regular
.02	ICD DIAGNOSIS POINTER	#1	TRIGGER
		When new value created, set #.02:#.01 into field #.03	
.04	NARRATIVE	C	Regular
1101	RANGE		
.01	LOWEST ICD9	B	Regular
.02	HIGHEST ICD9	AH	MUMPS

9.12. LAB TEST

9999999.13			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC

9.13. IMMUNIZATION

9999999.14			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	SHORT NAME	D	Regular
.03	CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC

9.14. EXAM

9999999.15			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC

9.15. MEDICATION

9999999.16			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
.02	NAME	C	Regular
8801	MNEMONIC	B	MNEMONIC
1101	TYPE/STRENGTH		
.01	TYPE/STRENGTH	B	Regular

9.16. TREATMENT

9999999.17			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC

9.17. INSURER

9999999.18			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B #1	Regular TRIGGER
			If new value created only do set if #.41="" is true. When new value created, set #.01 into field #.41 When the value is deleted there is no effect.
		#2	TRIGGER
			If new value created only do set if #.21="" is true. When new value created, set S X="P" into field #.21 When the value is deleted there is no effect.
		#3	TRIGGER
			If new value created only do set if #.17="" is true. When new value created, set S X=1 into field #.17 When the value is deleted there is no effect.
.08	CONTROL NUMBER	E	Regular
.16	DOMICILE	D	Regular
.17	STATUS	AS	Regular
.26	OLD DFN	AO	Regular
.27	MERGED TO DFN	AI	Regular
.41	LONG NAME	C	KWIC
1301	MEDICAID FI		
.01	MEDICAID STATE	B	Regular
.02	MEDICAID FI	C	Regular
1501	LOCATIONS ASSIGNED W/ PROV #		
.01	LOCATIONS ASSIGNED W/ PROV#	B	Regular
1701	CLINIC UNBILLABLE		
.01	CLINIC UNBILLABLE	B	Regular
3101	DATE SPLIT BILLING REQ'D		
.01	DATE SPLIT BILLING REQ'D	B	Regular
3901	VISIT TYPE		
.01	VISIT TYPE	B	Regular
11	START DATE		
.01	START DATE	B	Regular
4301	PRIOR APPROVAL REQUIRED		
.01	PRIOR APPROVAL REQUIRED	B	Regular

9.18. SURVEILLANCE CODE

9999999.19			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.19. AREA

9999999.21			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular

9.20. SERVICE UNIT

9999999.22			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	AREA	#1	TRIGGER
When new value created, set ASU CODE into field ASU INDEX When the value is deleted the value in field ASU INDEX is also deleted.			
.03	CODE	#1	TRIGGER
When new value created, set ASU CODE into field ASU INDEX When the value is deleted the value in field ASU INDEX is also deleted.			
.04	ASU INDEX	C	Regular

9.21. COUNTY

9999999.23			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.0	STATE	#1	TRIGGER
			When new value created, set STATE CODE_CODE into field STCTY INDEX When the value is deleted the value in field STCTY INDEX is also deleted.
.03	CODE	#1	TRIGGER
			When new value created, set STATE CODE_CODE into field STCTY INDEX When the value is deleted the value in field STCTY INDEX is also deleted.
.04	STCTY INDEX	C	Regular

9.22. CLINICAL REMINDER CODE

9999999.24			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.23. BENEFICIARY

9999999.25			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC

9.24. SERVICE CATEGORY

9999999.26			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	ABBREVIATION	C	Regular

9.25. PROVIDER NARRATIVE

9999999.27			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NARRATIVE	B	Regular
8801	MNEMONIC	B	MNEMONIC

9.26. SKIN TEST

9999999.28			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC

9.27. DISTRICT

9999999.29			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular

9.28. ADA CODE

9999999.31			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
		BA	MUMPS
.02	DESCRIPTION	C	Regular
.06	SYNONYM	D	Regular
8801	MNEMONIC	B	MNEMONIC

9.29. MEDICARE SUFFIX

9999999.32			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.30. RAILROAD PREFIX

9999999.33			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.31. VENDOR TYPE

9999999.34			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
.02	NAME	C	Regular

9.32. QUANTUM CODE

9999999.35			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.33. RELATIONSHIP

9999999.36			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	UB-82 CODE	C	Regular
8801	MNEMONIC	B	MNEMONIC

9.34. U/R DENIAL REASONS

9999999.37			
FIELD #	FIELD NAME	INDEX	TYPE
.01	DENIAL REASON	B	Regular
.02	DENIAL CODE	C	Regular

9.35. ERROR MESSAGES

9999999.38			
FIELD #	FIELD NAME	INDEX	TYPE
.01	PACKAGE CODE	B	Regular
1101	ERROR		
.01	CODE	B	Regular

9.36. RPMS SITE

9999999.39			
FIELD #	FIELD NAME	INDEX	TYPE
.01	LOCATION NAME	B	Regular
1101	REGISTERING FACILITIES		
.01	PARENT FACILITY	B	Regular

9.37. IMMUNIZATION LOT

9999999.41			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NMBR	B	Regular

9.38. HOUSEHOLD STATUS

9999999.42			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
1	CODE	C	Regular

9.39. EMPLOYMENT STATUS

9999999.43			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
1	CODE	C	Regular

9.40. INCOME SOURCE

9999999.44			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
1	CODE	C	Regular

9.41. RPMS APPLICATION PARAMETERS

9999999.45			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
1	REGISTRATION SYSTEM		
.01	REGISTRATION SYSTEM	B	Regular
2	PHARMACY SYSTEM		
.01	PHARMACY SYSTEM	B	Regular
3	AMBULATORY PATIENT CARE		
.01	AMBULATORY PATIENT CARE	B	Regular
4	CONTRACT HEALTH SYSTEM		
.01	CONTRACT HEALTH SYSTEM	B	Regular

9.42. PHYSICAL THERAPY

9999999.46			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.43. RPMS RESERVATION

9999999.47			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
	.02	CODE	C Regular

9.44. BIC ELIGIBILITY

9999999.48			
FIELD #	FIELD NAME	INDEX	TYPE
.01	TYPE	B	Regular
.02	CODE	C	Regular

9.45. IHS TASK REPRINT

9999999.49			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular

9.46. APPROPRIATION NO.

9999999.51			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NUMBER	B	Regular
1	APPROPRIATED YTD	#1	TRIGGER When new value created, set APPROPRIATED YTD-TOTAL OBLIGATIONS into field BALANCE
2	REQUESTED YTD	#1	TRIGGER When new value created, set TOTAL OBLIGATIONS+REQUESTED YTD into field TOTAL OBLIGATIONS
3	SPENT YTD	#1	TRIGGER When new value created, set TOTAL OBLIGATIONS+SPENT YTD into field TOTAL OBLIGATIONS
5	TOTAL OBLIGATIONS	#1	TRIGGER When new value created, set APPROPRIATED YTD-TOTAL OBLIGATIONS into field BALANCE 6 IMN NO.
		C	Regular

9.47. ALLOWANCE NO.

9999999.52			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NUMBER	B	Regular
1	ALLOWANCE YTD	#1	TRIGGER When new value created, set ALLOWANCE YTD-TOTAL OBLIGATIONS into field BALANCE
2	REQUESTED YTD	#1	TRIGGER When new value created, set REQUESTED YTD+SPENT YTD into field TOTAL OBLIGATIONS
3	SPENT YTD	#1	TRIGGER When new value created, set REQUESTED YTD+SPENT YTD into field TOTAL OBLIGATIONS
5	TOTAL OBLIGATIONS	#1	TRIGGER When new value created, set ALLOWANCE YTD-TOTAL OBLIGATIONS into field BALANCE

9.48. BUDGET ACTIVITY

9999999.54			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
.02	NAME	C	Regular

9.49. SUB-ACTIVITY

9999999.55			
FIELD #	FIELD NAME	INDEX	TYPE
.01	SUB-ACTIVITY	B	Regular
.02	NAME	C	Regular
.03	ACTIVITY	D	Regular

9.50. SUB-SUB-ACTIVITY

9999999.56			
FIELD #	FIELD NAME	INDEX	TYPE
.01	SSA	B	Regular
.02	NAME	C	Regular
1	SSA YTD	#1	TRIGGER When new value created, set SSA YTD-TOTAL OBLIGATIONS YTD into field BALANCE
2	REQUESTED YTD	#1	TRIGGER When new value created, set REQUESTED YTD+SPENT YTD into field TOTAL OBLIGATIONS YTD
3	SPENT YTD	#1	TRIGGER When new value created, set REQUESTED YTD+SPENT YTD into field TOTAL OBLIGATIONS
5	TOTAL OBLIGATIONS YTD	#1	TRIGGER When new value created, set SSA YTD-TOTAL OBLIGATIONS into field BALANCE

9.51. COMMON ACCOUNTING NUMBER

9999999.57			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CAN NO.	B #1	Regular TRIGGER When new value created, set \$(CAN NO.,4,7) into field #.02 When the value is deleted the value in field #.02 is also deleted. DO NOT DELETE Triggers 4 digit CAN code in the .02 code field.
.02	CAN NO. CODE	C	Regular
.09	FY	F	Regular

9.52. COST CENTER

9999999.58			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NO.	B	Regular
1	TITLE	C	Regular
10	OBJECT CLASS		
.01	OBJECT CLASS	B	Regular

9.53. OBJECT/SUB-OBJECT

9999999.59			
FIELD #	FIELD NAME	INDEX	TYPE
.01	OBJECT CLASS	C #1	Regular TRIGGER
When new value created, set OBJECT CLASS_ " " into field NUMERIC COLLATING When the value is deleted the value in field NUMERIC COLLATING is also deleted.			
.02	GROUP	GP	Regular
.03	CATEGORY	E	Regular
.04	REPORT GROUP	RG	Regular
3	SHORT NAME	D	Regular
4	NUMERIC COLLATING	B	Regular

9.54. OBJECT CLASS GROUP

9999999.591			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NUMBER	B	Regular

9.55. OBJECT CLASS CATEGORY

9999999.61			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CATEGORY	C	Regular

9.56. FMS DEPARTMENT/PROGRAM

9999999.62			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
2101	CAN NO		
.01	CAN NO	B	Regular
2102	LAST NUMBER USED		
.01	FISCAL YEAR	B	Regular
.02	REFERENCE CODE		
.01	REFERENCE CODE	B	Regular

9.57. REFERENCE CODE

9999999.63			
FIELD #	FIELD NAME	INDEX	TYPE
.01	REF. CODE	B	Regular
1	DOCUMENT TITLE	C	Regular
3	CODE	D	Regular
10	SITE		
.01	SITE	B	Regular
20	LAST NUMBER USED		
.01	FISCAL YEAR	B	Regular

9.58. HEALTH FACTORS

9999999.64			
FIELD #	FIELD NAME	INDEX	TYPE
.01	FACTOR	B	Regular
.02	CODE	C	Regular
.03	CATEGORY	AC	Regular
.09	SYNONYM	D	Regular
.1	ENTRY TYPE	AD	Regular
1101	NOT USED WITH		
.01	NOT USED WITH	B	Regular

9.59. COVERAGE TYPE

9999999.65			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B #1	Regular TRIGGER
If new value created only do set if I \$D(AGELP("INS")) is true. When new value created, set S X=AGELP("INS") into field #.02 When the value is deleted there is no effect.			
.02	INSURER	C	Regular
.03	PLAN CODE	AC D	MUMPS Regular
11	CLINICS UNBILLABLE		
.01	CLINICS UNBILLABLE	B	Regular
13	DIAGNOSIS UNBILLABLE		
.01	UNBILLABLE DIAGNOSIS (ICD9)	B	Regular
15	PROV CLASS (UN)BILLABLE		
.01	PROV CLASS (UN)BILLABLE	B	Regular
1	CPT		
.01	CPT LOW	B	Regular
2	ICD PROCEDURES		
.01	ICD PROC LOW	B	Regular
3	ICD DIAGNOSES		
.01	ICD DIAGNOSES LOW	B	Regular
17	DENTAL CATEGORIES UNBILLABLE		
.01	DENTAL CATEGORIES UNBILLABLE	B	Regular

9.60. LOCATION CODE

9999999.66					
FIELD #	FIELD NAME	INDEX	TYPE		
.01	CODE	B	Regular		
		AC	MUMPS		
		DO NOT DELETE Xref for Accounting point with location code with state			
		C	MUMPS		
		DO NOT DELETE Xref concatenates the last 2 digits of the location code with the state code for data look up.			
		D	MUMPS		
		DO NOT DELETE			
		.02	ACCOUNTING POINT	#1	TRIGGER
				When new value created, set #.03:#.01 into field ACT PT When the value is deleted the value in field ACT PT is also deleted.	
AC2	MUMPS				
		DO NOT DELETE			
		D2	MUMPS		
		DO NOT DELETE			
.04	STATE	#1	TRIGGER		
		When new value created, set #.04:#2 into field #2 When the value is deleted the value in field #2 is also deleted. DO NOT DELETE			
		AC3	MUMPS		
		DO NOT DELETE			
		C2	MUMPS		
		DO NOT DELETE			

9.61. OBJECT CLASS REPORT GRP

9999999.67			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	ALPHA COLLATING	AC	Regular
1	CATEGORY	CAT	Regular
10	AMOUNT BUDGETED	AB	Regular

9.62. DIAGNOSTIC PROCEDURE RESULT

9999999.68			
FIELD #	FIELD NAME	INDEX	TYPE
.01	RESULT	B	Regular
1	AKA		
.01	AKA	B	Regular
		B	MNEMONIC
4	CPT CODE		
.01	CPT CODE	B	Regular

9.63. ACCOUNTING POINT

9999999.69			
FIELD #	FIELD NAME	INDEX	TYPE
.01	ACCOUNTING POINT	B	Regular
1	AREA	C	Regular

9.64. IHS COMMUNICATIONS PARAMETERS

9999999.71			
FIELD #	FIELD NAME	INDEX	TYPE
.01	LOCATION NAME	B	Regular
1	COMPUTER CENTER		
.01	COMPUTER CENTER	B	Regular
3	OTHER RJE NUMBERS		
.01	OTHER RJE NUMBERS	B	Regular
3	OTHER 3780 TTY PORTS		
.01	OTHER 3780 TTY PORTS	B	Regular
4	APPLICATION INFORMATION		
.01	PACKAGE NAME	B	Regular
6	OTHER PRINTER PORTS (MUMPS)		
.01	OTHER PRINTER PORTS (MUMPS)	B	Regular

9.65. PCC RJE NUMBER(S)

9999999.712			
FIELD #	FIELD NAME	INDEX	TYPE
.01	PCC RJE NUMBER(S)	B	Regular

9.66. REVENUE CODES

9999999.72			
FIELD #	FIELD NAME	INDEX	TYPE
.01	REVENUE CODE	B	Regular
		F	MUMPS
1	STANDARD ABBREVIATION	C	Regular
2	INACTIVATE	AC	MUMPS
		D1	MUMPS
3	DESCRIPTION	E	KWIC

9.67. CHA ICD RECODE TABLE

9999999.74			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
.03	NARRATIVE	C	Regular
1101	RANGE		
.01	LOWEST ICD9	B	Regular
.02	HIGHEST ICD9	AH	MUMPS

9.68. EMPLOYER

9999999.75			
FIELD #	FIELD NAME	INDEX	TYPE
.01	EMPLOYER	B	Regular
.07	ABBREVIATION	C	Regular
.08	WORKMEN'S COMP INSURER	AI	Regular
.09	GROUP PLAN	AG	Regular

9.69. TYPE OF BUSINESS

9999999.76			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
.02	DESCRIPTION	C	Regular
.03	GROUP	D	Regular

9.70. EMPLOYER GROUP INSURANCE

9999999.77			
FIELD #	FIELD NAME	INDEX	TYPE
.01	GROUP NAME	B	Regular
11	VISIT TYPE		
.01	VISIT TYPE	B	Regular

9.71. SSN STATUS

9999999.78			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.72. GEOGRAPHICAL LOCATION

9999999.79			
FIELD #	FIELD NAME	INDEX	TYPE
.01	GEOGRAPHICAL LOCATION	B	Regular
.02	COUNTY CODE	C	Regular
.03	CITY CODE	D	Regular
.04	CONGRESSIONAL DISTRICT	E	Regular
.05	COUNTY	#1	TRIGGER
When new value created, set #.05:INTERNAL(#.02) into field #.06			

9.73. SIZE OF SMALL BUSINESS

9999999.81			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular

9.74. PERCENTILES

9999999.82			
FIELD #	FIELD NAME	INDEX	TYPE
.01	MEASUREMENT	B	Regular
1	SEX		
.01	SEX	B	Regular
	1 MONTHS OF AGE		
.01	MONTHS OF AGE	B	Regular

9.75. PREGNANCY PRESENTATION TYPES

9999999.87			
FIELD #	FIELD NAME	INDEX	TYPE
.01	NAME	B	Regular
.02	CODE	C	Regular
.03	ABBREVIATION	D	Regular

9.76. CPT MODIFIER

9999999.87			
FIELD #	FIELD NAME	INDEX	TYPE
.01	CODE	B	Regular
.02	DESCRIPTION	C	Regular

10. PACKAGE INPUT TEMPLATES

INPUT TEMPLATE NAME	FILE	COMPILED RTN
AUT SMALL PURCHASE VENDOR	VENDOR	
AUT VENDOR EDIT	VENDOR	
AUT VENDOR EDIT-BILL	VENDOR	
AUT VENDOR EDIT-CIS	VENDOR	
AUT VENDOR EDIT-MAIL	VENDOR	
AUT VENDOR EDIT-PAY	VENDOR	
AUT VENDOR EDIT-REMIT	VENDOR	
AUT VENDOR EDIT-SPIS	VENDOR	
AUT2 VENDOR EDIT	VENDOR	

11. PACKAGE PRINT TEMPLATES

PRINT TEMPLATE NAME	FILE	COMPILED RTN
AUT SMALL PURCHASE VENDOR	VENDOR	^AUTSVND
AUT VENDOR DATA	VENDOR	^AUTPVND1
AUT VENDOR DATA-AUTPVND	VENDOR	^AUTPVND
AUT2 VENDOR DATA	VENDOR	

12. PACKAGE SORT TEMPLATES

The AUT package has no sort templates.

13. OPTIONS LIST

The AUT package has no options.

14. OPTION DESCRIPTION

The AUT package has no options.

15. SECURITY KEYS

The AUT package has no keys.

16. GLOSSARY

FileMan - A database management system used by Indian Health Service.

MUMPS (Massachusetts General Hospital Utility Multi Programming System) - The computer language used to create FileMan and SAMS. It also is known as the "M" language.

17. EXCEPTIONS TO SAC

Package: IHS DICTIONARIES (POINTERS)
(AUT)

Date: September 9, 1997

The exception to Standard 2.1.4 was granted on 9/18/97 for Use of an Unsupported FileMan Entry Point, in AUTNKWII.

SRCB Review

Date: September 18, 1997

Recommend **APPROVAL** **DISAPPROVAL**

Comments: Approval recommended with understanding that development resources will be made available to correct this exemption via a patch within 6 months (if possible).

Verifier(s):

/s/
Cathy Upham

DSD Action

Date: September 18, 1997

Request **APPROVED** **DISAPPROVED**

Comments:

Director,DSD:

/s/
George T. Huggins