



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Clinical Reporting System

(BGP)

Technical Manual

Version 20.1
July 2020

Office of Information Technology
Division of Information Resource Management

Table of Contents

1.0	Introduction.....	1
1.1	Key Changes in v20.1.....	2
1.1.1	Logic Changes to National GPRA/GPRAMA Report Measures.....	2
1.1.2	Key Logic Changes to Non-GPRA Measures.....	4
1.1.3	Additional Key Enhancements and Revisions	4
2.0	Implementation and Maintenance	5
2.1	System Requirements	5
2.2	Security Keys.....	5
3.0	Routines	6
3.1	Routines with Description	6
4.0	Files and Tables.....	16
4.1	File List	16
4.2	File Access	17
4.3	Cross References	17
4.4	Table File.....	40
4.4.1	BGP CONTROL FILE.....	40
4.4.2	BGP SITE PARAMETERS	45
4.4.3	FILE: BGP SUMMARY CATEGORIES.....	45
4.4.4	FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS	46
4.4.5	FILE: BGP AREA AUTOMATED GPRA PARAMS	47
4.4.6	FILE: BGP GPRA FLAT FILE DATA	47
4.4.7	FILE: BGP 20 MEASURES	48
4.4.8	FILE: BGP 20 INDIVIDUAL MEASURES	51
4.4.9	FILE: BGP 20 NATIONAL PATIENT LISTS	53
4.4.10	FILE: BGP 20 SNOMED SUBSETS	54
4.4.11	FILE: BGP 20 TAXONOMIES.....	54
4.4.12	FILE: BGP 20 MEASURE GROUPS	55
4.4.13	FILE: BGP 20 ICARE GROUPS	55
4.4.14	FILE: BGP 20 ICARE CATEGORIES	56
4.4.15	FILE: BGP 20 GUI OUTPUT	56
4.4.16	FILE: BGP 20 ELDER INDIVIDUAL MEASURES	57
4.4.17	FILE: BGP 20 ELDER MEASURES	58
5.0	External Relations	60
5.1	External Calls	60
5.2	Callable Routines.....	83
5.3	Published Entry Points.....	83
5.4	Exported Options	83
6.0	Internal Relations	88
7.0	Security Keys.....	89

8.0	Archiving and Purging	90
9.0	Documentation Resources	91
9.1	How to Generate Online Documentation	91
9.2	System Documentation.....	91
9.2.1	%INDEX	91
9.2.2	Inquire Option	92
9.2.3	Print Option File.....	92
9.2.4	List File Attributes	92
9.3	Online Help.....	93
10.0	SAC Requirements and Exemptions	94
	Glossary.....	95
	Acronym List	97
	Contact Information	98

Revision History

Version	Date	Author	Section	Page Number	Summary of Change
1.0	August 2005	Lori Butcher			Initial version
8.0	August 2008	Lori Butcher			Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Lori Butcher			Updated for version 9.0
10.0	May 2010	Lori Butcher			Updated for version 10.0
11.0	January 2011	Lori Butcher			Updated for version 11.0
11.1	May 2011	Lori Butcher			Updated for version 11.1
12.0	December 2011	Lori Butcher			Updated for version 12.0
12.1	April 2012	Lori Butcher			Updated for version 12.1
13.0	November 2012	Lori Butcher			Updated for version 13.0
14.0	November 2013	Lori Butcher			Updated for version 14.0
14.1	May 2014	Lori Butcher			Updated for version 14.1
15.0	November 2014	Lori Butcher			Updated for version 15.0
15.1	May 2015	Lori Butcher			Updated for version 15.1
16.0	November 2015	Lori Butcher			Updated for version 16.0
16.1	February 2016	Lori Butcher			Updated for version 16.1
17.0	September 2016	Lori Butcher			Updated for version 17.0
17.1	March 2017	Lori Butcher			Updated for version 17.1
18.0	October 2017	Lori Butcher			Updated for version 18.0
18.1	June 2018	Lori Butcher			Updated for version 18.1
19.0	December 2019	Lori Butcher			Updated for version 19.0
19.1	May 2019	Lori Butcher			Updated for version 19.1
20.0	March 2020	Lori Butcher			Updated for version 20.0
20.1	May 2020	Lori Butcher			Updated for version 20.1

Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) v20.1, which adds fiscal year (FY) 2020 clinical performance measures to existing FY 2002 through FY 2019 measures.

1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System (CRS) routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “BGP.”

The file number range for this package is 90240, 90370–90564, 90530–90539, and 90558–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS CRS is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS v20.1. Version 20.1 adds FY 2020 clinical performance measures to existing FY 2002 through FY 2019 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were translated into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site's performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

1.1 Key Changes in v20.1

1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

- GPRA Developmental Measures:
 - Added the following new GPRA Developmental measures:
 - Cancer Screening: Pap Smear Rates – measures to include HPV Primary testing
 - Hepatitis C Screening – Pregnant patients with Hepatitis C Screen and positive screen

- Updated codes and/or logic in the following measures: Access to Dental Service, Adult Immunizations; Childhood Immunizations; Cardiovascular Disease and Blood Pressure Control; Appropriate Medication Therapy After a Heart Attack.
- Diabetes: Glycemic Control:
 - Added CPT 3051F ($7 \leq A1c < 8$) and 3052F ($8 \leq A1c < 9$) to A1c definition.
- Diabetic Retinopathy:
 - Added CPT 2023F, 2025F, 2033F, G2102, G2103, G2014 to Diabetic Retinal Exam logic.
- Access to Dental Service
 - Added RPMS Dental codes 9995 and 9996 and ADA CDT codes D9995 and D9996 to documented dental visit definition.
- Influenza:
 - Added CPT 90694 and CVX 197 to influenza definition.
- Adult Immunizations:
 - Added CPT 90694 and CVX 197 to influenza definition.
- Cancer Screening: Pap Smear Rates:
 - Added ICD-10 Procedure codes 0OUT90ZZ, 0OUT94ZZ, 0OUT97ZL, 0OUT97ZZ, 0OUT98ZL, 0OUT98ZZ, 0OUT9FZL, 0OUT9FZZ to hysterectomy definition.
 - Removed ICD-9 Procedure code 68.9 from hysterectomy definition.
- Cancer Screening: Mammogram Rates:
 - Added ICD-10 Procedure code 0HDT0ZZ to Right Mastectomy definition.
 - Added ICD-10 Procedure code 0HDU0ZZ to Left Mastectomy definition.
 - Added ICD-10 Procedure code 0HDV0ZZ to Bilateral Mastectomy definition.
- Tobacco Use and Exposure Assessment:
 - Updated ENDS labels to E-Cigarettes.
 - Added new measures for smokers of other substances.
 - Updated logic to look for Health Factors by code instead of name.
- Tobacco Cessation:
 - Removed Current E-cig user w/other substance(s) HF from logic.
 - Updated logic to look for Health Factors by code instead of name.
- Alcohol Screening:
 - Updated logic to look for Health Factors by code instead of name.
- Screening, Brief Intervention, and Referral to Treatment (SBIRT):
 - Updated logic to look for Health Factors by code instead of name.

1.1.2 Key Logic Changes to Non-GPRA Measures

For key logic changes to non-GPRA measures, please refer to the *CRS 2020 (Version 20.1) Selected Measures Report Performance Measure List and Definitions* document located on the CRS Web site:

https://www.ihs.gov/sites/crs/themes/responsive2017/display_objects/documents/crsv20/SelectedMeasuresV201.pdf.

1.1.3 Additional Key Enhancements and Revisions

Updated the following IPC measures:

- Diabetes Comprehensive Care, Diabetes: Glycemic Control (CMS122)
- Influenza (CMS147)
- Childhood Immunizations (CMS117)
- Cervical Cancer Screening (CMS124)
- Breast Cancer Screening (CMS125)
- Colorectal Cancer Screening (CMS130)
- Screening for Depression and Follow-Up Plan (CMS2)
- Depression Remission at Twelve Months (CMS159)
- Body Mass Index (BMI) Screening and Follow-Up Plan (CMS69)
- Weight Assessment and Counseling for Nutrition and Physical Activity (CMS155)
- Controlling High Blood Pressure (CMS165)

2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

Note: This version of the CRS (v20.1) only contains the 2020 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. V20.0 is a requirement to install v20.1. Please see the technical manual for previous versions for information about all previous versions.

2.1 System Requirements

- Kernel v8.0 patch 1018 (XU*8.0*1018) or later
- FileMan v22.0 patch 1018 (DI*22.0*1018) or later
- IHS Clinical Reporting System version 20 must be installed (bgp_2000.k).
- Taxonomy v5.1 patch 33 (or later) must be installed (atx_0510.33k, atx*5.1*33).

2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: Security key names, descriptive names, and descriptions

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU-CRS	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.

3.0 Routines

This section includes Table 3-1, which lists BGP routines and their descriptions.

Please note that the only routines distributed in v20.1 are the BGPO* routines. Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

3.1 Routines with Description

Table 3-1 provides a list of routines with comprehensive descriptions of the functions.

Table 3-1: BGP routines

Routine	Description
BGPO2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO2A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 10, 2020
BGPO2B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 24, 2020
BGPO2C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 24, 2020
BGPO2D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2020
BGPO2E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO2F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO2F2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO2G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO2H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO2I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 09, 2020
BGPO2J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2O	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2P	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2Q	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2R	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 10, 2020
BGPO2S	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 12, 2020
BGPO2T	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 12, 2020
BGPO2U	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 12, 2020
BGPO2V	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 12, 2020
BGPO2W	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 27, 2020
BGPO2X	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 12, 2020
BGPO2Y	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 17, 2020
BGPO2Z	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 17, 2020
BGPO3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO3A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 17, 2020
BGPO3B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 17, 2020

Routine	Description
BGPO3C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 17, 2020
BGPO3D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 24, 2020
BGPO3E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 24, 2020
BGPO3F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO3G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO3H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPO3I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 13, 2020
BGPOALG	IHS/CMI/LAB - measure AHR.A
BGPOALG1	IHS/CMI/LAB - measure AHR.A
BGPOALG2	IHS/CMI/LAB - measure AHR.A
BGPOASL	IHS/CMI/LAB - DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGPOASL1	IHS/CMI/LAB - DISPLAY IND LISTS
BGPOAU1A	IHS/CMI/LAB - BUILD CRS* FILES
BGPOAU1D	IHS/CMI/LAB - GPRA FLAT FILE DATA DUMP
BGPOAU1M	IHS/CMI/LAB - SEND MAIL MESSAGE
BGPOAU1R	IHS/CMI/LAB - READ, PROCESS GPRA FILE
BGPOAUEx	IHS/CMI/LAB - BUILD SITE GPRA FILES, EXPORT TO AREA
BGPOAUUL	IHS/CMI/LAB - AREA UPLOAD
BGPOAUUP	IHS/CMI/LAB - UPLOAD SITE FILES, CREATE EXCEL FILES
BGPOBAN	IHS/CMI/LAB - BANNER FOR CRS
BGPOC11	IHS/CMI/LAB - calc CMS measures 02 Jul 2010 8:31 AM
BGPOC13	IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28 AM
BGPOCON	IHS/CMI/LAB - measure AHR.A
BGPOCON1	IHS/CMI/LAB - measure logic
BGPOCTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPOCTS	IHS/CMI/LAB - display ind lists
BGPOCU	IHS/CMI/LAB - calc cms measures
BGPOCU1	IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28
BGPOD1	IHS/CMI/LAB - CALC MEASURES
BGPOD10	IHS/CMI/LAB - calc measures
BGPOD2	IHS/CMI/LAB - measure 1,2,3,4
BGPOD21	IHS/CMI/LAB - measure 6
BGPOD211	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPOD212	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPOD213	IHS/CMI/LAB - measure 6 13 Aug 2015 6:58 AM
BGPOD214	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPOD21A	IHS/CMI/LAB - measure 6
BGPOD22	IHS/CMI/LAB - measure I2
BGPOD24	IHS/CMI/LAB - sti measure
BGPOD24A	IHS/CMI/LAB - sti measure
BGPOD25	IHS/CMI/LAB - MEASURE
BGPOD26	IHS/CMI/LAB - MEASURE LOGIC
BGPOD27	IHS/CMI/LAB - measure I2
BGPOD28	IHS/CMI/LAB - measure I2
BGPOD3	IHS/CMI/LAB - MEASURE LOGIC

Routine	Description
BGPOD31	IHS/CMI/LAB - MEASURE LOGIC
BGPOD32	IHS/CMI/LAB - MEASURE LOGIC
BGPOD33	IHS/CMI/LAB - measure C
BGPOD34	IHS/CMI/LAB - measure C
BGPOD341	IHS/CMI/LAB - measure C
BGPOD35	IHS/CMI/LAB - MEASURE LOGIC
BGPOD36	IHS/CMI/LAB - MEASURE IMM LOGIC
BGPOD37	IHS/CMI/LAB - IMMUNIZATIONS
BGPOD38	IHS/CMI/LAB - IMMUNIZATIONS
BGPOD39	IHS/CMI/LAB - measure C
BGPOD3A	IHS/CMI/LAB - MEASURE LOGIC
BGPOD3B	IHS/CMI/LAB - PNEUMO REMINDER
BGPOD3C	IHS/CMI/LAB - VARIOUS UTILS
BGPOD4	IHS/CMI/LAB - MEASURE LOGIC 3
BGPOD41	IHS/CMI/LAB - measure 3
BGPOD42	IHS/CMI/LAB - measure 11
BGPOD5	IHS/CMI/LAB - measure calc
BGPOD51	IHS/CMI/LAB - measure I2 26 Mar 2015 10:09 AM
BGPOD52	IHS/CMI/LAB - measure 31
BGPOD53	IHS/CMI/LAB - measure calc
BGPOD54	IHS/CMI/LAB - measure calc 02 Jul 2010 8:08 AM
BGPOD55	IHS/CMI/LAB - measure calc
BGPOD5A	IHS/CMI/LAB - measure calc
BGPOD6	IHS/CMI/LAB - measure 31
BGPOD62	IHS/CMI/LAB - MEASURE 31
BGPOD64	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM
BGPOD7	IHS/CMI/LAB - measure 31 06 Nov 2014 2:31 PM
BGPOD71	IHS/CMI/LAB - measure C
BGPOD711	IHS/CMI/LAB - measure C 30 Jun 2010 12:14 PM
BGPOD712	IHS/CMI/LAB - TOBACCO HF
BGPOD713	IHS/CMI/LAB - measure 31
BGPOD714	IHS/CMI/LAB - measure 6
BGPOD715	IHS/CMI/LAB - measure 6
BGPOD72	IHS/CMI/LAB - measure 31
BGPOD721	IHS/CMI/LAB - measure AHR.A
BGPOD722	IHS/CMI/LAB - measure MEDS
BGPOD723	IHS/CMI/LAB - measure AHR.A
BGPOD724	IHS/CMI/LAB - CONTRA (CONT)
BGPOD729	IHS/CMI/LAB - measure AHR.A
BGPOD73	IHS/CMI/LAB - measure 31
BGPOD731	IHS/CMI/LAB - measure AHR.A
BGPOD732	IHS/CMI/LAB - measure AHR.A
BGPOD74	IHS/CMI/LAB - MEASURE LOGIC
BGPOD75	IHS/CMI/LAB - measure 31
BGPOD76	IHS/CMI/LAB - MEASURE LOGIC

Routine	Description
BGPOD8	IHS/CMI/LAB - measure C 11 Feb 2019 3:35 PM
BGPOD81	IHS/CMI/LAB - measure C 17 Oct 2014 8:51 AM
BGPOD811	IHS/CMI/LAB - PCR, MMR
BGPOD812	IHS/CMI/LAB - measure C
BGPOD82	IHS/CMI/LAB - measure C 14 Mar 2010 11:49 AM
BGPOD83	IHS/CMI/LAB - measure C 07 Jan 2019 11:45 AM
BGPOD84	IHS/CMI/LAB - measure C
BGPOD841	IHS/CMI/LAB - measure C
BGPOD85	IHS/CMI/LAB - measure C 09 Jun 2019 5:18 PM
BGPOD86	IHS/CMI/LAB - measure C 06 Nov 2009 2:26 PM
BGPOD861	IHS/CMI/LAB - measure C
BGPOD862	IHS/CMI/LAB - measure C
BGPOD863	IHS/CMI/LAB - measure C
BGPOD864	IHS/CMI/LAB - measure C
BGPOD87	IHS/CMI/LAB - measure calc 01 Nov 2014 2:35 PM
BGPOD88	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGPOD89	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGPOD9	IHS/CMI/LAB - measure J
BGPOD91	IHS/CMI/LAB - MEASURE LOGIC
BGPODADB	IHS/CMI/LAB - MEASURE LOGIC
BGPODAP	IHS/CMI/LAB - GPRA AREA DRIVER
BGPODAR	IHS/CMI/LAB - GPRA AREA REPORT
BGPODBPR	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGPODCEI	IHS/CMI/LAB - calculate ELDER measures
BGPODCI	IHS/CMI/LAB - AREA GPRA
BGPODCL	IHS/CMI/LAB - national patient list
BGPODCLD	IHS/CMI/LAB - IHS gpra print
BGPODCLP	IHS/CMI/LAB - IHS gpra print
BGPODEL	IHS/CMI/LAB - GPRA REPORT DRIVER
BGPODELA	IHS/CMI/LAB - GPRA REPORT
BGPODELP	IHS/CMI/LAB - IHS HEDIS print
BGPODESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPODESL	IHS/CMI/LAB - IHS 2020 DISPLAY IND LISTS
BGPODGPA	IHS/CMI/LAB - ihs area GPRA 02 Sep 2004 1:11 PM
BGPODGPU	IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER
BGPODH	IHS/CMI/LAB - HEADER
BGPODH1	IHS/CMI/LAB - COVER PAGE
BGPODH2	IHS/CMI/LAB - COVER PAGE
BGPODHSL	IHS/CMI/LAB - IHS 2020 DISPLAY IND LISTS
BGPODICR	IHS/CMI/LAB - ICARE LIST
BGPODL	IHS/CMI/LAB - LOCAL COM REPORT
BGPODLT	IHS/CMI/LAB - national patient list
BGPODMT	IHS/CMI/LAB - NATIONAL LIST
BGPODNDB	IHS/CMI/LAB - NATIONAL EXPORT
BGPODNE1	IHS/CMI/LAB - NATL COMP

Routine	Description
BGPODNG	IHS/CMI/LAB - NATL COM EXPORT
BGPODNGP	IHS/CMI/LAB - NATL RPT PRT
BGPODNGS	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGPODP	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGPODP1	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPODP11	IHS/CMI/LAB - print ind 1
BGPODP12	IHS/CMI/LAB - print ind 19 AGE DIST
BGPODP13	IHS/CMI/LAB - print ind 19 AGE DIST
BGPODP14	IHS/CMI/LAB - print ind 19 AGE DIST
BGPODP19	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPODP1A	IHS/CMI/LAB - print ind 19 AGE DIST
BGPODP1C	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPODP1D	IHS/CMI/LAB - print ind
BGPODP1E	IHS/CMI/LAB - PRINT IND
BGPODP1F	IHS/CMI/LAB - PRINT IND
BGPODP1G	IHS/CMI/LAB - print ind 1
BGPODP1H	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1I	IHS/CMI/LAB - print ind 1
BGPODP1J	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1K	IHS/CMI/LAB - print ind 1
BGPODP1L	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1M	IHS/CMI/LAB - PRINT IND
BGPODP1N	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1O	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1S	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1T	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP2	IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM
BGPODP3	IHS/CMI/LAB - print ind 1
BGPODP4	IHS/CMI/LAB - print ind 31
BGPODP5	IHS/CMI/LAB - print ind H
BGPODP50	IHS/CMI/LAB - print ind H
BGPODP51	IHS/CMI/LAB - print ind H
BGPODP6	IHS/CMI/LAB - print ind H
BGPODP60	IHS/CMI/LAB - print ind H 02 Feb 2019 1:59 PM
BGPODP7	IHS/CMI/LAB - print ind 10
BGPODP8	IHS/CMI/LAB - print ind H
BGPODPA	IHS/CMI/LAB - FORECAST
BGPODPA1	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPODPA2	IHS/CMI/LAB - FORECAST
BGPODPA4	IHS/CMI/LAB - FORECAST
BGPODPAP	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPODPAW	IHS/CMI/LAB - FORECAST PRINT
BGPODPH	IHS/CMI/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM
BGPODPF	IHS/CMI/LAB - PP REPORT
BGPODS	IHS/CMI/LAB - IHS gpra print

Routine	Description
BGPODSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPODSL	IHS/CMI/LAB - IHS 2020 DISPLAY IND LISTS
BGPODSP	IHS/CMI/LAB - SUM PAGE
BGPODSPD	IHS/CMI/LAB - IHS summary page
BGPODSPN	IHS/CMI/LAB - IHS summary page
BGPODSPO	IHS/CMI/LAB - SUM P AGE
BGPODSTM	IHS/CMI/LAB - national patient list
BGPODU	IHS/CMI/LAB - gpra utility calls
BGPOEL10	IHS/CMI/LAB - print ind 1
BGPOEL11	IHS/CMI/LAB - print ind 1 20 Jan 2019 4:41 PM
BGPOEL12	IHS/CMI/LAB - print ind
BGPOEL13	IHS/CMI/LAB - print ind 1
BGPOEL14	IHS/CMI/LAB - print ind 1
BGPOEL15	IHS/CMI/LAB - print ind 1
BGPOEL16	IHS/CMI/LAB - print ind 1
BGPOEL17	IHS/CMI/LAB - print ind 1
BGPOEL18	IHS/CMI/LAB - print ind 1
BGPOEL19	IHS/CMI/LAB - print ind 1
BGPOEL1A	IHS/CMI/LAB - print ind 1
BGPOEL1B	IHS/CMI/LAB - ELDER
BGPOEL1C	IHS/CMI/LAB - ELDER
BGPOEL1D	IHS/CMI/LAB - print ind 1
BGPOEL1E	IHS/CMI/LAB - print ind 1
BGPOEL1F	IHS/CMI/LAB - print ind 1
BGPOEL1G	IHS/CMI/LAB - ELDER CALC
BGPOEL1H	IHS/CMI/LAB - print ind 1
BGPOEL1I	IHS/CMI/LAB - print ind 1
BGPOEL1J	IHS/CMI/LAB - print ind 1 05 Feb 2019 1:41 PM
BGPOEL1K	IHS/CMI/LAB - print ind 1
BGPOEL1L	IHS/CMI/LAB - print ind 1
BGPOEL1M	IHS/CMI/LAB - print ind 1
BGPOEL1N	IHS/CMI/LAB - print ind 1
BGPOEL1O	IHS/CMI/LAB - print ind 1
BGPOEL1P	IHS/CMI/LAB - print ind 01 Jul 2010 7:55 PM
BGPOEL1Q	IHS/CMI/LAB - print ind 05 Feb 2019 9:01 AM
BGPOEL1R	IHS/CMI/LAB - print ind
BGPOEL1S	IHS/CMI/LAB - print ind 1
BGPOEL1T	IHS/CMI/LAB - print ind 1
BGPOEL2	IHS/CMI/LAB - measure 1,2,3,4
BGPOEL3	IHS/CMI/LAB - ELDER MEASURES
BGPOEL31	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPOEL4	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPOELH	IHS/CMI/LAB - cover page for ELDER
BGPOELHH	IHS/CMI/LAB - cover page for ELDER
BGPOELL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:56 PM

Routine	Description
BGPOELL1	IHS/CMI/LAB - print ind 1 20 Jan 2017 4:52 PM
BGPOELL2	IHS/CMI/LAB - print ind 20 Jan 2017 4:41 PM
BGPOELL3	IHS/CMI/LAB - print ind
BGPOELL4	IHS/CMI/LAB - print ind 20 Jan 2017 4:36 PM
BGPOELL5	IHS/CMI/LAB - print ind
BGPOELL6	IHS/CMI/LAB - print ind
BGPOELL7	IHS/CMI/LAB - print ind 03 Feb 2017 4:55 PM
BGPOELL8	IHS/CMI/LAB - print ind
BGPOELL9	IHS/CMI/LAB - print ind
BGPOELLA	IHS/CMI/LAB - print ind 20 Jan 2017 4:46 PM
BGPOELLB	IHS/CMI/LAB - print ind 20 Jan 2017 4:48 PM
BGPOELLC	IHS/CMI/LAB - print ind
BGPOELLD	IHS/CMI/LAB - print ind
BGPOELLE	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGPOELLF	IHS/CMI/LAB - print ind
BGPOELLG	IHS/CMI/LAB - print ind
BGPOELLH	IHS/CMI/LAB - print ind 07 Jun 2017 4:19 PM
BGPOELLI	IHS/CMI/LAB - print ind 25 Mar 2017 6:57 PM
BGPOELLJ	IHS/CMI/LAB - print ind
BGPOELLK	IHS/CMI/LAB - print ind
BGPOELLL	IHS/CMI/LAB - print ind 05 Feb 2017 9:00 AM
BGPOELLM	IHS/CMI/LAB - print ind
BGPOELLN	IHS/CMI/LAB - print ind 1
BGPOELLO	IHS/CMI/LAB - print ind
BGPOELLP	IHS/CMI/LAB - print ind
BGPOELLQ	IHS/CMI/LAB - print ind
BGPOELLR	IHS/CMI/LAB - print ind
BGPOELLS	IHS/CMI/LAB - print ind
BGPOELLT	IHS/CMI/LAB - print ind
BGPOELLU	IHS/CMI/LAB - print ind
BGPOELLV	IHS/CMI/LAB - print ind
BGPOELLW	IHS/CMI/LAB - print ind
BGPOELLX	IHS/CMI/LAB - print ind 30 Jun 2017 10:24 AM
BGPOELLY	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGPOELP1	IHS/CMI/LAB - print ind 1
BGPOELS	IHS/CMI/LAB - IHS gpri print
BGPOELSL	IHS/CMI/LAB - IHS gpri print
BGPOETL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPOEUTL	IHS/CMI/LAB -
BGPOGADB	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPOGAEL	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPOGAG9	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPOGAGP	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPOGAGS	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPOGAHE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT

Routine	Description
BGPOGALL	IHS/CMI/LAB - GUI COM REPORT
BGPOGAPU	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPOGCMP	IHS/CMI/LAB - CRS
BGPOGCOM	IHS/CMI/LAB - GUI COM REPORT
BGPOGDSH	IHS/CMI/LAB - GPRA DASHBOARD GUI
BGPOGELD	IHS/CMI/LAB - GUI COM REPORT
BGPOGFO9	IHS/CMI/LAB - GUI Patient Forecast Report
BGPOGFOR	IHS/CMI/LAB - GUI Patient Forecast Report
BGPOGGPU	IHS/CMI/LAB - CRS
BGPOGIPC	IHS/CMI/LAB - GUI COM REPORT
BGPOGLHW	IHS/CMI/LAB - CRS
BGPOGLST	IHS/CMI/LAB - GUI CMS REPORT
BGPOGLTX	IHS/CMI/LAB - CRS
BGPOGM	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPOGMTX	IHS/CMI/LAB - CRS
BGPOGMUE	IHS/CMI/LAB - GUI MU EP REPORT
BGPOGMUH	IHS/CMI/LAB - GUI MU HOS REPORT
BGPOGNPL	IHS/CMI/LAB - CRS 26 Mar 2010 5:09 PM
BGPOGNST	IHS/CMI/LAB - CRS
BGPOGNT9	IHS/CMI/LAB - CRS
BGPOGNTL	IHS/CMI/LAB - CRS
BGPOGNTP	IHS/CMI/LAB - BGP 20 DESIGNATED PROVIDER REPORT
BGPOGNST	IHS/CMI/LAB - CRS
BGPOGNXP	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM
BGPOGPP	IHS/CMI/LAB - GUI PP REPORT
BGPOGR	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPOGR1	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPOGR2	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPOGRA	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPOGRB	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPOGT	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPOGTA	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPOGU	IHS/CMI/LAB - BGP Gui Utilities
BGPOGUA	IHS/CMI/LAB - BGP Gui Utilities
BGPOGUPL	IHS/CMI/LAB - GUI Upload
BGPOLSTF	IHS/CMI/LAB - List 'BG08' files in pub
BGPONPL	IHS/CMI/LAB - national patient list
BGPONPLP	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:58 PM
BGPOPARP	IHS/CMI/LAB - IHS gpra print
BGPOPARQ	IHS/CMI/LAB - IHS gpra print
BGPOPC1	IHS/CMI/LAB - CALC MEASURES
BGPOPC10	IHS/CMI/LAB - measure I2
BGPOPC11	IHS/CMI/LAB - measure PC11
BGPOPC12	IHS/CMI/LAB - measure I2
BGPOPC13	IHS/CMI/LAB - measure I2

Routine	Description
BGPOPC14	IHS/CMI/LAB - measure I2
BGPOPC15	IHS/CMI/LAB - measure I2
BGPOPC16	IHS/CMI/LAB - measure I2
BGPOPC17	IHS/CMI/LAB - measure I2
BGPOPC2	IHS/CMI/LAB - measure I2
BGPOPC3	IHS/CMI/LAB - measure I2
BGPOPC4	IHS/CMI/LAB - measure I2
BGPOPC5	IHS/CMI/LAB - measure I2
BGPOPC6	IHS/CMI/LAB - measure I2
BGPOPC61	IHS/CMI/LAB - measure I2
BGPOPC62	IHS/CMI/LAB - measure I2
BGPOPC63	IHS/CMI/LAB - measure I2
BGPOPC64	IHS/CMI/LAB - measure I2
BGPOPC65	IHS/CMI/LAB - measure I2
BGPOPC66	IHS/CMI/LAB - measure I2
BGPOPC67	IHS/CMI/LAB - measure I2
BGPOPC68	IHS/CMI/LAB - measure I2
BGPOPC69	IHS/CMI/LAB - measure I2
BGPOPC7	IHS/CMI/LAB - measure I2
BGPOPC8	IHS/CMI/LAB - measure I2
BGPOPC9	IHS/CMI/LAB - measure I2
BGPOPCCI	IHS/CMI/LAB - AREA GPRA
BGPOPCD	IHS/CMI/LAB - GPRA REPORT DRIVER
BGPOPCH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPOPCSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPOPCSL	IHS/CMI/LAB - IHS 2020 DISPLAY IND LISTS
BGPOPCTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPOPCTX	IHS/CMI/LAB - TAXONOMY CHECK FOR IPC REPORT
BGPOPCUT	IHS/CMI/LAB -
BGPOPD19	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGPOPDH1	IHS/CMI/LAB - cover page for gpra del 0
BGPOPDL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 8:02 PM
BGPOPDL0	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPOPDL1	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPOPDL2	IHS/CMI/LAB - print ind 1
BGPOPDL3	IHS/CMI/LAB - print ind 1
BGPOPDL4	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPOPDL5	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPOPDL7	IHS/CMI/LAB - print ind 1
BGPOPDL8	IHS/CMI/LAB - print ind 1
BGPOPDL9	IHS/CMI/LAB - print ind
BGPOPDLA	IHS/CMI/LAB - print ind
BGPOPDLB	IHS/CMI/LAB - print ind
BGPOPDL D	IHS/CMI/LAB - IHS gpra print
BGPOPDLE	IHS/CMI/LAB - print ind

Routine	Description
BGPOPD LH	IHS/CMI/LAB - cover page
BGPOPD LL	IHS/CMI/LAB - print ind 1
BGPOPD LN	IHS/CMI/LAB - IHS gpra print
BGPOPD LO	IHS/CMI/LAB - IHS gpra print
BGPOPD LT	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPOPD PA	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGPOPD PB	IHS/CMI/LAB - print ind
BGPOPD EL	IHS/CMI/LAB - IHS gpra print
BGPOPD OS	IHS/CMI/LAB - POST INIT
BGPOPD OS1	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGPOPD OS2	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGPOPD EF	IHS/CMI/LAB - measure AHR.A
BGPOPD EF1	IHS/CMI/LAB - measure AHR.A
BGPOSD P	IHS/CMI/LAB - IHS summary page 11 Dec 2006 1:24 PM
BGPOSD PD	IHS/CMI/LAB - IHS summary page
BGPOSD PN	IHS/CMI/LAB - IHS summary page
BGPOSD PO	IHS/CMI/LAB - IHS summary page
BGPOUL F	IHS/CMI/LAB - UPLOAD AREA FILES
BGPOUT L	IHS/CMI/LAB - UTILITIES
BGPOUT L1	IHS/CMI/LAB - UTILITIES
BGPOUT L2	IHS/CMI/LAB - UTILITIES 06 Jan 2017 9:49 AM
BGPOUT L3	IHS/CMI/LAB - UTILITIES
BGPOUT LC	IHS/CMI/LAB - UTILITIES
BGPOXT CH	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPOXT CN	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPOXT EL	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPOXT L	IHS/CMI/LAB - DISPLAY IND LISTS
BGPOXT S	IHS/CMI/LAB - DISPLAY IND LISTS
BGPOXT V	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGPOXT V1	IHS/CMI/LAB - DISPLAY IND LISTS

4.0 Files and Tables

4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 20.0 are distributed with v20.1; all previous versions of CRS must be installed prior to v20.1. If v20.0 is installed, then all previous versions have been installed.

Table 4-1: BGP file list

File	Global	Filename
90241.01	^BGPCTRL(BGP CONTROL FILE
90241.02	^BGPSITE(BGP SITE PARAMETERS
90241.03	^BGPSCAT(BGP SUMMARY CATEGORIES
90241.04	^BGP2PM(BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS
90245	^BGP1PM(BGP AREA AUTOMATED GPRA PARAMS
90245.1	^BGP1RD(BGP GPRA FLAT FILE DATA
90564.01	^BGPINDO(BGP 20 MEASURES
90564.02	^BGPINDOC (BGP 20 INDIVIDUAL MEASURES
90564.03	^BGPDPDCO(BGP 20 DATA CURRENT
90564.04	^BGPDPDPO(BGP 20 DATA PREVIOUS
90564.05	^BGPDPDBO(BGP 20 DATA BASELINE
90564.06	^BGPNPLO(BGP 20 NATIONAL PATIENT LISTS
90588.07	^BGPSNOSO(BGP 20 SNOMED SUBSETS
90564.08	^BGPPTAXO(BGP 20 TAXONOMIES
90564.1	^BGPMPGRPO(BGP 20 MEASURE GROUPS
90564.17	^BGPICAGO(BGP 20 ICARE GROUPS
90564.18	^BGPICACO(BGP 20 ICARE CATEGORIES
90564.19	^BGPGUIO(BGP 20 GUI OUTPUT
90564.21	^BGPSPNOMO(BGP 20 SNOMED LISTS
90564.22	^BGPPELIIO(BGP 20 ELDER INDIVIDUAL INDICATORS
90564.23	^BGPPELDCO(BGP 20 ELDER DATA CURRENT
90564.24	^BGPPELDPO(BGP 20 ELDER DATA PREVIOUS
90564.25	^BGPPELDDBO(BGP 20 ELDER DATA BASELINE
90564.26	^BGPPELIO(BGP 20 ELDER INDICATORS

4.2 File Access

Table 4-2: BGP file list

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(@	@	@	@	@
90241.04	^BGP2PM(M	M	M	@	M
90245	^BGP1PM(M	M	M	@	M
90245.1	^BGP1RD(M	M	M	@	M
90564.01	^BGPINDO(@	@	@	@	@
90564.02	^BGPINDOC(@	@	@	@	@
90564.03	^BGPDPDCO(@	@	@	@	@
90564.04	^BGPDPDO(@	@	@	@	@
90564.05	^BGPDPDBO(@	@	@	@	@
90564.06	^BGNPLO(@	@	@	@	@
90564.07	^BGPSNOSO(@	@	@	@	@
90564.08	^BGPTAXO(@	@	@	@	@
90564.1	^BGPGRPO(@	@	@	@	@
90564.17	^BGPICAGO(@	@	@	@	@
90564.18	^BGPICACO(@	@	@	@	@
90564.19	^BPGUIO(@	@	@	@	@
90564.21	^BGPSNOMO(@	@	@	@	@
90564.22	^BGPELIIO(@	@	@	@	@
90564.23	^BGPELDCO(@	@	@	@	@
90564.24	^BGPELDPO(@	@	@	@	@
90564.25	^BGPELDBO(@	@	@	@	@
90564.26	^BGPELIO(@	@	@	@	@

4.3 Cross References

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01	05/19/20	PAGE 1

File #90241.01		
Traditional Cross-References:		
B	REGULAR	
Field:	FY (90241.01,.01)	
	1)= S ^BGPCTRL("B", \$E(X,1,30), DA)=""	

```

                2)= K ^BGPCTRL("B", $E(X,1,30), DA)

C    REGULAR
    Field:  GPRA YEAR    (90241.01, .14)
           1)= S ^BGPCTRL("C", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL("C", $E(X,1,30), DA)

Subfile #90241.0111

Traditional Cross-References:

B    REGULAR
    Field:  CLINIC CODE  (90241.0111, .01)
           1)= S ^BGPCTRL(DA(1), 11, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 11, "B", $E(X,1,30), DA)

Subfile #90241.011101

Traditional Cross-References:

B    REGULAR
    Field:  CLINICS FOR IPC REPORT  (90241.011101, .01)
           1)= S ^BGPCTRL(DA(1), 1101, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 1101, "B", $E(X,1,30), DA)

Subfile #90241.0112

Traditional Cross-References:

B    REGULAR
    Field:  CLINIC CODES FOR 2ND VISIT  (90241.0112, .01)
           1)= S ^BGPCTRL(DA(1), 12, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90241.011301

Traditional Cross-References:

B    REGULAR
    Field:  BH CLINIC CODES  (90241.011301, .01)
           1)= S ^BGPCTRL(DA(1), 1301, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 1301, "B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                05/19/20    PAGE 2
-----
Subfile #90241.013

Traditional Cross-References:

B    REGULAR
    Field:  BH ALCOHOL PROBLEM CODES  (90241.013, .01)
           1)= S ^BGPCTRL(DA(1), 30, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 30, "B", $E(X,1,30), DA)

Subfile #90241.0145

Traditional Cross-References:

B    REGULAR
    Field:  CRSONMNT3 COLUMN HEADERS  (90241.0145, .01)
           1)= S ^BGPCTRL(DA(1), 45, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 45, "B", $E(X,1,30), DA)

```

Subfile #90241.015

Traditional Cross-References:

B REGULAR

Field: DEP SCR BH CLINICS (90241.015,.01)
 1)= S ^BGPCTRL(DA(1),50,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),50,"B",SE(X,1,30),DA)

Subfile #90241.0168

Traditional Cross-References:

B REGULAR

Field: EO NT (90241.0168,.01)
 1)= S ^BGPCTRL(DA(1),68,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),68,"B",SE(X,1,30),DA)

Subfile #90241.0195

Traditional Cross-References:

B REGULAR

Field: CLINIC CODES FOR BH ACT CL (90241.0195,.01)
 1)= S ^BGPCTRL(DA(1),95,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),95,"B",SE(X,1,30),DA)

Subfile #90241.18501

Traditional Cross-References:

B REGULAR

Field: DEVNT4 HEADERS (90241.18501,.01)
 1)= S ^BGPCTRL(DA(1),851,"B",SE(X,1,30),DA)=""

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/19/20 PAGE 3

 2)= K ^BGPCTRL(DA(1),851,"B",SE(X,1,30),DA)

Subfile #90241.1972

Traditional Cross-References:

B REGULAR

Field: GPRA NT5 LABELS (90241.1972,.01)
 1)= S ^BGPCTRL(DA(1),972,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),972,"B",SE(X,1,30),DA)

Subfile #90241.1973

Traditional Cross-References:

B REGULAR

Field: DEVNT6 LABELS (90241.1973,.01)
 1)= S ^BGPCTRL(DA(1),973,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),973,"B",SE(X,1,30),DA)

Subfile #90241.36

Traditional Cross-References:

B REGULAR


```

Field:  PIECE  (90241.36,.01)
        1)= S ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)

```

Subfile #90241.37

Traditional Cross-References:

B REGULAR

```

Field:  PIECE  (90241.37,.01)
        1)= S ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)

```

Subfile #90241.38

Traditional Cross-References:

B REGULAR

```

Field:  PIECE  (90241.38,.01)
        1)= S ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)

```

Subfile #90241.4

Traditional Cross-References:

B REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/19/20 PAGE 4

```

Field:  PIECE  (90241.4,.01)
        1)= S ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)

```

Subfile #90241.41

Traditional Cross-References:

B REGULAR

```

Field:  MEASURE (90241.41,.01)
        1)= S ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)

```

Subfile #90241.55

Traditional Cross-References:

B REGULAR

```

Field:  MEASURE (90241.55,.01)
        1)= S ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)

```

Subfile #90241.551101

Traditional Cross-References:

B REGULAR

```

Field:  MEASURE ID (90241.551101,.01)
        1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)

```

Subfile #90241.62

Traditional Cross-References:

B REGULAR

Field: PATIENT ED TOPICS (90241.62,.01)
 1)= S ^BGPCTRL(DA(1),62,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),62,"B",SE(X,1,30),DA)

Subfile #90241.63

Traditional Cross-References:

B REGULAR

Field: DISEASE STATE ABBRV (90241.63,.01)
 1)= S ^BGPCTRL(DA(1),63,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),63,"B",SE(X,1,30),DA)

Subfile #90241.6311

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/19/20 PAGE 5

Traditional Cross-References:

B REGULAR

Field: ICD MAPPING (90241.6311,.01)
 1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B",SE(X,1,30),DA)

Subfile #90241.79

Traditional Cross-References:

B REGULAR

Field: DEVEL 1 (90241.79,.01)
 1)= S ^BGPCTRL(DA(1),79,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),79,"B",SE(X,1,30),DA)

Subfile #90241.81

Traditional Cross-References:

B REGULAR

Field: DEVEL 2 (90241.81,.01)
 1)= S ^BGPCTRL(DA(1),81,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),81,"B",SE(X,1,30),DA)

Subfile #90241.85

Traditional Cross-References:

B REGULAR

Field: DEVEL 3 (90241.85,.01)
 1)= S ^BGPCTRL(DA(1),85,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),85,"B",SE(X,1,30),DA)

Subfile #90241.8502

Traditional Cross-References:

B REGULAR

Field: HEADERS FOR DEV5 (90241.8502,.01)
 1)= S ^BGPCTRL(DA(1),852,"B",SE(X,1,30),DA)=""
 2)= K ^BGPCTRL(DA(1),852,"B",SE(X,1,30),DA)

Subfile #90241.86

Traditional Cross-References:

B REGULAR

Field: ONMT 4 HEADERS (90241.86,.01)

1) = S ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/19/20 PAGE 6

Subfile #90241.87

Traditional Cross-References:

B REGULAR

Field: ONMT5 HEADERS (90241.87,.01)

1) = S ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)

Subfile #90241.97

Traditional Cross-References:

B REGULAR

Field: GPRANT3 (90241.97,.01)

1) = S ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)

Subfile #90241.971

Traditional Cross-References:

B REGULAR

Field: GPRA NT4 (90241.971,.01)

1) = S ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)

Subfile #90241.9801

Traditional Cross-References:

B REGULAR

Field: PATCHES BULLETIN TEXT (90241.9801,.01)

1) = S ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.02 05/19/20 PAGE 1

File #90241.02

Traditional Cross-References:

B REGULAR

Field: LOCATION (90241.02,.01)

1) = S ^BGPSITE("B", \$E(X,1,30),DA)=""

2) = K ^BGPSITE("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.03 05/19/20 PAGE 1

File #90241.03

Traditional Cross-References:

B REGULAR
 Field: CATEGORY (90241.03,.01)
 1)= S ^BGPSCAT("B", \$E(X,1,30), DA)=""
 2)= K ^BGPSCAT("B", \$E(X,1,30), DA)

C REGULAR
 Field: ORDER ON GPRA SUMMARY (90241.03,.02)
 1)= S ^BGPSCAT("C", \$E(X,1,30), DA)=""
 2)= K ^BGPSCAT("C", \$E(X,1,30), DA)

D REGULAR
 Field: ORDER NO NON-GPRA SUMMARY (90241.03,.03)
 1)= S ^BGPSCAT("D", \$E(X,1,30), DA)=""
 2)= K ^BGPSCAT("D", \$E(X,1,30), DA)

E REGULAR
 Field: ORDER ON EO REPORT (90241.03,.04)
 1)= S ^BGPSCAT("E", \$E(X,1,30), DA)=""
 2)= K ^BGPSCAT("E", \$E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 05/19/20 PAGE 1

File #90245

Traditional Cross-References:

B REGULAR
 Field: NAME (90245,.01)
 1)= S ^BGP1PM("B", \$E(X,1,30), DA)=""
 2)= K ^BGP1PM("B", \$E(X,1,30), DA)

Subfile #90245.07

Traditional Cross-References:

B REGULAR
 Field: REPORT BEGIN DATE (90245.07,.01)
 1)= S ^BGP1PM(DA(1), 7, "B", \$E(X,1,30), DA)=""
 2)= K ^BGP1PM(DA(1), 7, "B", \$E(X,1,30), DA)

Subfile #90245.09

Traditional Cross-References:

B REGULAR
 Field: FACILITY (90245.09,.01)
 1)= S ^BGP1PM(DA(1), 9, "B", \$E(X,1,30), DA)=""
 2)= K ^BGP1PM(DA(1), 9, "B", \$E(X,1,30), DA)

C REGULAR
 Field: ASUFAC (90245.09,.02)
 1)= S ^BGP1PM(DA(1), 9, "C", \$E(X,1,30), DA)=""
 2)= K ^BGP1PM(DA(1), 9, "C", \$E(X,1,30), DA)

TRIGGER
 Field: FACILITY (90245.09,.01)

```

Triggered Field: ASUFAC (90245.09,.02)
1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGP1PM(D0,9,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
X S DIU=X K Y X ^DD(90245.09,.01,1,2,1.1) X ^DD(90245.09,.0
1,1,2,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0!'$
D(^AUTTLOC(+D0,0)) D0=-1 S Y(101)=$S($D(^AUTTLOC(D0,0)):^(0
),1:"") S X=$P(Y(101),U,10) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGP1PM(DIV(0),9,DIV(1),0)),DIV=X S $P(^(0
),U,2)=DIV,DIH=90245.09,DIG=.02 D ^DICR
2)= Q
CREATE VALUE)=#.01:ASUFAC INDEX
DELETE VALUE)=NO EFFECT
FIELD)=#.02
    
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 05/19/20 PAGE 2

Subfile #90245.992

Traditional Cross-References:

```

B REGULAR
Field: EMAIL RECIPIENT (90245.992,.01)
1)= S ^BGP1PM(DA(1),99.2,"B",$E(X,1,30),DA)="
2)= K ^BGP1PM(DA(1),99.2,"B",$E(X,1,30),DA)
    
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245.1 05/19/20 PAGE 1

File #90245.1

Traditional Cross-References:

```

B REGULAR
Field: INDICATOR NAME (90245.1,.01)
1)= S ^BGP1RD("B",$E(X,1,30),DA)="
2)= K ^BGP1RD("B",$E(X,1,30),DA)

CBD REGULAR
Field: CURRENT REPORT BEGIN DATE (90245.1,.07)
1)= S ^BGP1RD("CBD",$E(X,1,30),DA)="
2)= K ^BGP1RD("CBD",$E(X,1,30),DA)

D REGULAR
Field: SITE NAME (90245.1,.03)
1)= S ^BGP1RD("D",$E(X,1,30),DA)="
2)= K ^BGP1RD("D",$E(X,1,30),DA)
    
```

New-Style Indexes:

```

C (#161) RECORD REGULAR IR LOOKUP & SORTING
Short Descr: COMPOUND INDEX
Set Logic: S ^BGP1RD("C",$E(X(1),1,50),$E(X(2),1,30),X(3),X(4),DA)="
"
Kill Logic: K ^BGP1RD("C",$E(X(1),1,50),$E(X(2),1,30),X(3),X(4),DA)
Whole Kill: K ^BGP1RD("C")
X(1): INDICATOR NAME (90245.1,.01) (Subscr 1) (Len 50)
(forwards)
X(2): SITE NAME (90245.1,.03) (Subscr 2) (Len 30) (forwards)
X(3): CURRENT REPORT BEGIN DATE (90245.1,.07) (Subscr 3)
(forwards)
X(4): CURRENT REPORT END DATE (90245.1,.08) (Subscr 4)
    
```

(forwards)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 05/19/20 PAGE 1

File #90564.01

Traditional Cross-References:

ADEV REGULAR
Field: DEVELOPMENTAL MEASURE? (90564.01,.14)
1)= S ^BGPINDO("ADEV", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("ADEV", \$E(X,1,30), DA)

ADEVO REGULAR
Field: ORDER ON DEVELOPMENTAL REPORT (90564.01,1302)
1)= S ^BGPINDO("ADEVO", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("ADEVO", \$E(X,1,30), DA)

AIPC REGULAR
Field: ORDER ON IPC REPORT (90564.01,1208)
1)= S ^BGPINDO("AIPC", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("AIPC", \$E(X,1,30), DA)

AO REGULAR
Field: ORDER ON SELECTION/REPORT (90564.01,.02)
1)= S ^BGPINDO("AO", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("AO", \$E(X,1,30), DA)

AOI REGULAR
Field: ORDER IND (90564.01,1206)
1)= S ^BGPINDO("AOI", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("AOI", \$E(X,1,30), DA)

B REGULAR
Field: MEASURE NUMBER (90564.01,.01)
1)= S ^BGPINDO("B", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("B", \$E(X,1,30), DA)

C REGULAR
Field: TITLE/SELECTION TITLE (90564.01,.03)
1)= S ^BGPINDO("C", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("C", \$E(X,1,30), DA)

D REGULAR
Field: ORDER IND (90564.01,1206)
1)= S ^BGPINDO("D", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("D", \$E(X,1,30), DA)

GPRA REGULAR
Field: NATIONAL REPORT (90564.01,.07)
1)= S ^BGPINDO("GPRA", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("GPRA", \$E(X,1,30), DA)

PUID REGULAR
Field: PUID FROM RM (90564.01,1203)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 05/19/20 PAGE 2

1)= S ^BGPINDO("PUID", \$E(X,1,30), DA)=""
2)= K ^BGPINDO("PUID", \$E(X,1,30), DA)

```

U      MUMPS
      Field:  TITLE/SELECTION TITLE  (90564.01,.03)
            1)= S ^BGPINDO("U", $$UP^XLFSTR(X), DA)=""
            2)= K ^BGPINDO("U", $$UP^XLFSTR(X), DA)

Subfile #90564.0161

Traditional Cross-References:

B      REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90564.0161,.01)
            1)= S ^BGPINDO(DA(1), 61, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(1), 61, "B", $E(X,1,30), DA)

Subfile #90564.016112

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUB TYPES  (90564.016112,.01)
            1)= S ^BGPINDO(DA(2), 61, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(2), 61, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90564.0162

Traditional Cross-References:

B      REGULAR
      Field:  NUMERATOR DEFINITIONS  (90564.0162,.01)
            1)= S ^BGPINDO(DA(1), 62, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(1), 62, "B", $E(X,1,30), DA)

Subfile #90564.016212

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUB TYPE  (90564.016212,.01)
            1)= S ^BGPINDO(DA(2), 62, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(2), 62, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90564.0181

Traditional Cross-References:

B      REGULAR
      Field:  NATL GPRA DENOM DEFS  (90564.0181,.01)
            1)= S ^BGPINDO(DA(1), 81, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(1), 81, "B", $E(X,1,30), DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01          05/19/20          PAGE 3
-----

Subfile #90564.018112

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUBTYPES  (90564.018112,.01)
            1)= S ^BGPINDO(DA(2), 81, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(2), 81, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90564.0182

```

Traditional Cross-References:

B REGULAR

Field: NATL GPRA NUMERATOR DEFS (90564.0182,.01)
 1)= S ^BGPINDO(DA(1),82,"B",\$(X,1,30),DA)=""
 2)= K ^BGPINDO(DA(1),82,"B",\$(X,1,30),DA)

Subfile #90564.018212

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90564.018212,.01)
 1)= S ^BGPINDO(DA(2),82,DA(1),12,"B",\$(X,1,30),DA)=""
 2)= K ^BGPINDO(DA(2),82,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90564.0185

Traditional Cross-References:

B REGULAR

Field: DEVELMENTAL MEAS DENOM DEFS (90564.0185,.01)
 1)= S ^BGPINDO(DA(1),85,"B",\$(X,1,30),DA)=""
 2)= K ^BGPINDO(DA(1),85,"B",\$(X,1,30),DA)

Subfile #90564.018512

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPE (90564.018512,.01)
 1)= S ^BGPINDO(DA(2),85,DA(1),12,"B",\$(X,1,30),DA)=""
 2)= K ^BGPINDO(DA(2),85,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90564.0186

Traditional Cross-References:

B REGULAR

Field: DEVELOPMENTAL MEAS NUMER DEFS (90564.0186,.01)
 INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 05/19/20 PAGE 4

 1)= S ^BGPINDO(DA(1),86,"B",\$(X,1,30),DA)=""
 2)= K ^BGPINDO(DA(1),86,"B",\$(X,1,30),DA)

Subfile #90564.018612

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90564.018612,.01)
 1)= S ^BGPINDO(DA(2),86,DA(1),12,"B",\$(X,1,30),DA)=""
 2)= K ^BGPINDO(DA(2),86,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90564.0187

Traditional Cross-References:

B REGULAR

Field: DM DENOM DEFS (90564.0187,.01)
 1)= S ^BGPINDO(DA(1),87,"B",\$(X,1,30),DA)=""


```
2)= K ^BGPINDO (DA(1),87,"B", $E(X,1,30),DA)
```

Subfile #90564.0188

Traditional Cross-References:

B REGULAR

```
Field: DM NUMER DEFS (90564.0188,.01)
1)= S ^BGPINDO (DA(1),88,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),88,"B", $E(X,1,30),DA)
```

Subfile #90564.0189

Traditional Cross-References:

B REGULAR

```
Field: CVD DENOM DEFS (90564.0189,.01)
1)= S ^BGPINDO (DA(1),89,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),89,"B", $E(X,1,30),DA)
```

Subfile #90564.0191

Traditional Cross-References:

B REGULAR

```
Field: CVD NUM DEFS (90564.0191,.01)
1)= S ^BGPINDO (DA(1),91,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),91,"B", $E(X,1,30),DA)
```

Subfile #90564.0192

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 05/19/20 PAGE 5

Traditional Cross-References:

B REGULAR

```
Field: WH DEN DEFS (90564.0192,.01)
1)= S ^BGPINDO (DA(1),92,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),92,"B", $E(X,1,30),DA)
```

Subfile #90564.0193

Traditional Cross-References:

B REGULAR

```
Field: WH NUM DEFS (90564.0193,.01)
1)= S ^BGPINDO (DA(1),93,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),93,"B", $E(X,1,30),DA)
```

Subfile #90564.0194

Traditional Cross-References:

B REGULAR

```
Field: IPC DEN DEFS (90564.0194,.01)
1)= S ^BGPINDO (DA(1),94,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),94,"B", $E(X,1,30),DA)
```

Subfile #90564.0195

Traditional Cross-References:

```
B      REGULAR
      Field:  IPC NUM DEFS  (90564.0195,.01)
              1)= S ^BGPINDO (DA(1),95,"B", $E(X,1,30),DA)=""
              2)= K ^BGPINDO (DA(1),95,"B", $E(X,1,30),DA)
```

Subfile #90564.0196

Traditional Cross-References:

```
B      REGULAR
      Field:  PQA DEM DEFS  (90564.0196,.01)
              1)= S ^BGPINDO (DA(1),96,"B", $E(X,1,30),DA)=""
              2)= K ^BGPINDO (DA(1),96,"B", $E(X,1,30),DA)
```

Subfile #90564.0197

Traditional Cross-References:

```
B      REGULAR
      Field:  PQA NUM DEFS  (90564.0197,.01)
              1)= S ^BGPINDO (DA(1),97,"B", $E(X,1,30),DA)=""
              2)= K ^BGPINDO (DA(1),97,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.02 05/19/20 PAGE 1

File #90564.02

Traditional Cross-References:

```
AB     MUMPS
      Field:  ORDER  (90564.02,1204)
              1)= S ^BGPINDOC ("AB", $P(X,".",1,2),X,DA)=""
              2)= K ^BGPINDOC ("AB", $P(X,".",1,2),X,DA)
```

```
ABC    MUMPS
      Field:  ORDER  (90564.02,1204)
              1)= S ^BGPINDOC ("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)=""
              2)= K ^BGPINDOC ("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)
```

```
ACARD  REGULAR
      Field:  CARDIO INDICATOR?  (90564.02,.13)
              1)= S ^BGPINDOC ("ACARD", $E(X,1,30),DA)=""
              2)= K ^BGPINDOC ("ACARD", $E(X,1,30),DA)
```

```
ADASH  REGULAR
      Field:  DASHBOARD ORDER  (90564.02,1417)
              1)= S ^BGPINDOC ("ADASH", $E(X,1,30),DA)=""
              2)= K ^BGPINDOC ("ADASH", $E(X,1,30),DA)
```

```
ADM    REGULAR
      Field:  DM INDICATOR?  (90564.02,.12)
              1)= S ^BGPINDOC ("ADM", $E(X,1,30),DA)=""
              2)= K ^BGPINDOC ("ADM", $E(X,1,30),DA)
```

```
AEL    REGULAR
      Field:  ELDER RELATED  (90564.02,1203)
              1)= S ^BGPINDOC ("AEL", $E(X,1,30),DA)=""
              2)= K ^BGPINDOC ("AEL", $E(X,1,30),DA)
```

```
AGPRA  REGULAR
      Field:  NATIONAL/PART  (90564.02,.05)
```

```

1)= S ^BGPINDOC ("AGPRA", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("AGPRA", $E (X, 1, 30), DA)

AIPC    REGULAR
      Field:  IPC REPORT?  (90564.02, 1101)
1)= S ^BGPINDOC ("AIPC", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("AIPC", $E (X, 1, 30), DA)

APQA    REGULAR
      Field:  PQA  (90564.02, 1102)
1)= S ^BGPINDOC ("APQA", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("APQA", $E (X, 1, 30), DA)

AWH     REGULAR
      Field:  WOMEN'S HEALTH  (90564.02, 1202)
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.02                05/19/20    PAGE 2
-----
1)= S ^BGPINDOC ("AWH", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("AWH", $E (X, 1, 30), DA)

B       REGULAR
      Field:  INDICATOR  (90564.02, .01)
1)= S ^BGPINDOC ("B", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("B", $E (X, 1, 30), DA)

C       REGULAR
      Field:  INDICATOR ID  (90564.02, .04)
1)= S ^BGPINDOC ("C", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("C", $E (X, 1, 30), DA)

D       REGULAR
      Field:  TITLE FOR SCHEDULING OPTION  (90564.02, 1209)
1)= S ^BGPINDOC ("D", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("D", $E (X, 1, 30), DA)

OR      REGULAR
      Field:  ORDER  (90564.02, 1204)
1)= S ^BGPINDOC ("OR", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("OR", $E (X, 1, 30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.03                05/19/20    PAGE 1
-----
File #90564.03

Traditional Cross-References:

B       REGULAR
      Field:  BEGINNING DATE  (90564.03, .01)
1)= S ^BGPDPDCO ("B", $E (X, 1, 30), DA) = ""
2)= K ^BGPDPDCO ("B", $E (X, 1, 30), DA)

Subfile #90564.031111

Traditional Cross-References:

B       REGULAR
      Field:  MFI LOCATIONS  (90564.031111, .01)
1)= S ^BGPDPDCO (DA(1), 1111, "B", $E (X, 1, 30), DA) = ""
2)= K ^BGPDPDCO (DA(1), 1111, "B", $E (X, 1, 30), DA)

Subfile #90564.0321

```

Traditional Cross-References:

AC MUMPS

Field: NUMBER OF THIS TOPIC (90564.0321,.02)
 1)= S ^BGPDPDCO(DA(1),21,"AC",(99999999-X),DA)=X
 2)= K ^BGPDPDCO(DA(1),21,"AC",(99999999-X),DA)

B REGULAR

Field: PATIENT ED RATE TOPICS (90564.0321,.01)
 1)= S ^BGPDPDCO(DA(1),21,"B",\$(X,1,30),DA)=""
 2)= K ^BGPDPDCO(DA(1),21,"B",\$(X,1,30),DA)

Subfile #90564.0322

Traditional Cross-References:

AC MUMPS

Field: COUNT OF TOPICS (90564.0322,.02)
 1)= S ^BGPDPDCO(DA(1),22,"AC",(99999999-X),DA)=""
 2)= K ^BGPDPDCO(DA(1),22,"AC",(99999999-X),DA)

B REGULAR

Field: PATIENT ED BY PROVIDER (90564.0322,.01)
 1)= S ^BGPDPDCO(DA(1),22,"B",\$(X,1,30),DA)=""
 2)= K ^BGPDPDCO(DA(1),22,"B",\$(X,1,30),DA)

Subfile #90564.12999

Traditional Cross-References:

B REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.03 05/19/20 PAGE 2

Field: COMMUNITIES (90564.12999,.01)
 1)= S ^BGPDPDCO(DA(1),9999,"B",\$(X,1,30),DA)=""
 2)= K ^BGPDPDCO(DA(1),9999,"B",\$(X,1,30),DA)

Subfile #90564.129999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90564.129999,.01)
 1)= S ^BGPDPDCO(DA(1),99999,"B",\$(X,1,30),DA)=""
 2)= K ^BGPDPDCO(DA(1),99999,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.04 05/19/20 PAGE 1

File #90564.04

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90564.04,.01)
 1)= S ^BGPDPDPO("B",\$(X,1,30),DA)=""
 2)= K ^BGPDPDPO("B",\$(X,1,30),DA)

Subfile #90564.041111

Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS (90564.041111,.01)
              1)= S ^BGPGPDPO(DA(1),1111,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),1111,"B", $E(X,1,30),DA)

Subfile #90564.0421

Traditional Cross-References:

AC    MUMPS
      Field:  NUMBER OF THIS TOPIC (90564.0421,.02)
              1)= S ^BGPGPDPO(DA(1),21,"AC", (99999999-X),DA)=X
              2)= K ^BGPGPDPO(DA(1),21,"AC", (99999999-X),DA)

B    REGULAR
      Field:  PATIENT ED RATE TOPICS (90564.0421,.01)
              1)= S ^BGPGPDPO(DA(1),21,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),21,"B", $E(X,1,30),DA)

Subfile #90564.0422

Traditional Cross-References:

AC    MUMPS
      Field:  COUNT OF TOPICS (90564.0422,.02)
              1)= S ^BGPGPDPO(DA(1),22,"AC", (99999999-X),DA)=X
              2)= K ^BGPGPDPO(DA(1),22,"AC", (99999999-X),DA)

B    REGULAR
      Field:  PATIENT ED BY PROVIDER (90564.0422,.01)
              1)= S ^BGPGPDPO(DA(1),22,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),22,"B", $E(X,1,30),DA)

Subfile #90564.13999

Traditional Cross-References:

B    REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.04                05/19/20    PAGE 2
-----
      Field:  COMMUNITIES (90564.13999,.01)
              1)= S ^BGPGPDPO(DA(1),9999,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),9999,"B", $E(X,1,30),DA)

Subfile #90564.139999

Traditional Cross-References:

B    REGULAR
      Field:  PATIENTS EISS (90564.139999,.01)
              1)= S ^BGPGPDPO(DA(1),99999,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),99999,"B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.05                05/19/20    PAGE 1
-----

File #90564.05

Traditional Cross-References:

B    REGULAR

```

```

Field: BEGINNING DATE (90564.05,.01)
      1)= S ^BGPDPDBO("B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO("B", $E(X,1,30), DA)

Subfile #90564.051111

Traditional Cross-References:

B    REGULAR
      Field: MFI LOCATIONS (90564.051111,.01)
      1)= S ^BGPDPDBO(DA(1),1111,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),1111,"B", $E(X,1,30), DA)

Subfile #90564.0521

Traditional Cross-References:

AC   MUMPS
      Field: NUMBER OF THIS TOPIC (90564.0521,.02)
      1)= S ^BGPDPDBO(DA(1),21,"AC", (99999999-X), DA)=X
      2)= K ^BGPDPDBO(DA(1),21,"AC", (99999999-X), DA)

B    REGULAR
      Field: PATIENT ED RATE TOPICS (90564.0521,.01)
      1)= S ^BGPDPDBO(DA(1),21,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),21,"B", $E(X,1,30), DA)

Subfile #90564.0522

Traditional Cross-References:

AC   MUMPS
      Field: COUNT OF TOPICS (90564.0522,.02)
      1)= S ^BGPDPDBO(DA(1),22,"AC", (99999999-X), DA)=""
      2)= K ^BGPDPDBO(DA(1),22,"AC", (99999999-X), DA)

B    REGULAR
      Field: PATIENT ED BY PROVIDER (90564.0522,.01)
      1)= S ^BGPDPDBO(DA(1),22,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),22,"B", $E(X,1,30), DA)

Subfile #90564.14999

Traditional Cross-References:

B    REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.05                05/19/20    PAGE 2
-----
      Field: COMMUNITIES (90564.14999,.01)
      1)= S ^BGPDPDBO(DA(1),9999,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),9999,"B", $E(X,1,30), DA)

Subfile #90564.149999

Traditional Cross-References:

B    REGULAR
      Field: PATIENTS EISS (90564.149999,.01)
      1)= S ^BGPDPDBO(DA(1),99999,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),99999,"B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.06                05/19/20    PAGE 1

```

 File #90564.06

Traditional Cross-References:

AN MUMPS
 Field: ORDER ON NATIONAL (90564.06,.05)
 1)= S ^BGNPLO("AN",+^BGNPLO(DA,0),X,DA)=""
 2)= K ^BGNPLO("AN",+^BGNPLO(DA,0),X,DA)

AR MUMPS
 Field: NATIONAL? (90564.06,.04)
 1)= S ^BGNPLO("AR",+^BGNPLO(DA,0),X,DA)=""
 2)= K ^BGNPLO("AR",+^BGNPLO(DA,0),X,DA)

B REGULAR
 Field: POINTER (90564.06,.01)
 1)= S ^BGNPLO("B", \$E(X,1,30),DA)=""
 2)= K ^BGNPLO("B", \$E(X,1,30),DA)

C REGULAR
 Field: INDIVIDUAL INDICATOR ID (90564.06,.02)
 1)= S ^BGNPLO("C", \$E(X,1,30),DA)=""
 2)= K ^BGNPLO("C", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.07 05/19/20 PAGE 1

File #90564.07

Traditional Cross-References:

B REGULAR
 Field: SUBSET NAME (90564.07,.01)
 1)= S ^BGPSNOSO("B", \$E(X,1,30),DA)=""
 2)= K ^BGPSNOSO("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.08 05/19/20 PAGE 1

File #90564.08

Traditional Cross-References:

B REGULAR
 Field: TAXONOMY NAME (90564.08,.01)
 1)= S ^BGPTAXO("B", \$E(X,1,30),DA)=""
 2)= K ^BGPTAXO("B", \$E(X,1,30),DA)

Subfile #90564.0812

Traditional Cross-References:

B REGULAR
 Field: REPORTS (90564.0812,.01)
 1)= S ^BGPTAXO(DA(1),12,"B", \$E(X,1,30),DA)=""
 2)= K ^BGPTAXO(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90564.0813

Traditional Cross-References:

```

B      REGULAR
      Field:  MEASURES USED WITH  (90564.0813,.01)
              1)= S ^BGPTAXO(DA(1),13,"B",SE(X,1,30),DA)="
              2)= K ^BGPTAXO(DA(1),13,"B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.1          05/19/20    PAGE 1
-----

```

File #90564.1

Traditional Cross-References:

```

B      REGULAR
      Field:  GROUP NAME  (90564.1,.01)
              1)= S ^BGPMGRPO("B",SE(X,1,30),DA)="
              2)= K ^BGPMGRPO("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.17        05/19/20    PAGE 1
-----

```

File #90564.17

Traditional Cross-References:

```

B      REGULAR
      Field:  GROUP  (90564.17,.01)
              1)= S ^BGPICAGO("B",SE(X,1,30),DA)="
              2)= K ^BGPICAGO("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.18        05/19/20    PAGE 1
-----

```

File #90564.18

Traditional Cross-References:

```

B      REGULAR
      Field:  CATEGORY  (90564.18,.01)
              1)= S ^BGPICACO("B",SE(X,1,30),DA)="
              2)= K ^BGPICACO("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.19        05/19/20    PAGE 1
-----

```

File #90564.19

Traditional Cross-References:

```

AC     REGULAR
      Field:  START TIME  (90564.19,.03)
              1)= S ^BGPGUIO("AC",SE(X,1,30),DA)="
              2)= K ^BGPGUIO("AC",SE(X,1,30),DA)

```

```

AUSR   MUMPS
      Field:  START TIME  (90564.19,.03)
              1)= S ^BGPGUIO("AUSR",SS($P($G(^BGPGUIO(DA,0)),"^",2):$P(^B
GPGUIO(DA,0),"^",2),1:1),(9999999.9999-X),DA)="
              2)= K ^BGPGUIO("AUSR",SS($P($G(^BGPGUIO(DA,0)),"^",2):$P(^B
GPGUIO(DA,0),"^",2),1:1),(9999999.9999-X),DA)

```

```

B      REGULAR

```



```
Field: NAME (90564.19,.01)
1)= S ^BPGUIO("B", $E(X,1,30), DA)=""
2)= K ^BPGUIO("B", $E(X,1,30), DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.21 05/19/20 PAGE 1

File #90564.21

Traditional Cross-References:

```
B REGULAR
Field: NAME OF LIST (90564.21,.01)
1)= S ^BGPSNOMO("B", $E(X,1,30), DA)=""
2)= K ^BGPSNOMO("B", $E(X,1,30), DA)
```

Subfile #90564.2111

Traditional Cross-References:

```
B REGULAR
Field: SNOMED/RXNORM CODE (90564.2111,.01)
1)= S ^BGPSNOMO(DA(1), 11, "B", $E(X,1,30), DA)=""
2)= K ^BGPSNOMO(DA(1), 11, "B", $E(X,1,30), DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.22 05/19/20 PAGE 1

File #90564.22

Traditional Cross-References:

```
AB MUMPS
Field: ORDER (90564.22,1204)
1)= S ^BGPELIIO("AB", $P(X,".",1,2), X, DA)=""
2)= K ^BGPELIIO("AB", $P(X,".",1,2), X, DA)

ABC MUMPS
Field: ORDER (90564.22,1204)
1)= S ^BGPELIIO("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)=""
2)= K ^BGPELIIO("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)

AE MUMPS
Field: ORDER (90564.22,1204)
1)= S ^BGPELIIO("AE", $P(X,"."), $P(X,".",2), $P(X,".",3), DA)=""
2)= Q

AP MUMPS
Field: ORDER (90564.22,1204)
1)= S ^BGPELIIO("AP", $P(X,".",1,2), DA)=""
2)= K ^BGPELIIO("AP", $P(X,".",1,2), DA)

B REGULAR
Field: INDICATOR (90564.22,.01)
1)= S ^BGPELIIO("B", $E(X,1,30), DA)=""
2)= K ^BGPELIIO("B", $E(X,1,30), DA)

C REGULAR
Field: INDICATOR ID (90564.22,.04)
1)= S ^BGPELIIO("C", $E(X,1,30), DA)=""
2)= K ^BGPELIIO("C", $E(X,1,30), DA)
```

```

OR      REGULAR
      Field:  ORDER      (90564.22,1204)
            1)= S ^BGPELIIO("OR", $E(X,1,30), DA)=""
            2)= K ^BGPELIIO("OR", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.23 05/19/20 PAGE 1

File #90564.23

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE (90564.23,.01)
            1)= S ^BGPELDCO("B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO("B", $E(X,1,30), DA)

```

Subfile #90564.231111

Traditional Cross-References:

```

B      REGULAR
      Field:  MFI LOCATIONS (90564.231111,.01)
            1)= S ^BGPELDCO(DA(1),1111,"B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO(DA(1),1111,"B", $E(X,1,30), DA)

```

Subfile #90564.32999

Traditional Cross-References:

```

B      REGULAR
      Field:  COMMUNITIES (90564.32999,.01)
            1)= S ^BGPELDCO(DA(1),9999,"B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO(DA(1),9999,"B", $E(X,1,30), DA)

```

Subfile #90564.329999

Traditional Cross-References:

```

B      REGULAR
      Field:  PATIENTS EISS (90564.329999,.01)
            1)= S ^BGPELDCO(DA(1),99999,"B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO(DA(1),99999,"B", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.24 05/19/20 PAGE 1

File #90564.24

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE (90564.24,.01)
            1)= S ^BGPELDPO("B", $E(X,1,30), DA)=""
            2)= K ^BGPELDPO("B", $E(X,1,30), DA)

```

Subfile #90564.241111

Traditional Cross-References:

```

B      REGULAR

```

```
Field: MFI LOCATIONS (90564.241111,.01)
1) = S ^BGPELDPO (DA(1),1111,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPO (DA(1),1111,"B", $E(X,1,30),DA)
```

Subfile #90564.33999

Traditional Cross-References:

B REGULAR

```
Field: COMMUNITIES (90564.33999,.01)
1) = S ^BGPELDPO (DA(1),9999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPO (DA(1),9999,"B", $E(X,1,30),DA)
```

Subfile #90564.33999

Traditional Cross-References:

B REGULAR

```
Field: PATIENTS EISS (90564.339999,.01)
1) = S ^BGPELDPO (DA(1),99999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPO (DA(1),99999,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.25 05/19/20 PAGE 1

File #90564.25

Traditional Cross-References:

B REGULAR

```
Field: BEGINNING DATE (90564.25,.01)
1) = S ^BGPELDPO ("B", $E(X,1,30),DA)=""
2) = K ^BGPELDPO ("B", $E(X,1,30),DA)
```

Subfile #90564.251111

Traditional Cross-References:

B REGULAR

```
Field: MFI LOCATIONS (90564.251111,.01)
1) = S ^BGPELDPO (DA(1),1111,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPO (DA(1),1111,"B", $E(X,1,30),DA)
```

Subfile #90564.34999

Traditional Cross-References:

B REGULAR

```
Field: COMMUNITIES (90564.34999,.01)
1) = S ^BGPELDPO (DA(1),9999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPO (DA(1),9999,"B", $E(X,1,30),DA)
```

Subfile #90564.34999

Traditional Cross-References:

B REGULAR

```
Field: PATIENTS EISS (90564.349999,.01)
1) = S ^BGPELDPO (DA(1),99999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPO (DA(1),99999,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.26 05/19/20 PAGE 1

```

-----
File #90564.26

Traditional Cross-References:

AO    REGULAR
      Field:  ORDER ON SELECTION/REPORT  (90564.26,.02)
            1)= S ^BGPELIO("AO", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("AO", $E(X,1,30), DA)

B     REGULAR
      Field:  INDICATOR NUMBER  (90564.26,.01)
            1)= S ^BGPELIO("B", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("B", $E(X,1,30), DA)

C     REGULAR
      Field:  TITLE  (90564.26,.03)
            1)= S ^BGPELIO("C", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("C", $E(X,1,30), DA)

D     MUMPS
      Field:  TITLE  (90564.26,.03)
            1)= S ^BGPELIO("D", $$UP^XLFSTR(X), DA)=""
            2)= K ^BGPELIO("D", $$UP^XLFSTR(X), DA)

PUID  REGULAR
      Field:  PUID  (90564.26,1201)
            1)= S ^BGPELIO("PUID", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("PUID", $E(X,1,30), DA)

Subfile #90564.2661

Traditional Cross-References:

B     REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90564.2661,.01)
            1)= S ^BGPELIO(DA(1), 61, "B", $E(X,1,30), DA)=""
            2)= K ^BGPELIO(DA(1), 61, "B", $E(X,1,30), DA)

Subfile #90564.2662

Traditional Cross-References:

B     REGULAR
      Field:  NUMERATOR DEFINITIONS  (90564.2662,.01)
            1)= S ^BGPELIO(DA(1), 62, "B", $E(X,1,30), DA)=""
            2)= K ^BGPELIO(DA(1), 62, "B", $E(X,1,30), DA)

```

Figure 4-1: Index and cross reference list

4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPRA reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

FILE: 90564.03 BGP 20 DATA CURRENT

GLOBAL: ^BGPDPDCO(

FILE: 90564.04 BGP 20 DATA PREVIOUS

GLOBAL: ^BGPDPDPO(

FILE: 90564.05 BGP 20 DATA BASELINE

GLOBAL: ^BGPHEDBO(

FILE: 90564.23 BGP 20 ELDER DATA CURRENT

GLOBAL: ^BGPELDCO(

FILE: 90564.24 BGP 20 ELDER DATA PREVIOUS

GLOBAL: ^BGPELDPO(

FILE: 90564.25 BGP 20 ELDER DATA BASELINE

GLOBAL: ^BGPELDBO(

4.4.1 BGP CONTROL FILE

GLOBAL: ^BGPCTRL(

FILE #: 90241.01

```

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CMBA,CMBA
VERSION: 20.1

STORED IN: ^BGPCTRL(                                05/19/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @
CROSS REFERENCED BY:
  FY(B)  GPRA YEAR(C)

                                FILE STRUCTURE

FIELD    FIELD

```

NUMBER	NAME
.01	FY (RF), [0;1]
.02	ENDING COLUMN FOR ONM1 (NJ4,0), [0;2]
.03	ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04	GPRANT1 END COLUMN (NJ4,0), [0;4]
.05	PROGRAM FOR ICARE TO RUN (F), [0;5]
.06	FILE FOR MEASURES (P1'), [0;6]
.07	FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08	BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09	ENDING DATE FOR GPRA YEAR (D), [0;9]
.1	BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11	ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12	BEG DATE FOR BASELINE YEAR (D), [0;12]
.13	ENDING DATE FOR BASELINE YR (D), [0;13]
.14	GPRA YEAR (D), [0;14]
.15	VERSION (F), [0;15]
.16	GPRANT2 END COLUMN (NJ3,0), [0;16]
.17	CONTRAINDICATIONS ROUTINE (F), [0;17]
.18	ALLERGY ROUTINE (F), [0;18]
.19	REFUSAL API ROUTINE (F), [0;19]
.2	*ENDING COLUMN FOR EO (NJ4,0), [0;20]
.21	END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22	DEVNT1 END COLUMN (NJ3,0), [0;22]
.23	DEVNT2 END COLUMN (NJ3,0), [0;23]
.24	DEVNT3 END COLUMN (NJ4,0), [0;24]
.25	ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26	ONMT 5 (NJ4,0), [0;26]
.27	GPRANT3 END COLUMN (NJ3,0), [0;27]
.28	DEVNT4 END COLUMN (NJ3,0), [0;28]
.29	GPRANT4 END COLUMN (NJ3,0), [0;29]
.3	UNFOLDTX ROUTINE (F), [0;30]
.31	GPRANT5 END COLUMN (NJ3,0), [0;31]
.32	DEVNT6 END COLUMN (NJ3,0), [0;32]
.33	DEVNT5 END COLUMN (NJ3,0), [0;33]
1101	CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
	.01 CLINIC CODE (MF), [0;1]
	.019 CLINIC NAME (CJ8), [;]
1102	CLINICS FOR IPC REPORT (Multiple-90241.011101), [1101;0]
	.01 CLINICS FOR IPC REPORT (MF), [0;1]
1201	CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0]
	.01 CLINIC CODES FOR 2ND VISIT (MF), [0;1]
1300	LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0]
	.01 LOCAL REPORT HEADER PAGE (W), [0;1]
1301	BH CLINIC CODES (Multiple-90241.011301), [1301;0]
	.01 BH CLINIC CODES (MF), [0;1]
1400	NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0]
	.01 GPRA REPORT HEADER PAGE (W), [0;1]
1500	AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0]
	.01 AREA REPORT HEADER PAGE (W), [0;1]
1600	*HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0]
	.01 HEDIS REPORT HEADER PAGE (W), [0;1]
1700	COM REPORT HEADER PAGE (Multiple-90241.17), [17;0]
	.01 COM REPORT HEADER PAGE (W), [0;1]
1800	PP REPORT HEADER PAGE (Multiple-90241.18), [18;0]
	.01 PP REPORT HEADER PAGE (W), [0;1]
1900	ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0]
	.01 ALL REPORT HEADER PAGE (W), [0;1]
2100	*CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0]
	.01 CMS REPORT COVER PAGE (W), [0;1]
2200	ELDER CARE COVER PAGE (Multiple-90241.22), [22;0]
	.01 ELDER CARE COVER PAGE (W), [0;1]

```

2300 *NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23;0]
      .01 CHS NATIONAL GPRA RPT HEADER (W), [0;1]
2400 *CHS COM REPORT HEADER (Multiple-90241.24), [24;0]
      .01 CHS COM REPORT HEADER (W), [0;1]
2500 *CHS ALL REPORT HEADER (Multiple-90241.25), [25;0]
      .01 CHS ALL REPORT HEADER (W), [0;1]
2600 *CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0]
      .01 CHS ELDER REPORT HEADER (W), [0;1]
2700 *CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0]
      .01 CHS HEDIS REPORT HEADER (W), [0;1]
2800 COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0]
      .01 1ST PAGE COMP LIST (W), [0;1]
2900 *AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0]
      .01 AREA CHS NGR HEADER PAGE (W), [0;1]
3000 BH ALCOHOL PROBLEM CODES (Multiple-90241.013), [30;0]
      .01 BH ALCOHOL PROBLEM CODES (MF), [0;1]
3100 *AREA GPUA CHS HEADER (Multiple-90241.31), [31;0]
      .01 AREA CHS HEADER (W), [0;1]
3200 *AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0]
      .01 AREA HEDIS COVER PAGE (W), [0;1]
3300 *AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0]
      .01 AREA ELDER CHS COVER PAGE (W), [0;1]
3400 PATIENT ED COVER PAGE (Multiple-90241.34), [34;0]
      .01 PATIENT ED COVER PAGE (W), [0;1]
3500 AREA PAT ED COVER PAG (Multiple-90241.35), [35;0]
      .01 AREA PAT ED COVER PAG (W), [0;1]
3600 ON 1 HEADERS (Multiple-90241.36), [36;0]
      .01 PIECE (MNJ5,0X), [0;1]
      .02 HEADER (F), [0;2]
3700 ON 2 HEADERS (Multiple-90241.37), [37;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3800 GPRA NT1 (Multiple-90241.38), [38;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3900 FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0]
      .01 SCHEDULING OPTION COVER PAGE (W), [0;1]
4000 GPRA NT2 (Multiple-90241.4), [40;0]
      .01 PIECE (MNJ4,0), [0;1]
      .02 LABEL (F), [0;2]
4100 MEASURE (Multiple-90241.41), [41;0]
      .01 MEASURE (MRNJ3,0), [0;1]
      11 DENOM TEXT (Multiple-90241.4111), [11;0]
         .01 DENOM TEXT (W), [0;1]
4200 *CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0]
      .01 CMS REPORT INTRODUCTION (W), [0;1]
4300 LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
      .01 LAB TAXONOMY INTRO TEXT (W), [0;1]
4400 MED TAX INTRO (Multiple-90241.44), [44;0]
      .01 MED TAX INTRO (W), [0;1]
4500 CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
      .01 CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
      .02 HEADER TEXT (F), [0;2]
4600 *URBAN GP COVER PAGE (Multiple-90241.46), [46;0]
      .01 URBAN GP COVER PAGE (Wx), [0;1]
4700 *URBAN SUM ONLY GP (Multiple-90241.47), [47;0]
      .01 URBAN SUM ONLY GP (Wx), [0;1]
4800 *URBAN COM COVER PAGE (Multiple-90241.48), [48;0]
      .01 URBAN COM COVER PAGE (Wx), [0;1]
4900 *URBAN ALL COVER PAGE (Multiple-90241.49), [49;0]
      .01 URBAN ALL COVER PAGE (Wx), [0;1]
5000 DEP SCR BH CLINICS (Multiple-90241.015), [50;0]

```

```

.01 DEP SCR BH CLINICS (MF), [0;1]
5100 *URBAN ONM COVER PAGE (Multiple-90241.51), [51;0]
.01 URBAN ONM COVER PAGE (Wx), [0;1]
5200 *URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0]
.01 URBAN ELDER COVER PAGE (Wx), [0;1]
5300 XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
.01 XP 2008-2009 INFORMING (W), [0;1]
5400 XP REPORT INFORM (Multiple-90241.54), [54;0]
.01 XP REPORT INFORM (W), [0;1]
5500 XP MEASURES (Multiple-90241.55), [55;0]
.01 MEASURE (MP90530.01'), [0;1]
1101 INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
.01 MEASURE ID (MNJ3,0), [0;1]
.02 VALUE FOR EXPORT (K), [1;E1,245]
.03 MEASURE LABEL (F), [0;3]
5600 ONM COVER PAGE (Multiple-90241.56), [56;0]
.01 ONM COVER PAGE (W), [0;1]
5700 *ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
.01 ONM CHS COVER PAGE (W), [0;1]
5800 FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
.01 FORECAST REPORT INFORMING (W), [0;1]
5900 *EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
.01 EO REPORT COVER PAGE (W), [0;1]
6100 PAT ED INFORMING (Multiple-90241.61), [61;0]
.01 PAT ED INFORMING (W), [0;1]
6200 PATIENT ED TOPICS (Multiple-90241.62), [62;0]
.01 PATIENT ED TOPICS (F), [0;1]
.02 DIAGNOSIS (F), [0;2]
.03 TOPIC (F), [0;3]
6300 PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]
.01 DISEASE STATE ABBRV (MF), [0;1]
.02 DISEASE STATE NAME (F), [0;2]
.03 TAXONOMY NAME (F), [0;3]
1100 ICD MAPPING (Multiple-90241.6311), [11;0]
.02 LENGTH TO CHECK (NJ1,0), [0;2]
.03 EXACT LENGTH? (S), [0;3]
6400 *EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
.01 EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500 *EO REPORT INFORMING (Multiple-90241.0165), [65;0]
.01 EO REPORT INFORMING (W), [0;1]
6600 *EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
.01 EO AREA REPORT COVER PAGE (W), [0;1]
6700 *EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
.01 EO AREA REPORT CHS COVER PAGE (W), [0;1]
6800 *EO NT (Multiple-90241.0168), [68;0]
.01 EO NT (MNJ4,0), [0;1]
.02 TEXT (F), [0;2]
6900 FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
.01 FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100 GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
.01 GPRA RPT SUM ONLY INFORMING (W), [0;1]
7200 NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
.01 NATL GPRA DES PROV INFORMING (W), [0;1]
7300 HW OPTION INFORMING (Multiple-90241.73), [73;0]
.01 HW OPTION INFORMING (W), [0;1]
7400 PAT ED PP INFORMING (Multiple-90241.74), [74;0]
.01 PAT ED PP INFORMING (W), [0;1]
7500 PED PP COVER PAGE (Multiple-90241.75), [75;0]
.01 PED PP COVER PAGE (W), [0;1]
7600 GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
.01 GPRA SUM ONLY COVER PAGE (W), [0;1]
7700 *NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0]

```



```

7800 .01 NATL GPRA SUM CHS COVER (W), [0;1]
      XP9 INFORMING (Multiple-90241.78), [78;0]
      .01 XP9 INFORMING (W), [0;1]
7900 DEVNT1 HEADERS (Multiple-90241.79), [79;0]
      .01 DEVEL 1 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8100 DEVNT2 HEADERS (Multiple-90241.81), [81;0]
      .01 DEVEL 2 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8200 XP 10 INFORMING (Multiple-90241.82), [82;0]
      .01 XP 10 INFORMING (W), [0;1]
8300 GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
      .01 GPU W/PP COVER PAGE (W), [0;1]
8400 XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
      .01 XP INFORMING FOR 2011 (Wx), [0;1]
8500 DEVNT3 HEADERS (Multiple-90241.85), [85;0]
      .01 DEVEL 3 (NJ4,0), [0;1]
      .02 TEXT (F), [0;2]
8501 DEVNT4 HEADERS (Multiple-90241.18501), [851;0]
      .01 DEVNT4 HEADERS (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8502 DEVNT5 HEADERS (Multiple-90241.8502), [852;0]
      .01 HEADERS FOR DEV5 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8600 ONMT 4 HEADERS (Multiple-90241.86), [86;0]
      .01 ONMT 4 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8700 ONMT5 HEADERS (Multiple-90241.87), [87;0]
      .01 ONMT5 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8800 DASHBOARD INFORMING (Multiple-90241.88), [88;0]
      .01 DASHBOARD INFORMING (Wx), [0;1]
8900 *AREA ELDER TOP (Multiple-90241.89), [89;0]
      .01 AREA ELDER TOP (Wx), [0;1]
9100 DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
      .01 DASHBOARD COVER PAGE (Wx), [0;1]
9200 *DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
      .01 DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300 *DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
      .01 DASHBOARD INFORMING URBAN (Wx), [0;1]
9400 AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
      .01 AREA DASHBOARD COVER (Wx), [0;1]
9500 CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
      .01 CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601 AUTO EXPORT UTILITY ROUTINE (F), [96;1]
9602 AUTO EXPORT RUN ROUTINE (F), [96;2]
9700 GPRA NT3 (Multiple-90241.97), [97;0]
      .01 GPRANT3 (MNJ4,0), [0;1]
      .02 HEADER (F), [0;2]
9701 GPRA NT4 (Multiple-90241.971), [971;0]
      .01 GPRA NT4 (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
9702 GPRA NT5 LABELS (Multiple-90241.1972), [972;0]
      .01 GPRA NT5 LABELS (MNJ3,0), [0;1]
      .02 LABEL (F), [0;2]
9703 DEVNT6 LABELS (Multiple-90241.1973), [973;0]
      .01 DEVNT6 LABELS (MNJ4,0), [0;1]
      .02 LABEL (F), [0;2]
9801 PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
      .01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
      11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
          .01 BULLETIN TEXT (W), [0;1]

```

```
9802      IPC COVER PAGE (Multiple-90241.019802), [9802;0]
          .01 IPC COVER PAGE (Wx), [0;1]
```

Figure 4-2: BGP Control File

4.4.2 BGP SITE PARAMETERS

GLOBAL: ^BGPSITE(

FILE #: 90241.02

```
CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)   VERSION: 20.1
STORED IN: ^BGPSITE(                                               05/19/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY : M   LAYGO SECURITY : M
                                WRITE SECURITY: M

CROSS REFERENCED BY:
  LOCATION(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        LOCATION (RP99999999.06'X), [0;1]
.02        HOME LOCATION (P99999999.06'), [0;2]
.03        AREA EXPORT? (S), [0;3]
.04        INCLUDE DATA IN WEB EISS? (S), [0;4]
.05        DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06        CHS SITE ONLY (S), [0;6]
.08        MFI SITE? (S), [0;8]
.09        MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11        EXPORT HT/WT DATA (S), [0;11]
.12        DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13        URBAN PROGRAM? (S), [0;13]
.14        DIRECTORY FOR EXPORT FILES (FX), [0;14]
```

Figure 4-3: BGP SITE PARAMETERS

4.4.3 FILE: BGP SUMMARY CATEGORIES

GLOBAL: ^BGPSCAT(FILE #: 90241.03

```
VERSION: 20.1
STORED IN: ^BGPSCAT(                                               05/19/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY : @   LAYGO SECURITY : @
                                WRITE SECURITY: @
```

```

CROSS REFERENCED BY:
  CATEGORY (B)  ORDER ON GPRA SUMMARY (C)  ORDER NO NON-GPRA SUMMARY (D)
  ORDER ON EO REPORT (E)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
.02        ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03        ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04        ORDER ON EO REPORT (NJ2,0), [0;4]
    
```

Figure 4-4: BGP SUMMARY CATEGORIES

4.4.4 FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS GLOBAL: ^BGP2PM(FILE #: 90241.04

```

CONDENSED DATA DICTIONARY---BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS FILE
(#90241.04)      VERSION: 20.1

STORED IN: ^BGP2PM(                                05/19/20      PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : M      LAYGO SECURITY  : M
                                WRITE SECURITY    : M

CROSS REFERENCED BY:
  SITE (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SITE (R*P9999999.06'X), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
4.1        REMOTE HOST NAME (F), [4;1]
4.2        REMOTE HOST IP ADDRESS (F), [4;2]
4.3        REMOTE HOST DIRECTORY (F), [4;3]
4.4        REMOTE HOST USERNAME (F), [4;4]
4.5        REMOTE HOST PASSWORD (F), [4;5]
5.1        DEFAULT COMMUNITY TAXONOMY (P9002226'), [5;1]
8          EXTRACT DATE (Multiple-90241.12), [8;0]
          .01 EXTRACT DATE (MD), [0;1]
          .02 EXTRACT FILE NAME (F), [0;2]
          .03 EXTRACT BEGIN DATE (D), [0;3]
          .04 EXTRACT END DATE (D), [0;4]
          .05 ERROR MESSAGE (F), [0;5]
    
```

Figure 4-5: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS

4.4.5 FILE: BGP AREA AUTOMATED GPRA PARAMS GLOBAL: ^BGP GP1PM(FILE #: 90245

```

CONDENSED DATA DICTIONARY---BGP AREA AUTOMATED GPRA PARAMS FILE (#90245)   VERSION:
20.1

STORED IN: ^BGP GP1PM(                               05/19/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @   DELETE SECURITY: M
                                READ SECURITY    : M   LAYGO SECURITY : M
                                WRITE SECURITY   : M

CROSS REFERENCED BY:
NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RFX), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1       DEFAULT DIRECTORY (F), [1;1]
1.2       SUBDIRECTORY (F), [1;2]
7         DATE PROCESSED (Multiple-90245.07), [7;0]
         .01 REPORT BEGIN DATE (MD), [0;1]
         .02 REPORT END DATE (D), [0;2]
         .03 DATE PROCESSED (D), [0;3]
         .04 STATUS (S), [0;4]
         .05 ERROR MESSAGE (F), [0;5]
         .06 PROCESSING ATTEMPTS (NJ6,0), [0;6]
         .07 ASUFAC (F), [0;7]
         .08 FILE PROCESSED (F), [0;8]
         .09 PROCESS START DATE (D), [0;9]
9         FACILITY (Multiple-90245.09), [9;0]
         .01 FACILITY (MP9999999.06'), [0;1]
         .02 ASUFAC (NJ6,0), [0;2]
         .03 ACTIVE (S), [0;3]
         .04 IP ADDRESS (F), [0;4]
         .05 GENERIC LISTENER PORT (NJ9,0), [0;5]
99.1     ALERT/MAILMAN SENDER (P200'), [99.1;1]
99.2     ALERT/MM RECIPIENT (Multiple-90245.992), [99.2;0]
         .01 EMAIL RECIPIENT (MP200'), [0;1 ]
    
```

Figure 4-6: BGP AREA AUTOMATED GPRA PARAMS

4.4.6 FILE: BGP GPRA FLAT FILE DATA GLOBAL: ^BGP GP1RD(FILE #: 90245.1

```

CONDENSED DATA DICTIONARY---BGP GPRA FLAT FILE DATA FILE (#90245.1)   VERSION: 20.1

STORED IN: ^BGP GP1RD(                               05/19/20   PAGE 1
-----
                                FILE SECURITY
    
```

```

DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
  INDICATOR NAME(B)  CURRENT REPORT BEGIN DATE(CBD)
  SITE NAME(D)

FILE #90245.1
INDEXED BY:          INDICATOR NAME & SITE NAME & CURRENT REPORT BEGIN DATE &
                     CURRENT REPORT END DATE (C)

FILE STRUCTURE

FIELD    FIELD
NUMBER   NAME

.01      INDICATOR NAME (RF), [0;1]
.02      INDICATOR NUMBER (F), [0;2]
.03      SITE NAME (F), [0;3]
.04      ASUFAC (F), [0;4]
.05      DB ID (NJ5,0), [0;5]
.06      DATE REPORT RUN (D), [0;6]
.07      CURRENT REPORT BEGIN DATE (D), [0;7]
.08      CURRENT REPORT END DATE (D), [0;8]
.09      PREVIOUS YEAR BEGIN DATE (D), [0;9]
.1       PREVIOUS YEAR END DATE (D), [0;10]
.11      BASELINE YEAR BEGIN DATE (D), [0;11]
.12      BASELINE YEAR END DATE (D), [0;12]
.13      CURRENT NUMERATOR (NJ6,0), [0;13]
.14      CURRENT DENOMINATOR (NJ6,0), [0;14]
.15      CURRENT PERCENT (NJ8,1), [0;15]
.16      PREVIOUS NUMERATOR (NJ6,0), [0;16]
.17      PREVIOUS DENOMINATOR (NJ6,0), [0;17]
.18      PREVIOUS PERCENT (NJ8,1), [0;18]
.19      BASELINE NUMERATOR (NJ6,0), [0;19]
.2       BASELINE DENOMINATOR (NJ6,0), [0;20]
.21      BASELINE PERCENT (NJ8,1), [0;21]
    
```

Figure 4-7: BGP GPRA FLAT FILE DATA

4.4.7 FILE: BGP 20 MEASURES

GLOBAL: ^BGPINDO(FILE #: 90564.01

```

CONDENSED DATA DICTIONARY---BGP 20 MEASURES FILE (#90564.01)UCI: CMBA,CMBA
VERSION: 20.1

STORED IN: ^BGPINDO(                                05/19/20    PAGE 1
-----

FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
  DEVELOPMENTAL MEASURE?(ADEV)  ORDER ON DEVELOPMENTAL REPORT(ADEVO)
  ORDER ON IPC REPORT(AIPC)     ORDER ON SELECTION/REPORT(AO)
  ORDER IND(AOI)  MEASURE NUMBER(B)  TITLE/SELECTION TITLE(C)
  ORDER IND(D)   NATIONAL REPORT(GPRA)  PUID FROM RM(PUID)
    
```

TITLE/SELECTION TITLE (U)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	MEASURE NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE/SELECTION TITLE (F), [0;3]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.07	NATIONAL REPORT (S), [0;7]
.12	NO LIST (S), [0;12]
.13	# DENOMINATORS (NJ2,0), [0;13]
.14	DEVELOPMENTAL MEASURE? (S), [0;14]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	SELECTED REPORT FY LOGIC TEXT (Multiple-90564.0111), [11;0]
	.01 SELECTED REPORT FY LOGIC TEXT (W), [0;1]
1202	WEB SITE UNIQUE ID (F), [12;2]
1203	PUID FROM RM (NJ4,0), [12;3]
1204	GROUP (P90564.1'), [12;4]
1205	UPDATED THIS YEAR? (S), [12;5]
1206	ORDER IND (NJ4,0), [12;6]
1207	IPC REPORT ONLY? (S), [12;7]
1208	ORDER ON IPC REPORT (NJ4,0), [12;8]
1301	SKIP SELECTED REPORT? (S), [13;1]
1302	ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303	SKIP NGR PRINT/DEV ONLY (S), [13;3]
2100	IPC MEASURE LOGIC TEXT (Multiple-90564.0121), [21;0]
	.01 IPC MEASURE LOGIC TEXT (Wx), [0;1]
5100	INDICATOR DESCRIPTION (Multiple-90564.0151), [51;0]
	.01 DESCRIPTION (W), [0;1]
5200	PAST PERFORMANCE (Multiple-90564.0152), [52;0]
	.01 REPORT PRINT SECTION (W), [0;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90564.0153), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
5400	NATIONAL GPRA/GPRAMA LOGIC (Multiple-90564.54), [54;0]
	.01 NATIONAL GPRA/GPRAMA (W), [0;1]
5500	SOURCE (Multiple-90564.55), [55;0]
	.01 SOURCE (W), [0;1]
5800	DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90564.58), [58;0]
	.01 DEVELOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100	SELECTED MEASURES DENOM DEF (Multiple-90564.0161), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90564.01611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPES (Multiple-90564.016112), [12;0]
	.01 REPORT SUB TYPES (MS), [0;1]
6200	SELECTED MEAS NUMERATOR DEFS (Multiple-90564.0162), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	1 NUMERATOR DESCRIPTION (Multiple-90564.01621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPE (Multiple-90564.016212), [12;0]
	.01 REPORT SUB TYPE (MS), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90564.0171), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90564.0172), [72;0]

```

8100 .01 LIST PRINT SECOND PAGE (W), [0;1]
      NATL GPRA DENOM DEFS (Multiple-90564.0181), [81;0]
      .01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.1811), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90564.018112), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8200 NATL GPRA NUMERATOR DEFS (Multiple-90564.0182), [82;0]
      .01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01821), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90564.018212), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8500 DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90564.0185), [85;0]
      .01 DEVELOPMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01851), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPE (Multiple-90564.018512), [12;0]
        .01 REPORT SUBTYPE (MS), [0;1]
8600 DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90564.0186), [86;0]
      .01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01861), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90564.018612), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8700 DM DENOM DEFS (Multiple-90564.0187), [87;0]
      .01 DM DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01871), [1;0]
        .01 TEXT (Wx), [0;1]
8800 DM NUMER DEFS (Multiple-90564.0188), [88;0]
      .01 DM NUMER DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01881), [1;0]
        .01 TEXT (Wx), [0;1]
8900 CVD DENOM DEFS (Multiple-90564.0189), [89;0]
      .01 CVD DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01891), [1;0]
        .01 TEXT (Wx), [0;1]
9100 CVD NUM DEFS (Multiple-90564.0191), [91;0]
      .01 CVD NUM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01911), [1;0]
        .01 TEXT (Wx), [0;1]
9200 WH DEN DEFS (Multiple-90564.0192), [92;0]
      .01 WH DEN DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01921), [1;0]
        .01 TEXT (Wx), [0;1]
9300 WH NUM DEFS (Multiple-90564.0193), [93;0]
      .01 WH NUM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01931), [1;0]
        .01 TEXT (Wx), [0;1]
9400 IPC DEN DEFS (Multiple-90564.0194), [94;0]
      .01 IPC DEN DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01941), [1;0]
        .01 TEXT (Wx), [0;1]
9500 IPC NUM DEFS (Multiple-90564.0195), [95;0]
      .01 IPC NUM DEFS (MNJ3,0), [0;1]
      1 TEXT (Multiple-90564.01951), [1;0]
        .01 TEXT (Wx), [0;1]
9600 PQA DEM DEFS (Multiple-90564.0196), [96;0]
      .01 PQA DEM DEFS (MNJ3,0), [0;1]
      1 TEXT (Multiple-90564.01961), [1;0]
        .01 TEXT (Wx), [0;1]
9700 PQA NUM DEFS (Multiple-90564.0197), [97;0]

```

```
.01 PQA NUM DEFS (MNJ2,0), [0;1]
1 TEXT (Multiple-90564.01971), [1;0]
.01 TEXT (Wx), [0;1]
```

Figure 4-8: BGP 20 MEASURES

4.4.8 FILE: BGP 20 INDIVIDUAL MEASURES

GLOBAL: ^BGPINDOC(FILE #: 90564.02

CONDENSED DATA DICTIONARY-BGP 20 INDIVIDUAL MEASURES FILE (#90564.02)UCI: CMBA,CMBA
VERSION: 20.1

STORED IN: ^BGPINDOC(05/19/20 PAGE 1

```

                                FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : @      LAYGO SECURITY  : @
WRITE SECURITY   : @

```

CROSS REFERENCED BY:

```

ASTHMA REPORT?(AAST) ORDER(AB) ORDER(ABC)  CARDIO INDICATOR?(ACARD)
DASHBOARD ORDER(ADASH) DM INDICATOR?(ADM)  ELDER RELATED(AEL)
NATIONAL/PART(AGPRA) IPC REPORT?(AIPC) PQA(APQA)
WOMEN'S HEALTH(AWH) INDICATOR(B) INDICATOR ID(C)
TITLE FOR SCHEDULING OPTION(D) ORDER(OR)

```

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	INDICATOR (RP90564.01'), [0;1]
.04	INDICATOR ID (F), [0;4]
.05	NATIONAL/PART (S), [0;5]
.08	DENOM FIELD NUMBER (NJ7,3), [0;8]
.09	NUMERATOR FIELD NUMBER (NJ7,3), [0;9]
.11	PAGE BREAK DENOM NGR (S), [0;11]
.12	DM INDICATOR? (S), [0;12]
.13	CARDIO INDICATOR? (S), [0;13]
.14	GPRANT1 PIECE (NJ5,0), [0;14]
.15	DEVNT5 (NJ3,0), [0;15]
.22	ADD BANG (S), [0;22]
.23	ASTHMA REPORT? (S), [0;23]
.24	PAGE BREAK DENOM (S), [0;24]
1	M CODE NUMERATOR (K), [1;E1,245]
2	M CODE DENOMINATOR (K), [2;E1,245]
3	M CODE FOR COMP PL (K), [3;E1,245]
4	M CODE FOR SCHEDULING (K), [4;E1,245]
1101	IPC REPORT? (S), [11;1]
1102	PQA (S), [11;2]
1103	GPRANT3 (NJ4,0), [11;3]
1201	COLUMN TEXT FOR CMP PL (F), [12;1]
1202	WOMEN'S HEALTH (S), [12;2]
1203	ELDER RELATED (S), [12;3]
1204	ORDER (F), [12;4]


```

1208 PAGE BREAK NUMER COM (S), [12;8]
1209 TITLE FOR SCHEDULING OPTION (F), [12;9]
1211 ICARE TAB (S), [12;11]
1213 GPRANT2 PIECE (NJ3,0), [12;13]
1214 SKIP DENOM DISPLAY? (S), [12;14]
1215 PAGE BREAK DENOM ONM? (S), [12;15]
1216 TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217 COUNT ONLY? (S), [12;17]
1401 NATL GPRA SUMMARY? (S), [14;1]
1402 NATL PREV YR (F), [14;2]
1403 NATL GPRA 2020 TARGET (F), [14;3]
1404 NATL SUM TITLE (F), [14;4]
1405 NATL SUM CATEGORY 1 (P90241.03'), [14;5]
1406 NATL SUM SHEET ORDER (NJ4,0), [14;6]
1407 NATL SUM TITLE 2 (F), [14;7]
1408 NATL GPRA TARGET (F), [14;8]
1409 NATL GPRA TARGET 2ND LINE (F), [14;9]
1410 NATL SUM PY LINE 2 (F), [14;10]
1411 SECOND LINE 2012 GOAL (F), [14;11]
1412 NATL SUM TITLE 3 (F), [14;12]
1413 NATL SUM TARGET (?) (F), [14;13]
1414 NATL SUM TITLE NY (F), [14;14]
1415 NATL SUM TITLE NY 2 (F), [14;15]
1416 NATL SUM TITLE NY 3 (F), [14;16]
1417 DASHBOARD ORDER (NJ2,0), [14;17]
1501 NON GPRA SUMMARY? (S), [15;1]
1502 NG NATIONAL CURRENT (F), [15;2]
1503 NG GOAL PY (F), [15;3]
1504 NG TITLE (F), [15;4]
1505 NG CATEGORY (P90241.03'), [15;5]
1506 NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507 NG TITLE 2 (F), [15;7]
1508 NG GOAL (F), [15;8]
1509 NG SECOND LINE GOAL (F), [15;9]
1510 NG NATIONAL CURRENT 2 (F), [15;10]
1511 NG 2ND LINE 2012 GOAL (F), [15;11]
1512 NG TITLE 3 (F), [15;12]
1600 TEXT FOR SCHEDULING OPTION (Multiple-90564.16), [16;0]
    .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
1601 TEXT FOR SCHEDULING NEXT YR (Multiple-90564.161), [1601;0]
    .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701 ICARE GROUP (P90564.17'), [17;1]
1702 ICARE CATEGORY (P90564.18'), [17;2]
1703 ICARE MEASURE NAME (F), [17;3]
1704 ICARE EXCEPTION (S), [17;4]
1705 ICARE PERFORMANCE DIRECTION (F), [17;5]
1706 ICARE REPORT CODE (S), [17;6]
1707 ICARE IPC MEASURE? (S), [17;7]
1708 PREVIOUS INDICATOR ID (F), [17;8]
1800 ICARE TOOLTIPS (Multiple-90564.0218), [18;0]
    .01 ICARE TOOLTIPS (W), [0;1]
1903 2020 TARGET (F), [19;3]
1913 %? (S), [19;13]
2102 SKIP SELECTED REPORT? (S), [21;2]
2103 DEVELF1 PIECE (NJ4,0), [21;3]
2104 DEVELF2 PIECE (NJ3,0), [21;4]
2105 PAGE BREAK NUMER NGR? (S), [21;5]
2106 DEVELOPMENTAL MEASURE? (S), [21;6]
2108 DEVELF3 (NJ4,0), [21;8]
2111 DEVELF4 (NJ3,0), [21;11]
2112 GPRANT4 (NJ3,0), [21;12]
2113 GPRANT5 (NJ4,0), [21;13]

```

2114	GPRANT6 (NJ3,0), [21;14]
2115	DEVNT 6 PIECE (NJ6,0), [21;15]
2201	DEV SUMMARY? (S), [22;1]
2202	DEV NATIONAL CURRENT (F), [22;2]
2203	DEV GOAL (F), [22;3]
2204	DEV TITLE (F), [22;4]
2205	CATEGORY (P90241.03'), [22;5]
2206	DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207	DEV TITLE 2 (F), [22;7]
2208	DEV GOAL NY (F), [22;8]
2209	DEV SECOND LINE GOAL (F), [22;9]
2210	DEV NATL CURRENT 2 (F), [22;10]
2211	DEV SECOND LINE GOAL (F), [22;11]
2212	DEV TITLE 3 (F), [22;12]
2213	PART MEASURE? (S), [22;13]
2214	PART 2012 (F), [22;14]
2215	ADD %LINE? (S), [22;15]
2301	ADD BANG ON DASHBOARD? (S), [23;1]
2302	DASHBOARD LABEL (F), [23;2]
2303	DASHBOARD # NOT % (S), [23;3]
2304	PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305	NEG DASHBOARD (S), [23;5]
2306	DASHBOARD LABEL 2 (F), [23;6]
2307	USE PRE-SPLIT LABELS? (S), [23;7]
2401	DEN LABEL SELECTED (F), [24;1]
2402	NUM LABEL SELECTED (F), [24;2]
2501	DEN LABEL NGR (F), [25;1]
2502	NUM LABEL NGR (F), [25;2]
2601	DEN LABEL DEV (F), [26;1]
2602	NUM LABEL DEV (F), [26;2]
2801	DEN LABEL DM (F), [28;1]
2802	NUM LABEL DM (F), [28;2]
2901	DEN LABEL CVD (F), [29;1]
2902	NUM LABEL CVD (F), [29;2]
3101	DEN LABEL WH (F), [31;1]
3102	NUM LABEL WH (F), [31;2]
3201	DEN LABEL PQA (F), [32;1]
3202	NUM LABEL PQA (F), [32;2]
3301	DEN LABEL IPC (F), [33;1]
3302	NUM LABEL IPC (F), [33;2]
3401	DEN LABEL ASTHMA (F), [34;1]
3402	NUM LABEL ASTHMA (F), [34;2]
9999	LORI (S), [9999;1]
99991	LORI1 (S), [9999;2]

Figure 4-9: BGP 20 INDIVIDUAL MEASURES

4.4.9 FILE: BGP 20 NATIONAL PATIENT LISTS

GLOBAL: ^BGNPLOC (FILE #: 90564.06

CONDENSED DATA DICTIONARY---BGP 20 NATIONAL PATIENT LISTS FILE (#90564.06) CMBA,CMBA		
VERSION: 20.1		
STORED IN: ^BGNPLOC(05/19/20	PAGE 1

	FILE SECURITY	
DD SECURITY	: @	DELETE SECURITY: @
READ SECURITY	: @	LAYGO SECURITY : @

```

WRITE SECURITY : @
CROSS REFERENCED BY:
ORDER ON NATIONAL (AN) ORDER ON OTHER NATIONAL (AON)
NATIONAL/OTHER NATIONAL (AR) POINTER (B) INDIVIDUAL INDICATOR ID (C)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90564.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90564.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]
    
```

Figure 4-10: BGP 20 NATIONAL PATIENT LISTS

4.4.10 FILE: BGP 20 SNOMED SUBSETS

GLOBAL: ^BGPSNOSO(FILE #: 90564.07

```

CONDENSED DATA DICTIONARY---BGP 20 SNOMED SUBSETS FILE (#90564.07) CMBA,CMBA
VERSION: 20.1

STORED IN: ^BGPSNOSO(                                05/19/20    PAGE 1
-----
                                           FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : @      LAYGO SECURITY  : @
WRITE SECURITY   : @

CROSS REFERENCED BY:
SUBSET NAME (B)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SUBSET NAME (RF), [0;1]
    
```

Figure 4-11: BGP 20 SNOMED SUBSETS

4.4.11 FILE: BGP 20 TAXONOMIES

GLOBAL: ^BGPTAXO(FILE #: 90564.08

```

VERSION: 20.1

STORED IN: ^BGPTAXO(                                05/19/20    PAGE 1
-----
    
```

```

                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  TAXONOMY NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        TAXONOMY NAME (RF), [0;1]
.02        TYPE (S), [0;2]
.03        LAST CHECKED/EXPORTED (D), [0;3]
.04        EDITABLE? (S), [0;4]
.05        EXPORT? (S), [0;6]
1100       DESCRIPTION (Multiple-90564.0811), [11;0]
           .01 DESCRIPTION (W), [0;1]
1200       REPORTS (Multiple-90564.0812), [12;0]
           .01 REPORTS (MS), [0;1]
1201       USED THIS YEAR (S), [0;5]
    
```

Figure 4-12: BGP 20 TAXONOMIES

4.4.12 FILE: BGP 20 MEASURE GROUPS

GLOBAL: ^BGPMGRPO(FILE #: 90564.1

```

VERSION: 20.1

STORED IN: ^BGPMGRPO(                                05/19/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  GROUP NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        GROUP NAME (RF), [0;1]
    
```

Figure 4-13: BGP 20 MEASURE GROUPS

4.4.13 FILE: BGP 20 ICARE GROUPS

GLOBAL: ^BGPICAGO(FILE #: 90564.17

```

VERSION: 20.1

STORED IN: ^BGPICAGO(                                05/19/20    PAGE 1
    
```

```

-----
                                FILE SECURITY
                                DD SECURITY : @ DELETE SECURITY: @
                                READ SECURITY : @ LAYGO SECURITY : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-14: BGP 20 ICARE GROUPS

4.4.14 FILE: BGP 20 ICARE CATEGORIES

GLOBAL: ^BGPICACO(FILE #: 90564.18

```

VERSION: 20.1
STORED IN: ^BGPICACO(                                05/19/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY : @ DELETE SECURITY: @
                                READ SECURITY : @ LAYGO SECURITY : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-15: BGP 20 ICARE CATEGORIES

4.4.15 FILE: BGP 20 GUI OUTPUT

GLOBAL: ^BGPGUIO(FILE #: 90564.19

```

CONDENSED DATA DICTIONARY---BGP 20 GUI REPORT OUTPUT FILE (#90564.19) CMBA,C
MBA                                                                VERSION: 20.1
STORED IN: ^BGPGUIO(                                05/19/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY : @ DELETE SECURITY: @
    
```

```

                                READ SECURITY : @      LAYGO SECURITY : @
                                WRITE SECURITY : @
CROSS REFERENCED BY:
  START TIME (AC)  START TIME (AUSR)  NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RF), [0;1]
.02        USER WHO REQUESTED REPORT (P200'), [0;2]
.03        START TIME (D), [0;3]
.04        END TIME (D), [0;4]
.05        TYPE OF REPORT (F), [0;5]
.06        STATUS (S), [0;6]
.07        TYPE OF OUTPUT (S), [0;7]
.08        EXPORT FILENAME (F), [0;8]
.09        TASK NUMBER (NJ9,0), [0;9]
1          EXPORTED FILENAMES (F), [1;1]
1100      PRINT FORMATTED OUTPUT (Multiple-90564.1911), [11;0]
          .01 OUTPUT (W), [0;1]
1200      DELIMITED FORMATTED OUTPUT (Multiple-90564.1912), [12;0]
          .01 DELIMITED FORMATTED OUTPUT (W), [0;1]
FILE: BGP 20 SNOMED LISTS
    
```

Figure 4-16: BGP 20 GUI OUTPUT

GLOBAL: ^BGPSNOMO(FILE #: 90564.21

```

CONDENSED DATA DICTIONARY---BGP 20 SNOMED LISTS FILE (#90564.21) CMBA,CMBA
VERSION: 20.1

STORED IN: ^BGPSNOMO(                                05/19/20      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @
CROSS REFERENCED BY:
  NAME OF LIST(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME OF LIST (RF), [0;1]
1101      SNOMED CODE (Multiple-90564.2111), [11;0]
          .01 SNOMED CODE (MF), [0;1]
    
```

Figure 4-17: BGP 20 SNOMED LISTS

4.4.16 FILE: BGP 20 ELDER INDIVIDUAL MEASURES

GLOBAL: ^BGPELHO(FILE #: 90564.22

```

CONDENSED DATA DICTIONARY---BGP 20 ELDER INDIVIDUAL MEASURES FILE (#90564.22)
CMBA,CMBA   VERSION: 20.1

STORED IN: ^BGPELIIO(                               05/19/20   PAGE 1
-----
                                         FILE SECURITY
                                         DD SECURITY   : @   DELETE SECURITY: @
                                         READ SECURITY  : @   LAYGO SECURITY : @
                                         WRITE SECURITY : @

CROSS REFERENCED BY:
ORDER (AB)  ORDER (ABC)  ORDER (AE)  ORDER (AP)  INDICATOR (B)
INDICATOR ID (C)  ORDER (OR)

                                         FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90564.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
1          M CODE NUMERATOR (K), [1;E1,245]
2          M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
2401      DEN LABEL (F), [24;1]
2402      NUM LABEL (F), [24;2]
    
```

Figure 4-18: BGP 20 ELDER INDIVIDUAL MEASURES

4.4.17 FILE: BGP 20 ELDER MEASURES

GLOBAL: ^BGPELIO(FILE #: 90564.26

```

VERSION: 20.1

STORED IN: ^BGPELIO(                               05/19/20   PAGE 1
-----
                                         FILE SECURITY
                                         DD SECURITY   : @   DELETE SECURITY: @
                                         READ SECURITY  : @   LAYGO SECURITY : @
                                         WRITE SECURITY : @

CROSS REFERENCED BY:
ORDER ON SELECTION/REPORT (AO)  INDICATOR NUMBER (B)
TITLE (C)  TITLE (D)  PUID (PUID)

                                         FILE STRUCTURE
    
```

FIELD NUMBER	FIELD NAME
.01	INDICATOR NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE (F), [0;3]
.04	SELECTION TITLE (F), [0;4]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.12	NO LIST (S), [0;12]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	FY LOGIC (Multiple-90564.2611), [11;0]
	.01 LOGIC USED (W), [0;1]
1201	PUID (NJ3,0), [12;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90564.2653), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
6100	DENOMINATOR DEFINITIONS (Multiple-90564.2661), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90564.26611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
6200	NUMERATOR DEFINITIONS (Multiple-90564.2662), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	.02 REPORTS (F), [0;2]
	.03 SEL (F), [0;3]
	1 NUMERATOR DESCRIPTION (Multiple-90564.26621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90564.2671), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90564.2672), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1] 7200

Figure 4-19: BGP 20 ELDER MEASURES

5.0 External Relations

5.1 External Calls

This package calls the following documented entry points:

Routine ^%DT	is Invoked by: BGPOAU1R, BGPOGUA, BGPOUTL1, dd90241.01, dd90245.07 dd90245.1, dd90564.03, dd90564.04, dd90564.05 dd90564.08, dd90564.19, dd90564.23, dd90564.24 dd90564.25
DD^%DT	BGPOAU1M
^%DTC	BGPOD36
C^%DTC	BGPOGMUE, BGPOGMUH, BGPOUTL3
COMMA^%DTC	BGPODBPR, BGPODELP, BGPODP, BGPODP1, BGPODP11, BGPODP12 BGPODP13, BGPODP14, BGPODP19, BGPODP1A, BGPODP1C, BGPODP1H BGPODP1I, BGPODP1J, BGPODP1K, BGPODP1L, BGPODP1M, BGPODP1N BGPODP1O, BGPODP1S, BGPODP1T, BGPODP2, BGPODP3, BGPODP4 BGPODP5, BGPODP50, BGPODP51 BGPODP6, BGPODP60, BGPODP7, BGPODP8, BGPODPH, BGPOEL10 BGPOEL11, BGPOEL12, BGPOEL13, BGPOEL14, BGPOEL15, BGPOEL16 BGPOEL17, BGPOEL18, BGPOEL19, BGPOEL1A, BGPOEL1B, BGPOEL1C BGPOEL1D, BGPOEL1E, BGPOEL1F, BGPOEL1G, BGPOEL1H, BGPOEL1I BGPOEL1J, BGPOEL1K, BGPOEL1L BGPOEL1M, BGPOEL1N, BGPOEL1O, BGPOEL1P, BGPOEL1Q, BGPOEL1R BGPOEL1S, BGPOEL1T, BGPOELL, BGPOELL1, BGPOELL2, BGPOELL3 BGPOELL4, BGPOELL5, BGPOELL6, BGPOELL7, BGPOELL8, BGPOELL9 BGPOELLA, BGPOELLB, BGPOELLC, BGPOELLD, BGPOELLE, BGPOELLF BGPOELLG, BGPOELLH BGPOELLI, BGPOELLJ, BGPOELLK, BGPOELLL, BGPOELLM, BGPOELLN BGPOELLO, BGPOELLP, BGPOELLQ, BGPOELLR, BGPOELLS, BGPOELLT BGPOELLU, BGPOELLV, BGPOELLW, BGPOELLX, BGPOELLY, BGPOELP1 BGPOPD19, BGPOPD1, BGPOPD0, BGPOPD1, BGPOPD2, BGPOPD3 BGPOPD4, BGPOPD5 BGPOPD7, BGPOPD8, BGPOPD9, BGPOPD1A, BGPOPD1B, BGPOPD1D BGPOPD1E, BGPOPD1L, BGPOPD1N, BGPOPD1O, BGPOPD1T, BGPOPD1A BGPOPD1B
DW^%DTC	BGPOAU1M, BGPOAU1P, BGPOAU1Q, BGPOAU1R, BGPOAU1S, BGPOAU1T, BGPOAU1U, BGPOAU1V, BGPOAU1W, BGPOAU1X, BGPOAU1Y, BGPOAU1Z
NOW^%DTC	BGPODPA, BGPODPAP, BGPOGRB
DEBUG^%Serenji	BGPOGR1, BGPOGRA, BGPOGRB, BGPOGU, BGPOGUA
^%ZIS	BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODEL, BGPODELA BGPODGPA, BGPODGPU, BGPODICR, BGPODL, BGPODLT, BGPODMT BGPODNDB, BGPODNE1, BGPODNG, BGPODNGP, BGPODNGS, BGPODPA BGPODPP, BGPODSTM, BGPONPL, BGPOPCD, BGPOXTCH
HOME^%ZIS	BGPOAU1A, BGPOAU1L, BGPODADB, BGPODAR, BGPODICR, BGPODLT BGPODMT, BGPOLSTF, BGPOPCTX, BGPOULF, BGPOXTCH, BGPOXTCN BGPOXTL
^%ZISC	BGPOAU1M, BGPOAU1P, BGPOAU1Q, BGPOAU1R, BGPOAU1S, BGPOAU1T, BGPOAU1U, BGPOAU1V, BGPOAU1W, BGPOAU1X, BGPOAU1Y, BGPOAU1Z BGPODCL, BGPODEL, BGPODELA, BGPODELP, BGPODGPA, BGPODGPU BGPODICR, BGPODL, BGPODLT, BGPODMT, BGPODNDB, BGPODNE1 BGPODNG, BGPODNGP, BGPODNGS, BGPODP, BGPODPA, BGPODPP BGPODSTM, BGPOGUPL, BGPONPL, BGPOPAP
****	Cross Reference of all Routines **** May 19, 2020@10:15:07 page 161
Routine ^%ZISC	is Invoked by: BGPOPAP, BGPOPCL, BGPOPHEL, BGPOULF, BGPOUTL, BGPOUTLC

\$\$\$LIST^%ZISH	BGPOXTCH
\$\$OPEN^%ZISH	BGPOAUUP, BGPOGLST, BGPOGU, BGPOLSTF, BGPOUTL2
\$\$\$STATUS^%ZISH	BGPOAUUL, BGPODNE1, BGPOGUPL, BGPOULF, BGPOUTL, BGPOUTLC
CLOSE^%ZISH	BGPOAU1R, BGPOAUUL, BGPOAUUP, BGPOGUPL, BGPOULF
DF^%ZISH	BGPOAU1D, BGPOAU1M, BGPOAU1R, BGPOAUUP
MV^%ZISH	BGPOAU1R
OPEN^%ZISH	BGPOAUUP
JOBPAR^%ZOSV	BGPOAU1D, BGPOAU1M, BGPOAU1R, BGPOAUUP
^%ZTER	BGPOGUA
^%ZTLOAD	BGPOGU
	BGPOAUEX, BGPOAUUL, BGPOAUUP, BGPODADB, BGPODAP, BGPODAR
	BGPODCL, BGPODEL, BGPODELA, BGPODGPA, BGPODGPU, BGPODICR
	BGPODL, BGPODLT, BGPODMT, BGPODNDB, BGPODNE1, BGPODNG
	BGPODNGP, BGPODNGS, BGPODPA, BGPODPAP, BGPODPP, BGPODSTM
	BGPOGADB, BGPOGAEL, BGPOGAG9
	BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAPU, BGPOGCMP
	BGPOGCOM, BGPOGDSh, BGPOGELD, BGPOGFO9, BGPOGFOR, BGPOGGPU
	BGPOGIPC, BGPOGLHW, BGPOGLST, BGPOGLTX, BGPOGMTX, BGPOGMUE
	BGPOGMUH, BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP
	BGPOGNTS, BGPOGNXP
	BGPOGPP, BGPOGRB, BGPONPL, BGPOPCD, BGPOXTCH
KILL^%ZTLOAD	BGPOAUEX
STAT^%ZTLOAD	BGPOAUEX
ALLV^APCLAPIU	BGPOD1, BGPOD21, BGPOD211, BGPOD24, BGPOD4, BGPOD53, BGPOD55
	BGPOD714, BGPOD715, BGPOD73, BGPOPC1, BGPOPC10, BGPOPC12
	BGPOPC13, BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC2, BGPOPC4
	BGPOPC6, BGPOPC8, BGPOPC9
\$\$\$START1^APCLDF	BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCON1, BGPOCU
	BGPOCU1, BGPOD1, BGPOD10, BGPOD2, BGPOD21, BGPOD211, BGPOD212
	BGPOD213, BGPOD21A, BGPOD22, BGPOD24, BGPOD24A, BGPOD25
	BGPOD27, BGPOD28, BGPOD31, BGPOD33, BGPOD34, BGPOD35, BGPOD37
	BGPOD38, BGPOD3A, BGPOD3C
	BGPOD4, BGPOD41, BGPOD5, BGPOD51, BGPOD52, BGPOD53, BGPOD54
	BGPOD55, BGPOD5A, BGPOD6, BGPOD62, BGPOD7, BGPOD711, BGPOD714
	BGPOD72, BGPOD722, BGPOD723, BGPOD724, BGPOD729, BGPOD731
	BGPOD732, BGPOD74, BGPOD75, BGPOD8, BGPOD81, BGPOD811
	BGPOD812, BGPOD82, BGPOD83
	BGPOD84, BGPOD841, BGPOD85, BGPOD86, BGPOD862, BGPOD87
	BGPOD88, BGPOD89, BGPOD9, BGPOD91, BGPODCLP, BGPODPA2
	BGPODPA4, BGPODU, BGPOEL2, BGPOEL4, BGPONPLP, BGPOPC1
	BGPOPC10, BGPOPC11, BGPOPC12, BGPOPC13, BGPOPC4, BGPOPC9
\$\$\$CLINIC^APCLV	BGPOD1, BGPOD10, BGPOD2, BGPOD21, BGPOD211, BGPOD213, BGPOD22
	BGPOD27, BGPOD31, BGPOD4, BGPOD41, BGPOD51, BGPOD53, BGPOD7
	BGPOD711, BGPOD714, BGPOD715, BGPOD83, BGPOD84, BGPOD88
	BGPOD9, BGPODPA4, BGPODU, BGPOEL4, BGPONPLP, BGPOPC1, BGPOPC14
\$\$\$DSCHDATE^APCLV	BGPOD51
\$\$\$PRIMPOV^APCLV	BGPOD21, BGPOD211, BGPOD22, BGPOD31, BGPOD51, BGPOD71
	BGPOD711, BGPOPC13
***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 162	
Routine	is Invoked by:
\$\$\$PRIMPROV^APCLV	BGPOD1, BGPOD10, BGPOD21, BGPOD211, BGPOD213, BGPOD51, BGPOD53
	BGPOD714, BGPOD715, BGPOD862, BGPODCLP, BGPODPA4
\$\$\$VD^APCLV	BGPOD211, BGPOD24, BGPOD27, BGPOD28, BGPOD37, BGPOD39, BGPOD3A
	BGPOD3B, BGPOD3C, BGPOD4, BGPOD53, BGPOD55, BGPOD714, BGPOD715
	BGPOD73, BGPOD81, BGPOD811, BGPOD812, BGPOD841, BGPOD87
	BGPOD89, BGPOD9, BGPOD91, BGPODPA2, BGPODPA4, BGPONPLP
	BGPOPC10, BGPOPC12
	BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC17, BGPOPC2, BGPOPC4
	BGPOPC6, BGPOPC61, BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65
	BGPOPC66, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC7, BGPOPC8

	BGPOPC9, BGPOUTL1
\$\$VDTM^APCLV	BGPOD2, BGPOD4, BGPOD841, BGPOPC12, BGPOPC2
\$\$ICD^ATXAPI	BGPOD21, BGPOD36, BGPOPC10, BGPOPC12, BGPOPC13, BGPOPC14 BGPOPC15, BGPOPC16, BGPOPC2, BGPOPC4, BGPOPC6, BGPOPC8 BGPOPC9
BLDTAX^ATXAPI	BGPODU, BGPOUTL2
\$\$ICD^ATXCHK	BGPOUTL2
BULL^ATXSTX2	BGPO2A, BGPO2B, BGPO2C, BGPO2D, BGPO2E, BGPO2F, BGPO2G, BGPO2H BGPO2I, BGPO2J, BGPO2K, BGPO2L, BGPO2M, BGPO2N, BGPO2O, BGPO2P BGPO2Q, BGPO2R, BGPO2S, BGPO2T, BGPO2U, BGPO2V, BGPO2W, BGPO2X BGPO2Y, BGPO2Z, BGPO3A, BGPO3B, BGPO3C, BGPO3D, BGPO3E, BGPO3F BGPO3G BGPO3H, BGPO3I
KILL^ATXSTX2	BGPO2A, BGPO2B, BGPO2C, BGPO2D, BGPO2E, BGPO2F, BGPO2G, BGPO2H BGPO2I, BGPO2J, BGPO2K, BGPO2L, BGPO2M, BGPO2N, BGPO2O, BGPO2P BGPO2Q, BGPO2R, BGPO2S, BGPO2T, BGPO2U, BGPO2V, BGPO2W, BGPO2X BGPO2Y, BGPO2Z, BGPO3A, BGPO3B, BGPO3C, BGPO3D, BGPO3E, BGPO3F BGPO3G BGPO3H, BGPO3I
TAX^ATXSTX2	BGPO2A, BGPO2B, BGPO2C, BGPO2D, BGPO2E, BGPO2F, BGPO2G, BGPO2H BGPO2I, BGPO2J, BGPO2K, BGPO2L, BGPO2M, BGPO2N, BGPO2O, BGPO2P BGPO2Q, BGPO2R, BGPO2S, BGPO2T, BGPO2U, BGPO2V, BGPO2W, BGPO2X BGPO2Y, BGPO2Z, BGPO3A, BGPO3B, BGPO3C, BGPO3D, BGPO3E, BGPO3F BGPO3G BGPO3H, BGPO3I
\$\$AGE^AUPNPAT	BGPOD1, BGPOD10, BGPOD21, BGPOD6, BGPOD7, BGPOD76, BGPOD83 BGPOD84, BGPOD85, BGPOD87, BGPODPA1, BGPODPA2, BGPOEL4 BGPOGUA, BGPOPC1, BGPOPC13, BGPOPC14, BGPOPC16, BGPOPC17 BGPOPC2, BGPOPC5
\$\$BEN^AUPNPAT	BGPOD1, BGPOPC1
\$\$COMMRES^AUPNPAT	BGPODNE1, BGPODPAP, BGPODPAW
\$\$DOB^AUPNPAT	BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCON1, BGPOCU1 BGPOD1, BGPOD10, BGPOD2, BGPOD21, BGPOD211, BGPOD212, BGPOD213 BGPOD214, BGPOD21A, BGPOD22, BGPOD24A, BGPOD27, BGPOD28 BGPOD3, BGPOD31, BGPOD32, BGPOD33, BGPOD34, BGPOD35, BGPOD36 BGPOD37, BGPOD38, BGPOD3A BGPOD3B, BGPOD3C, BGPOD4, BGPOD62, BGPOD72, BGPOD721, BGPOD724 BGPOD729, BGPOD73, BGPOD731, BGPOD732, BGPOD75, BGPOD76 BGPOD8, BGPOD81, BGPOD811, BGPOD82, BGPOD841, BGPOD86, BGPOD9 BGPOD91, BGPODPA1, BGPODPA2, BGPODPA4, BGPODPAW, BGPODS BGPODU, BGPOEL2, BGPOELS

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 163

Routine	is Invoked by:
\$\$DOB^AUPNPAT	BGPOELSL, BGPONPLP, BGPOPC1, BGPOPC10, BGPOPC12, BGPOPC13 BGPOPC14, BGPOPC16, BGPOPC4, BGPOPC5, BGPOPC6, BGPOPC61 BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65, BGPOPC66, BGPOPC67 BGPOPC68, BGPOPC69, BGPOPC7, BGPOPC8, BGPOPC9, BGPOUTL1 BGPOUTL2
\$\$DOD^AUPNPAT	BGPOD1, BGPOPC1, BGPOPC13
\$\$HRN^AUPNPAT	BGPODCLD, BGPODCLP, BGPODPAP, BGPODPAW, BGPODS, BGPOELS BGPOELSL, BGPOGUA, BGPONPLP
\$\$SEX^AUPNPAT	BGPODPAW
KILL^AUPNPAT	BGPOAUEx, BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODEL BGPODELA, BGPODGPU, BGPODGPU, BGPODL, BGPODND, BGPODNE1 BGPODNG, BGPODNGP, BGPODNGS, BGPODPP, BGPODSTM, BGPOGADB BGPOGAEL, BGPOGAG9, BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL BGPOGAPU, BGPOGCM, BGPOGCOM BGPOGDSH, BGPOGELD, BGPOGFO9, BGPOGFOR, BGPOGGPU, BGPOGIPC BGPOGLHW, BGPOGLST, BGPOGLTX, BGPOGMTX, BGPOGMUE, BGPOGMUH BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNT, BGPOGNTS

	BGPOGNXP, BGPOGPP, BGPONPL, BGPOPCD
\$\$\$STATUS^BDGSPT2	BGPOGUA
ALLDP^BDPAPI	BGPOD1
\$\$\$GETDIR^BGP0UTL2	BGPODNE1
GETIMMS^BGP7D32	BGPOD3C
\$\$\$DATE^BGP7UTL	BGPOD76
\$\$\$ACTUP^BGP8D1	BGPODNE1
PROCCY^BGP8D1	BGPODNE1
\$\$\$STATE^BGP8DCHW	BGPODNE1
\$\$\$UID^BGP8DCHW	BGPODNE1
PRINT^BGP8DNE1	BGPODNE1
PROC^BGP8DNE1	BGPODNE1
TAXCHK^BGP8XTCN	BGPODNE1
CATSTR^BGPR	BGPOGRA, BGPOGRB
AUTO^BGPLAUEX	opt
MAN^BGPLAUEX	opt
SITEPAR^BGPLAUEX	opt
AUTO^BGPLAUUP	opt
MAN^BGPLAUUP	opt
SCH^BGPLAUUP	opt
^BGPLBAN	opt
^BGPLCTS	opt
^BGPLDADB	opt
^BGPLDAP	opt
^BGPLDAR	opt
SUMONLY^BGPLDAR	opt
^BGPLDCL	opt
^BGPLDEL	opt
^BGPLDGPA	opt
^BGPLDGPU	opt
^BGPLDICR	opt
<p>***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 164</p>	
Routine	is Invoked by:
^BGPLDL	opt
CRS^BGPLDLT	opt
ELDER^BGPLDLT	opt
GPRA^BGPLDLT	opt
IPC^BGPLDLT	opt
CRS^BGPLDMT	opt
ELDER^BGPLDMT	opt
GPRA^BGPLDMT	opt
IPC^BGPLDMT	opt
^BGPLDNDB	opt
^BGPLDNG	opt
^BGPLDNGP	opt
^BGPLDNGS	opt
^BGPLDPA	opt
COVPAGE^BGPLDPA	opt
^BGPLDPE	opt
PE^BGPLDPE	opt
^BGPLDPP	opt
^BGPLDSTM	opt
^BGPLLSTF	opt
^BGPLNPL	opt
^BGPLPCD	opt
^BGPLPCTX	opt
^BGPLULF	opt
\$\$\$DATE^BGPLUTL	BGPOD7
\$\$\$ICD^BGPLUTL2	BGPOPC7
^BGPLXTCH	opt

```

^BGPLXTCN      |opt
^BGPLXTEL      |opt
^BGPLXTV       |opt
INIT^BGP MUDSI  BGPOGTA
INITH^BGP MUDSI BGPOGTA
INITM^BGP MUDSI BGPOGTA
INIT^BGP MUDSL  BGPOGTA
^BGP MUEHD      BGPOGMUH
^BGP MUEPD      BGPOGMUE
^BGPO2          BGPOPOS
^BGPO2A         BGPO2
^BGPO2B         BGPO2
^BGPO2C         BGPO2
^BGPO2D         BGPO2
^BGPO2E         BGPO2
^BGPO2F         BGPO2
^BGPO2F2        BGPO2F
^BGPO2G         BGPO2
^BGPO2H         BGPO2
^BGPO2I         BGPO2
^BGPO2J         BGPO2
    
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 165

```

Routine          is Invoked by:
^BGPO2K          BGPO2
^BGPO2L          BGPO2
^BGPO2M          BGPO2
^BGPO2N          BGPO2
^BGPO2O          BGPO2
^BGPO2P          BGPO2
^BGPO2Q          BGPO2
^BGPO2R          BGPO2
^BGPO2S          BGPO2
^BGPO2T          BGPO2
^BGPO2U          BGPO2
^BGPO2V          BGPO2
^BGPO2W          BGPO2
^BGPO2X          BGPO2
^BGPO2Y          BGPO2
^BGPO2Z          BGPO2
^BGPO3           BGPOPOS
^BGPO3A          BGPO3
^BGPO3B          BGPO3
^BGPO3C          BGPO3
^BGPO3D          BGPO3
^BGPO3E          BGPO3
^BGPO3F          BGPO3
^BGPO3G          BGPO3
^BGPO3H          BGPO3
^BGPO3I          BGPO3
ACEI^BGPOALG1    BGPOALG
ARB^BGPOALG1     BGPOALG
ASA^BGPOALG1     BGPOALG
BETA^BGPOALG1    BGPOALG
STATIN^BGPOALG2 BGPOALG
EN^BGPOASL       BGPODADB, BGPODAR, BGPODELA, BGPODGPA
GET^BGPOASL      BGPOGU
ELD^BGPOASL1     BGPOASL
NGR^BGPOASL1     BGPOASL
EN^BGPOAU1A      BGPOAUUP
EN^BGPOAU1D      BGPOAUUP
    
```

```
MSG1^BGPOAU1M      BGPOAUUP
EN^BGPOAU1R        BGPOAUUP
AUTO^BGPOAUEX      |opt
AUTOEX^BGPOAUEX    BGPOUTL
DELTASK^BGPOAUEX   BGPOAUUL
MAN^BGPOAUEX        |opt
QUE^BGPOAUEX        BGPOGRB
SITEPAR^BGPOAUEX   |opt
EN^BGPOAUUL         BGPOAUUP
SCH^BGPOAUUL        BGPOAUUP
AUTO^BGPOAUUP       |opt
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 166

```
Routine           is Invoked by:
MAN^BGPOAUUP      |opt
SCH^BGPOAUUP      |opt
XIT^BGPOAUUP      BGPOAUUL
^BGPOBAN           |opt
$$FV^BGPOBAN      BGPODGPU, BGPODH, BGPODNG, BGPOGELD, BGPOGGPU, BGPOGLST
                  BGPOGNT9, BGPOGNTL, BGPOGNTS, BGPOGU, BGPOLSTF, BGPOPDL
                  BGPOPDLH, BGPOULF, BGPOUTL
$$GY^BGPOBAN      BGPODL, BGPODNG
$$RPTVER^BGPOBAN BGPODCL, BGPODCLD, BGPODCLP, BGPODGPU, BGPODH, BGPODH1
                  BGPODICR, BGPODLT, BGPODMT, BGPODPAW, BGPODSTM, BGPOELH
                  BGPOELHH, BGPONPL, BGPONPLP, BGPOPCH, BGPOPDLH
$$VER^BGPOBAN     BGPOASL, BGPOASL1, BGPOGUPL, BGPOULF, BGPOUTL
ACEIALG1^BGPOC11  BGPOD722, BGPOD723, BGPOD732
ARBALG1^BGPOC13   BGPOC11
ACEI^BGPOCON1     BGPOCON
ASA^BGPOCON1      BGPOCON
STATIN^BGPOCON1   BGPOCON
EP^BGPOCTL        BGPOCTS
^BGPOCTS          |opt
INIT^BGPOCTS      BGPOGU
GETMEDS^BGPOCU    BGPOC13
$$ASAALLEG^BGPOCU1
^BGPOD1           BGPOD721
                  BGPOAUEX, BGPODAP, BGPODCL, BGPODEL, BGPODGPU, BGPODL
                  BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS, BGPODSTM, BGPOGALL
                  BGPOGCM, BGPOGCOM, BGPOGDSH, BGPOGELD, BGPOGGPU, BGPOGLHW
                  BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS
                  BGPONPL
$$DP^BGPOD1       BGPOD10
$$FIRSTDM^BGPOD1 BGPOD10
$$V2^BGPOD1       BGPOD729
$$V2DM^BGPOD1     BGPOD211
PROCCY^BGPOD1     BGPODPA, BGPODPAP
^BGPOD10          BGPODGPU, BGPODPP, BGPOGGPU, BGPOGPP
$$GDEV^BGPOD2     BGPOD22, BGPOD41, BGPOD9
$$HGBA1C^BGPOD2  BGPOD22, BGPODPA1, BGPOPC1
$$LDL^BGPOD2      BGPOD73
$$LOINC^BGPOD2    BGPOALG2, BGPOD722, BGPOD723, BGPOD841
$$MEANBP^BGPOD2  BGPOD22, BGPODPA1
$$MEANBPD^BGPOD2 BGPOD9
DMBP^BGPOD2       BGPOEL2
DMGC^BGPOD2       BGPOEL2
$$BF^BGPOD21      BGPOCON1, BGPOD212, BGPOD213, BGPOD722, BGPOD723, BGPOD75
                  BGPOEL2
$$DENTEXAM^BGPOD21
                  BGPOD85, BGPOPC3
$$DNKA^BGPOD21    BGPOD213, BGPODPA4
$$EYE^BGPOD21     BGPOD22, BGPOPC1
$$LOINC^BGPOD21   BGPOD212, BGPOD8, BGPOD811, BGPOD812, BGPOD82, BGPOD83
```

BGPOD84, BGPOD841, BGPOD861, BGPOD864, BGPOD88

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 167

Routine	is Invoked by:
\$\$TC^BGPOD21	BGPOPC3
DMEYE^BGPOD21	BGPOEL2
DMNA^BGPOD21	BGPOEL2
I61^BGPOD21	BGPODPA1
\$\$DENTSRVD^BGPOD211	BGPOD21, BGPOD3, BGPODPA2, BGPOEL2
\$\$DMPVPL^BGPOD211	BGPOD1, BGPOD10
\$\$DVADA^BGPOD211	BGPODPA4
\$\$ESRD^BGPOD211	BGPOD21, BGPOD212, BGPOD213, BGPOD22, BGPOD39, BGPOD9 BGPODPA2, BGPOEL2, BGPOPC1
\$\$GFR^BGPOD211	BGPOD21, BGPOD22, BGPOPC1
\$\$QUANTUP^BGPOD211	BGPOD21, BGPOD22, BGPOPC1
JVN^BGPOD211	BGPOD21
\$\$ASCVDLDL^BGPOD212	BGPOD213, BGPOEL2
\$\$HIGHLDLV^BGPOD212	BGPOD213, BGPOEL2
\$\$LASTLDLV^BGPOD212	BGPOD213, BGPOEL2
\$\$PALL^BGPOD212	BGPOD213, BGPOEL2
\$\$RHAB^BGPOD212	BGPOD213, BGPOEL2
\$\$STATNMI^BGPOD212	BGPOD213, BGPOEL2
STRC^BGPOD212	BGPODPA4
\$\$ALD^BGPOD213	BGPOD212, BGPOEL2
\$\$EMP^BGPOD213	BGPOD22, BGPOD28, BGPOD39, BGPOD81
\$\$FOOT^BGPOD213	BGPOD22, BGPOPC1
\$\$STATALG^BGPOD213	BGPOD212, BGPOEL2
CVD^BGPOD213	BGPODPA4
OPTOM^BGPOD213	BGPOD3B
\$\$STATIN^BGPOD214	BGPOD212, BGPOD213, BGPOEL2
\$\$BLINDPL^BGPOD21A	BGPOD21, BGPOD22, BGPOEL2, BGPOPC1
\$\$EYEENUC^BGPOD21A	BGPOD21, BGPOD22, BGPOEL2, BGPOPC1
\$\$HEPA^BGPOD21A	BGPOD212, BGPOD213, BGPOEL2
\$\$HEPB^BGPOD21A	BGPOD212, BGPOD213, BGPOEL2
\$\$ASSEV^BGPOD22	BGPOD28, BGPOD31, BGPOD81, BGPOPC17
\$\$BPCPT^BGPOD22	BGPOD2, BGPOD41, BGPOD9, BGPODPA1
\$\$COPD^BGPOD22	BGPOD28, BGPOD39, BGPOD81
\$\$CREAT^BGPOD22	BGPOD82
\$\$PERASTH^BGPOD22	BGPOD28, BGPOD81
\$\$SEVPER^BGPOD22	BGPOD81
\$\$PCV^BGPOD24	BGPOEL4
\$\$TXPTED^BGPOD24	BGPOD73
BNI^BGPOD24	BGPOD73, BGPODPA4
\$\$HIVDX^BGPOD24A	BGPOD33, BGPOD35, BGPOD38
\$\$KEYSTI^BGPOD24A	BGPOD24
\$\$DEP^BGPOD25	BGPOD41, BGPODPA2, BGPODPA4
\$\$DEPEDU^BGPOD25	BGPODPA2, BGPODPA4
\$\$DEPSCR^BGPOD25	BGPOD41, BGPODPA2, BGPODPA4
\$\$DEPSUIC^BGPOD25	BGPOD41
DEPEP^BGPOD25	BGPOEL3
\$\$AMP^BGPOD27	BGPOD22, BGPOPC1
\$\$DEPSCRBH^BGPOD27	BGPOD25

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 168

Routine	is Invoked by:
\$\$DEN7^BGPOD3	BGPODPA1
\$\$FLU^BGPOD3	BGPOD3B, BGPODPA1, BGPODPA4, BGPOEL3
\$\$PAP^BGPOD3	BGPODPA1
\$\$PAPHPVWH^BGPOD3	BGPOD31, BGPOPC8
\$\$ANCONT^BGPOD31	BGPOD33, BGPOD34, BGPOD35, BGPOD36, BGPOD37, BGPOD38, BGPOD3A

```

BGPOD3B, BGPOD86, BGPOPC6, BGPOPC7
$$ANEGCONT^BGPOD31 BGPOD38
$$ANIMCONT^BGPOD31 BGPOD37, BGPOD3C
$$ANNECONT^BGPOD31 BGPOD33
$$HOSP^BGPOD31 BGPOEL31
$$MMRCONT^BGPOD31 BGPOD33, BGPOD35, BGPOD811
$$PAPHPV^BGPOD31 BGPOD3
$$PNEU^BGPOD31 BGPODPA1
$$SEV^BGPOD31 BGPOD28
$$V2ASTH^BGPOD31 BGPOEL31
$$IMMREF^BGPOD32 BGPOD35
GETIMMS^BGPOD32 BGPOD33, BGPOD34, BGPOD35, BGPOD36, BGPOD37, BGPOD38, BGPOD811
BGPOD86
I14^BGPOD32 BGPODPA1
$$MMR^BGPOD33 BGPOD32
$$OPV^BGPOD33 BGPOD32
$$DTAP^BGPOD34 BGPOD32
RESET^BGPOD34 BGPOD341
TEST^BGPOD341 BGPOD34
$$HEP^BGPOD35 BGPOD32
$$PNEUMO^BGPOD35 BGPOD32
$$VAR^BGPOD35 BGPOD32
$$AGE^BGPOD36 BGPOD3, BGPODPA4
$$ENCEPH^BGPOD36 BGPOD34
$$HADWARF^BGPOD36 BGPOD39
$$HPV^BGPOD36 BGPOD85
$$IMMUNO^BGPOD36 BGPOD33, BGPOD35, BGPOD38
$$INTUSS^BGPOD36 BGPOD37
$$LYMPHO^BGPOD36 BGPOD33, BGPOD35, BGPOD38
$$MEN^BGPOD36 BGPOD85
$$SCID^BGPOD36 BGPOD37
$$HEPA^BGPOD37 BGPOD32
$$ROTA2^BGPOD37 BGPOD32
$$ROTA3^BGPOD37 BGPOD32
FLU^BGPOD37 BGPOD3
$$HIB3^BGPOD38 BGPOD32
$$HIB4^BGPOD38 BGPOD32
$$INFLU^BGPOD38 BGPOD32
$$DTAP^BGPOD3A BGPOD3B, BGPOPC5
$$DTAPTD^BGPOD3A BGPOD3B, BGPOPC5
$$GA^BGPOD3A BGPOD21
$$HIGHR^BGPOD3A BGPOD3
$$HIGHRP^BGPOD3A BGPOD3B

```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 169

```

Routine is Invoked by:
$$SEALDEV^BGPOD3A BGPOD3
$$TF^BGPOD3A BGPOD3
SEAL^BGPOD3A BGPOD3
SEALR^BGPOD3A BGPOD3
$$PPCONT^BGPOD3B BGPOPC5
I13^BGPOD3B BGPOD3, BGPODPA4
PN^BGPOD3B BGPOEL3
$$FIRSTPDX^BGPOD3C BGPOD3B
$$IZOSTVAC^BGPOD3C BGPOD3B, BGPOPC5
$$LASTVD^BGPOD3C BGPOD3B
$$PCV13^BGPOD3C BGPOD3B, BGPOPC5
$$PPSV23^BGPOD3C BGPOD3B, BGPOPC5
$$SHINGRIX^BGPOD3C BGPOD3B, BGPOPC5
$$MAM^BGPOD4 BGPODPA1, BGPOEL3
$$MAS^BGPOD4 BGPODPA1, BGPOEL3

```



```

$$MEANBP^BGPOD41      BGPOD9
BPCV^BGPOD41          BGPOEL3
$$ALPED^BGPOD5        BGPOD55, BGPODPA2
$$DVDX^BGPOD5         BGPODPA2
$$DVEX^BGPOD5         BGPODPA2
$$DVPED^BGPOD5        BGPODPA2
DV^BGPOD5             BGPOEL3
ICRSAMM^BGPOD51       BGPODPA4
$$SEAPT^BGPOD52       BGPOD51
DVDX^BGPOD54          BGPOD5
ALSCRN^BGPOD55        BGPOD24, BGPODPA2, BGPODPA4
$$ALDX^BGPOD5A        BGPODPA2
$$BMI^BGPOD6          BGPOD52, BGPOD71, BGPOEL3
$$BMIOR^BGPOD6        BGPODPA2
$$OB^BGPOD6           BGPOD71, BGPODPA2, BGPOEL3
$$OW^BGPOD6           BGPOD71, BGPODPA2, BGPOEL3
$$REF^BGPOD6          BGPOEL3
$$COLO^BGPOD62        BGPODPA2
$$CRC^BGPOD62         BGPODPA2, BGPOEL3
$$CT^BGPOD62          BGPODPA2
$$FIT^BGPOD62         BGPODPA2
$$FOB^BGPOD62         BGPODPA2
$$SIG^BGPOD62         BGPODPA2
CRCP^BGPOD62          BGPOEL3
$$CPTSM^BGPOD7        BGPOD713
$$DENT^BGPOD7         BGPOD713
$$DX^BGPOD7           BGPOD713
$$DXS^BGPOD7          BGPOD713
$$DXSL^BGPOD7         BGPOD713
$$DXU^BGPOD7          BGPOD713
$$LASTHF^BGPOD7       BGPOD712, BGPOD76
$$PED^BGPOD7          BGPOD713
$$PREG^BGPOD7         BGPOD21, BGPOD3B, BGPOD8, BGPOD841, BGPOD88, BGPODPA2

```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 170

```

Routine                is Invoked by:
TA^BGPOD7              BGPOEL3
$$MEDNUTR^BGPOD711    BGPOD41
$$MEDNUTRD^BGPOD711   BGPOD71
$$OTHREL^BGPOD711     BGPOD41, BGPOD71
$$PED^BGPOD711        BGPOD76, BGPODPA2
$$SPECEX^BGPOD711     BGPOD41, BGPOD71
$$SPECNUTR^BGPOD711   BGPOD41, BGPOD71
$$TOBHF^BGPOD712      BGPOD7, BGPOD713
PREGSCRN^BGPOD713     BGPOD7
PREG^BGPOD714         BGPOD7
$$PREG^BGPOD715       BGPOCON1, BGPOD212, BGPOD213, BGPOD52, BGPOD53, BGPOD722
                        BGPOD723, BGPOD73, BGPOD75, BGPOD9, BGPOEL2
$$AMA^BGPOD72         BGPOD731, BGPOD87
$$BETAALG1^BGPOD72    BGPOD721, BGPOD731, BGPOD75
$$EXPIRED^BGPOD72     BGPOD731, BGPOD87
$$TRANS^BGPOD72       BGPOD731, BGPOD87
$$ASA^BGPOD721        BGPOD731
$$ASAALLEG^BGPOD721   BGPOD731, BGPOD75
$$BETA^BGPOD721       BGPOD731
$$BETACONT^BGPOD721   BGPOD731, BGPOD75
$$ACEALG^BGPOD722     BGPOD721, BGPOD731, BGPOD75
$$ACECONT^BGPOD722   BGPOD721, BGPOD731
$$ACERX^BGPOD722     BGPOD721, BGPOD731
$$STATALG^BGPOD722    BGPOD721, BGPOD731, BGPOD75
$$STATCON^BGPOD722    BGPOD721, BGPOD731, BGPOD75

```

```

$$STATRX^BGPOD722    BGPOD721, BGPOD731
$$ACEALG^BGPOD723    BGPOD21
$$ACECONT^BGPOD723  BGPOD21
BETACONT^BGPOD724    BGPOCON, BGPOD721
$$CHD^BGPOD729       BGPOD25, BGPOD41, BGPOD721, BGPOD73
CHEL^BGPOD73          BGPOEL4
$$HOSPICE^BGPOD74    BGPOD39, BGPOD53, BGPOD81
ALLHF^BGPOD76         BGPOD3A, BGPOD712
TOBFOR^BGPOD76       BGPODPA2
$$HIVDX^BGPOD8        BGPOD88
$$HIVDX1^BGPOD8      BGPOD812
$$HIVTEST^BGPOD8     BGPOD24A
IE2^BGPOD8            BGPODPA2
$$VAPI^BGPOD81       BGPOD711, BGPOD721, BGPOD731, BGPOD75, BGPOD82, BGPOD863
                        BGPOD91
$$ART^BGPOD811       BGPOD8
$$PCR^BGPOD811       BGPOD8
$$CD4^BGPOD812       BGPOD8
$$HIVTEST1^BGPOD812 BGPOD8
$$CLASS^BGPOD82      BGPOD863
$$DAYS^BGPOD82       BGPOD21, BGPOD214, BGPOD52, BGPOD721, BGPOD722, BGPOD723
                        BGPOD732, BGPOD863
PHYACT^BGPOD84       BGPOD8

```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 171

Routine is Invoked by:

```

$$CD4RES^BGPOD841    BGPOD8
HEPC^BGPOD841        BGPOD84
$$TDAP^BGPOD86       BGPOD85
$$FIRSTHTN^BGPOD9    BGPOD21
$$LASTBP^BGPOD9      BGPODPA2
$$MHHTN^BGPOD9       BGPODPA2
$$V1HTN^BGPOD9       BGPOD21
^BGPODADB             |opt
^BGPODAP              |opt
^BGPODAR              |opt
SUMONLY^BGPODAR      |opt
^BGPODBPR             BGPODP
AREA^BGPODBPR         BGPOPARP
PRINTN^BGPODBPR      BGPODP
CALCIND^BGPODCEI     BGPOD1
CALCIND^BGPODCI      BGPOD1, BGPOD10
^BGPODCL              |opt
$$LAST^BGPODCLP      BGPODCLD
CPPL1^BGPODCLP       BGPODP
^BGPODEL              |opt
^BGPODELP            BGPODEL
PRINT1^BGPODELP      BGPOPHEL
EN^BGPODESI          BGPODEL
EN^BGPODESL          BGPODEL
PT^BGPODESL          BGPODEL, BGPODELA
RT^BGPODESL          BGPODEL
^BGPODGA              |opt
^BGPODGPU             |opt
ENDDATE^BGPODGPU     BGPODADB, BGPODAP, BGPODAR, BGPODL, BGPODNDB, BGPODPP
                        BGPOUTL3
^BGPODH               BGPODBPR, BGPODP
$$CTR^BGPODH         BGPODH1, BGPOELHH
$$USR^BGPODH         BGPODH1
AREACP^BGPODH        BGPODBPR, BGPOPARP, BGPOPARQ
ENDTIME^BGPODH       BGPODH1

```

```

EOP^BGPODH          BGPOLSTF, BGPOULF
HDR^BGPODH          BGPODH1, BGPODH2
MD^BGPODH           BGPODH1
PD^BGPODH           BGPODH1
SENS^BGPODH         BGPODH1, BGPODPAP, BGPODPAW, BGPOELH
AHDR^BGPODH1        BGPODH, BGPODH2
ALLHDR^BGPODH1      BGPODH
AREACP^BGPODH1      BGPODBPR, BGPODH
COMHDR^BGPODH1      BGPODH
GPRAHDRS^BGPODH1    BGPODH
GPUPPHDR^BGPODH1    BGPODH
PHDR^BGPODH1        BGPODH
DASH^BGPODH2        BGPODH
    
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 172

```

Routine              is Invoked by:
DASHHDRA^BGPODH2    BGPODH1
GPRAHDRA^BGPODH2    BGPODH1
^BGPODICR            |opt
^BGPODL              |opt
CHKY^BGPODL          BGPOTL3
PI^BGPODL            BPGOGALL, BPGOGCOM, BPGOGPP
CRS^BGPODLT          |opt
ELDER^BGPODLT        |opt
GPRA^BGPODLT         |opt
IPC^BGPODLT          |opt
CRS^BGPODMT          |opt
ELDER^BGPODMT        |opt
GPRA^BGPODMT         |opt
IPC^BGPODMT          |opt
^BGPODNDB            |opt
PROC^BGPODNE1        BPGOGNXP
^BGPODNG              |opt
$$CTR^BGPODNG        BPGOAUEx
^BGPODNGP            |opt
^BGPODNGS            |opt
^BGPODP              BGPODAP, BGPODCL, BGPODGPU, BGPODL, BGPODNDB, BGPODNG
                    BGPODNGP, BGPODNGS, BGPODPP, BGPODSTM, BGPONPL, BGPOPCD
PRINT1^BGPODP        BGPOPARP, BGPOPARQ
SETEXCEL^BGPODP      BPGOAU1A, BGPOPARP, BGPOPARQ
W^BGPODP             BGPODBPR, BGPODCLP, BGPODH, BGPODH1, BGPODH2, BGPODP, BGPODP1C
                    BGPODP1H, BGPODP1I, BGPODP1J, BGPODP1K, BGPODP1L, BGPODP1M
                    BGPODP1N, BGPODP1O, BGPODP1S, BGPODP1T, BGPODPH, BGPODS
                    BGPODSP, BGPODSPD, BGPODSPN, BGPODSPO, BGPODSTM, BGPOELH
                    EGPOELHH, BGPONPLP
                    BGPOPARP, BGPOPCH, BGPOSDP, BGPOSDPD, BGPOSDPN, BGPOSDPO
WTITLE^BGPODP        BGPODS, BGPONPLP
PI^BGPODP1           BGPODP2
I1AGE^BGPODP11       BGPODP1C
I1AGE^BGPODP12       BGPODP1
I1AGE^BGPODP13       BGPODP1
I1AGE^BGPODP14       BGPODP1
I1AGE^BGPODP1A       BGPODP1
$$SB^BGPODP1C        BGPODP1E
$$V^BGPODP1C         BGPODBPR, BGPODP11, BGPODP12, BGPODP13, BGPODP14, BGPODP19
                    BGPODP1A, BGPODP1C, BGPODP1H, BGPODP1L, BGPODP1M, BGPODP1N
                    BGPODP1O, BGPODP1S, BGPODP1T, BGPODP2, BGPODP3, BGPODP4
                    BGPODP5, BGPODP50, BGPODP51, BGPODP6, BGPODP60, BGPODP7
                    BGPODP8, BGPOPD19, BGPOPDL0
                    BGPOPDL1, BGPOPDL2, BGPOPDL3, BGPOPDL4, BGPOPDL5, BGPOPDL7
                    BGPOPDL8, BGPOPDL9, BGPOPDLA, BGPOPDLB, BGPOPDLE, BGPOPDLL
    
```

GPRANT1^BGPODP1C	BGPOPDLT, BGPODPDA, BGPODPDB
I1AGE^BGPODP1C	BGPODP19, BGPOPD19
I1AGE^BGPODP1C	BGPODP1
***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 173	
Routine	is Invoked by:
PI^BGPODP1C	BGPODP1, BGPODP10, BGPODP3, BGPODP4, BGPODP5, BGPODP6
PI1^BGPODP1C	BGPODP4, BGPODP5
SETEXA^BGPODP1C	BGPODP19, BGPODP1H, BGPODP1T, BGPODP2, BGPODP3, BGPODP7
SETN^BGPODP1C	BGPOPD19, BGPOPDL1, BGPOPDL2, BGPOPDL3
SETN1^BGPODP1C	BGPODP2, BGPODP3, BGPODP7, BGPOPDL1, BGPOPDL2, BGPOPDL3
GPRANT3^BGPODP1D	BGPODP1H, BGPODP1T
\$\$CHECK^BGPODP1E	BGPODP1C
SETDEV^BGPODP1E	BGPODP1C, BGPODP2, BGPODP3, BGPOPDL1, BGPOPDL2, BGPOPDL3
DEVEL3^BGPODP1G	BGPODP1C
AH^BGPODP1H	BGPODP1D
BL^BGPODP1I	BGPODP1I, BGPODP1K
PR^BGPODP1I	BGPODP1J
SNDPG^BGPODP1I	BGPODP1J
I1AGEP^BGPODP1J	BGPODP1H
BL^BGPODP1K	BGPODP1I
^BGPODP1L	BGPODP1, BGPOPDL1
^BGPODP1O	BGPODP1, BGPOPDL1
^BGPODP1S	BGPODP1, BGPOPDL1
^BGPODP1T	BGPODP1S
PI^BGPODP2	BGPODP1
PI1^BGPODP2	BGPODP1C
SETSUM^BGPODP2	BGPOPDL2
I1AGEP^BGPODP50	BGPODP5, BGPODP51
I1AGEP^BGPODP60	BGPODP6
I1AGE^BGPODP8	BGPODP1
^BGPODPA	opt
COVPAGE^BGPODPA	opt
PROC^BGPODPA	BGPODPA, BGPOGFOR
\$\$TITLE^BGPODPA1	BGPODPA4
\$\$TITLE2^BGPODPA1	BGPODPA1
ISS^BGPODPA1	BGPOD1
\$\$TITLE^BGPODPA2	BGPODPA4
\$\$DENTSRVD^BGPODPA4	BGPODPA1
\$\$EYE^BGPODPA4	BGPODPA1
PRINT^BGPODPAW	BGPODPA
H1^BGPODPH	BGPODP1, BGPODP1C, BGPODP10, BGPODP2, BGPODP4, BGPODP5
H10^BGPODPH	BGPODP6, BGPOELP1
H2^BGPODPH	BGPODP14
H3^BGPODPH	BGPODP1C, BGPOELP1
H4^BGPODPH	BGPODP11
H9^BGPODPH	BGPODP12, BGPODP13, BGPODP1A
HEADER^BGPODPH	BGPODP19
	BGPODBPR, BGPODELP, BGPODP, BGPODP1, BGPODP11, BGPODP12
	BGPODP13, BGPODP14, BGPODP19, BGPODP1A, BGPODP1C, BGPODP1H
	BGPODP1I, BGPODP1J, BGPODP1K, BGPODP1L, BGPODP1M, BGPODP1N
	BGPODP10, BGPODP1S, BGPODP1T, BGPODP2, BGPODP3, BGPODP4
	BGPODP5, BGPODP50, BGPODP51
***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 174	
Routine	is Invoked by:
HEADER^BGPODPH	BGPODP6, BGPODP60, BGPODP8, BGPODS, BGPODSP, BGPODSPD
	BGPODSPN, BGPODSP0, BGPODSTM, BGPOEL10, BGPOEL11, BGPOEL12
	BGPOEL13, BGPOEL14, BGPOEL15, BGPOEL16, BGPOEL17, BGPOEL18

	BGPOEL19, BGPOEL1A, BGPOEL1B, BGPOEL1C, BGPOEL1D, BGPOEL1E BGPOEL1F, BGPOEL1G, BGPOEL1H BGPOEL1I, BGPOEL1J, BGPOEL1K, BGPOEL1L, BGPOEL1M, BGPOEL1N BGPOEL1O, BGPOEL1P, BGPOEL1Q, BGPOEL1R, BGPOEL1S, BGPOEL1T BGPOELP1, BGPOELS, BGPOPLT, BGPOSDP, BGPOSDPD, BGPOSDPN BGPOSDPO
HPA^BGPODPH	BGPOPLT
^BGPODPP	opt
^BGPODS	BGPODP
EN^BGPODSI	BGPODAP, BGPODL, BGPODPP, BGPODSTM, BGPONPL
EN^BGPODSL	BGPODAP, BGPODL, BGPODPP
PT^BGPODSL	BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODGPA, BGPODGPU BGPODL, BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS, BGPODPP BGPODSTM, BGPONPL, BGPOPCD
RT^BGPODSL	BGPODAP, BGPODCL, BGPODL, BGPODPP, BGPODSTM, BGPONPL
TEXT^BGPODSL	BGPODAP, BGPODAR, BGPODCL, BGPODEL, BGPODELA, BGPODGPA BGPODGPU, BGPODL, BGPODNG, BGPODNGP, BGPODPP, BGPONPL, BGPOPCD
^BGPODSP	BGPODP
^BGPODSPD	BGPODP
^BGPODSPN	BGPODP
^BGPODSTM	opt
CT^BGPODSTM	BGPODP
\$\$CPT^BGPODU	BGPOD2, BGPOD21, BGPOD211, BGPOD212, BGPOD213, BGPOD22 BGPOD25, BGPOD27, BGPOD3, BGPOD31, BGPOD37, BGPOD3A, BGPOD3C BGPOD4, BGPOD52, BGPOD53, BGPOD62, BGPOD7, BGPOD711, BGPOD714 BGPOD74, BGPOD812, BGPOD83, BGPOD84, BGPOD841, BGPOD85 BGPOD861, BGPOD87, BGPOD88 BGPOD9, BGPODPA4, BGPOPC1, BGPOPC10, BGPOPC11, BGPOPC14 BGPOPC16, BGPOPC4, BGPOPC8, BGPOPC9
\$\$CPTI^BGPODU	BGPOC13, BGPOCON1, BGPOCU1, BGPOD2, BGPOD211, BGPOD214 BGPOD3A, BGPOD3B, BGPOD711, BGPOD721, BGPOD724, BGPOD73 BGPOD731, BGPOD732, BGPOD75, BGPOD811, BGPOD82, BGPOD841 BGPOD861, BGPOD864, BGPOD9, BGPODPA4
\$\$IPLSNOID^BGPODU	BGPOD212, BGPOD54, BGPOD55, BGPOD7
\$\$IPLSNOND^BGPODU	BGPOCON1, BGPOD2, BGPOD211, BGPOD213, BGPOD21A, BGPOD22 BGPOD27, BGPOD3, BGPOD33, BGPOD35, BGPOD36, BGPOD37, BGPOD4 BGPOD62, BGPOD722, BGPOD724, BGPOD75, BGPOD811, BGPOEL2 BGPOPC10, BGPOPC12, BGPOPC13, BGPOPC16, BGPOPC2, BGPOPC6 BGPOPC62, BGPOPC64, BGPOPC65 BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC8
\$\$LASTITEM^BGPODU	BGPOD25, BGPOD3A, BGPOD4, BGPOPC1, BGPOPC11, BGPOPC14 BGPOPC15, BGPOUTL2
\$\$PL^BGPODU	BGPOD212, BGPOD213, BGPOD9
\$\$PLSNONDR^BGPODU	BGPOD1, BGPOD2, BGPOD841, BGPOEL2
\$\$PLTAXID^BGPODU	BGPOD212, BGPOD54, BGPOD55

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 175

Routine	is Invoked by:
\$\$PLTAXND^BGPODU	BGPOCON1, BGPOD2, BGPOD211, BGPOD213, BGPOD21A, BGPOD22 BGPOD27, BGPOD3, BGPOD33, BGPOD35, BGPOD36, BGPOD37, BGPOD4 BGPOD62, BGPOD722, BGPOD724, BGPOD73, BGPOD75, BGPOD811 BGPOEL2, BGPOPC10, BGPOPC12, BGPOPC13, BGPOPC16, BGPOPC2 BGPOPC6, BGPOPC62, BGPOPC64 BGPOPC65, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC8
\$\$PLTAXNDR^BGPODU	BGPOD1, BGPOD2, BGPOD841, BGPOEL2
\$\$RAD^BGPODU	BGPOD53
\$\$TRAN^BGPODU	BGPOD2, BGPOD21, BGPOD211, BGPOD22, BGPOD3, BGPOD31, BGPOD37 BGPOD3C, BGPOD4, BGPOD53, BGPOD62, BGPOD714, BGPOD812, BGPOD83 BGPOD84, BGPOD841, BGPOD861, BGPOD88, BGPODPA4, BGPOPC10 BGPOPC14, BGPOPC4, BGPOPC8, BGPOPC9
\$\$TRANI^BGPODU	BGPOC13, BGPOCON1, BGPOCU1, BGPOD2, BGPOD211, BGPOD711

```

BGPOD721, BGPOD724, BGPOD73, BGPOD731, BGPOD732, BGPOD75
BGPOD811, BGPOD82, BGPOD861, BGPOD864, BGPOD9
$$WH^BGPODU      BGPOD3, BGPOD4, BGPOPC8
ALLCPT^BGPODU    BGPOD24, BGPOD31, BGPOPC8
PAUSE^BGPODU     BGPOAUEX, BGPOAUUL, BGPODAP, BGPODCL, BGPODEL, BGPODGPU
                  BGPODL, BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS, BGPODPA
                  BGPODPP, BGPODSI, BGPODSTM, BGPONPL, BGPOPCD
I1AGE^BGPOEL10  BGPOELP1
I1AGE^BGPOEL11  BGPOELP1
H3^BGPOEL12     BGPOEL13
I1AGE^BGPOEL12  BGPOELP1
I1AGE^BGPOEL13  BGPOELP1
I1AGE^BGPOEL15  BGPOELP1
I1AGE^BGPOEL16  BGPOELP1
I1AGE^BGPOEL17  BGPOELP1
I1AGE^BGPOEL18  BGPOELP1
I1AGE^BGPOEL19  BGPOELP1
I1AGE^BGPOEL1A  BGPOELP1
I1AGE^BGPOEL1B  BGPOELP1
I1AGE^BGPOEL1C  BGPOELP1
I1AGE^BGPOEL1D  BGPOELP1
I1AGE^BGPOEL1E  BGPOELP1
I1AGE^BGPOEL1F  BGPOELP1
I1AGE^BGPOEL1G  BGPOELP1
I1AGE^BGPOEL1H  BGPOELP1
I1AGE^BGPOEL1I  BGPOELP1
I1AGE^BGPOEL1J  BGPOELP1
I1AGE^BGPOEL1K  BGPOELP1
IELDPHA^BGPOEL1L BGPOELP1
I1AGE^BGPOEL1M  BGPOELP1
I1AGE^BGPOEL1N  BGPOELP1
I1AGE^BGPOEL1O  BGPOELP1
H3^BGPOEL1P     BGPOEL1Q, BGPOEL1R
I1AGE^BGPOEL1P  BGPOELP1
^BGPOEL1Q       BGPOEL1P
    
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 176

Routine is Invoked by:

```

^BGPOEL1R      BGPOEL1Q
^BGPOEL1T      BGPOELP1
IELDASA^BGPOEL31 BGPOEL3
IELDFSA^BGPOEL31 BGPOEL3
IELDPHA^BGPOEL31 BGPOEL3
$$FUNCTION^BGPOEL4 BGPOEL31
$$PHNV^BGPOEL4  BGPOEL31
^BGPOELH       BGPODELP
AREACP^BGPOELH BGPOPHEL
^BGPOELHH     BGPOELL
^BGPOELL      BGPODELP, BGPOPHEL
SETN^BGPOELL1 BGPOELLN
$$SB^BGPOELL2  BGPOELL1, BGPOELL4, BGPOELL5, BGPOELL6, BGPOELL7, BGPOELL8
                  BGPOELL9, BGPOELLA, BGPOELLB, BGPOELLC, BGPOELLD, BGPOELLE
                  BGPOELLF, BGPOELLG, BGPOEL LH, BGPOEL LI, BGPOELLJ, BGPOELLK
                  BGPOELLL, BGPOELLM, BGPOEL LN, BGPOELLO, BGPOELLP, BGPOELLQ
                  BGPOELLR, BGPOELLS
                  BGPOELLT, BGPOELLU, BGPOELLV, BGPOELLW, BGPOELLX, BGPOELLY
H2^BGPOELL2    BGPOELL1
H3^BGPOELL2    BGPOELL3, BGPOELL4, BGPOELL5, BGPOELL6, BGPOELL7, BGPOELL8
                  BGPOELL9, BGPOELLA, BGPOELLB, BGPOELLC, BGPOELLD, BGPOELLE
                  BGPOELLF, BGPOELLG, BGPOEL LI, BGPOELLJ, BGPOELLK, BGPOELLL
                  BGPOELLM, BGPOELLP, BGPOELLW
    
```

```

I1AGE^BGPOELL2      BGPOELL1
I1AGE^BGPOELL3      BGPOELL1
I1AGE^BGPOELL4      BGPOELL1
I1AGE^BGPOELL6      BGPOELL1
I1AGE^BGPOELL7      BGPOELL1
I1AGE^BGPOELL8      BGPOELL1
I1AGE^BGPOELL9      BGPOELL1
I1AGE^BGPOELLA      BGPOELL1
I1AGE^BGPOELLB      BGPOELL1
I1AGE^BGPOELLC      BGPOELL1
I1AGE^BGPOELLD      BGPOELL1
I1AGE^BGPOELLE      BGPOELL1
I1AGE^BGPOELLF      BGPOELL1
I1AGE^BGPOELLG      BGPOELL1
I1AGE^BGPOEL LH     BGPOELL1
I1AGE^BGPOELLI      BGPOELL1
I1AGE^BGPOELLJ      BGPOELL1
I1AGE^BGPOELLK      BGPOELL1
I1AGE^BGPOELLL      BGPOELL1
I1AGE^BGPOELLM      BGPOELL1
IELDPHA^BGPOELLN    BGPOELL1
I1AGE^BGPOELLO      BGPOELL1
I1AGE^BGPOELLP      BGPOELL1
I1AGEP^BGPOELLQ     BGPOELL3
I1AGE^BGPOELLR      BGPOELL1
    
```

**** Cross Reference of all Routines **** May 19, 2020@10:15:07 page 177

```

Routine           is Invoked by:
I1AGE^BGPOELLS    BGPOELL1
I1AGEP^BGPOELLT   BGPOELLS
^BGPOELLU         BGPOELLT
BL^BGPOELLV       BGPOELLJ
I1AGE^BGPOELLX    BGPOELL1
I1AGEP^BGPOELLY   BGPOELLE
SETN^BGPOELP1     BGPOEL1L
^BGPOELS          BGPODELP
^BGPOELSL         BGPOELL
GETIEN^BGPOEUTL   BGPOGUPL
REPORT^BGPOEUTL   BGPODEL,BGPOGELD
STMP^BGPOEUTL     BGPODCEI
EP^BGPOGADB       BGPOGRB
EP^BGPOGAG9       BGPOGRA
EP^BGPOGAGP       BGPOGRA
EP^BGPOGAGS       BGPOGRA
EP^BGPOGALL       BGPOGR
EP^BGPOGAPU       BGPOGRA
EP^BGPOGCMP       BGPOGR2
EP^BGPOGCOM       BGPOGR
EP^BGPOGDSH       BGPOGR2
EP^BGPOGELD       BGPOGR1
EP^BGPOGFO9       BGPOGRB
EP^BGPOGFOR       BGPOGRB
EP^BGPOGGPU       BGPOGR
EP^BGPOGLST       BGPOGU
EP^BGPOGLTX       BGPOGU
EP^BGPOGMTX       BGPOGU
EP^BGPOGMUE       BGPOGM
EP^BGPOGMUH       BGPOGM
EP^BGPOGNPL       BGPOGR,BGPOGRA
EP^BGPOGNST       BGPOGR
EP^BGPOGNT9       BGPOGR1
    
```

```

EP^BGPOGNTL      BGPOGR
EP^BGPOGNTP      BGPOGR1
EPSUM^BGPOGNTS   BGPOGR1
EP^BGPOGPP        BGPOGR
CATSTR^BGPOGR     BGPOGIPC,BGPOGR1,BGPOGRA
ELD^BGPOGR1       BGPOGR
CATSTR^BGPOGU     BGPOGRB
$$CHKFQT^BGPOGUA BGPOGU
UPLOG^BGPOGUA     BGPOGADB,BGPOGAEL,BGPOGAG9,BGPOGAGP,BGPOGAGS,BGPOGAHE
                  BGPOGALL,BGPOGAPU,BGPOGCMP,BGPOGCOM,BGPOGDSH,BGPOGELD
                  BGPOGFO9,BGPOGFOR,BGPOGGPU,BGPOGIPC,BGPOGLHW,BGPOGLST
                  BGPOGLTX,BGPOGMTX,BGPOGMUE,BGPOGMUH,BGPOGNPL,BGPOGNST
                  BGPOGNT9,BGPOGNTL
                  BGPOGNTP,BGPOGNTS,BGPOGNXP,BGPOGPP
EP^BGPOGUPL       BGPOGU
    
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 178

Routine is Invoked by:

```

^BGPOLSTF        |opt
^BGPONPL          |opt
NPL1^BGPONPLP    BGPODP
PRINT^BGPOPARP   BGPOAU1A,BGPODADB,BGPODAR,BGPODGPA
^BGPOPC1         BGPOGIPC,BGPOPCD
$$PALLCARE^BGPOPC13 BGPOPC14
$$PREG^BGPOPC16  BGPOPC15
$$FRAILITY^BGPOPC2 BGPOPC10,BGPOPC16,BGPOPC9
$$FRAILITY2^BGPOPC2 BGPOPC10,BGPOPC16,BGPOPC9
$$FTOF^BGPOPC2   BGPOPC15
$$HOSPIND^BGPOPC2 BGPOPC10,BGPOPC15,BGPOPC16,BGPOPC6,BGPOPC8,BGPOPC9
$$LONGTERM^BGPOPC2 BGPOPC10,BGPOPC16,BGPOPC9
$$IPV^BGPOPC61   BGPOPC6
$$MMR^BGPOPC62   BGPOPC6
$$HIB^BGPOPC63   BGPOPC6
$$HEPB^BGPOPC64  BGPOPC6
$$DIS^BGPOPC65   BGPOPC62
$$HIV^BGPOPC65   BGPOPC62
$$MNLHT^BGPOPC65 BGPOPC62
$$VZV^BGPOPC65   BGPOPC6
$$PNEUMO^BGPOPC66 BGPOPC6
$$HEPA^BGPOPC67  BGPOPC6
$$ROTA^BGPOPC68  BGPOPC6
$$FLU^BGPOPC69   BGPOPC6
CALCIND^BGPOPCCI BGPOPC1
^BGPOPCD         |opt
EN^BGPOPCSI      BGPOPCD
EN^BGPOPCSL      BGPOPCD
RT^BGPOPCSL      BGPOPCD
^BGPOPCPX        |opt
TAXCHK^BGPOPCPX  BGPOPCD
JRN1^BGPOPCUT    BGPOPC1
I1AGE^BGPOPD19   BGPOPD11
ALLHDR^BGPOPDH1  BGPOPD1H
COMHDR^BGPOPDH1  BGPOPD1H
DENOMHDR^BGPOPDH1 BGPOPD1H
GPRAHDR^BGPOPDH1 BGPOPD1H
PPHDR^BGPOPDH1   BGPOPD1H
HEADER^BGPOPDL   BGPOPD1D,BGPOPD1N,BGPOPD1O
SAVEDEL^BGPOPDL  BGPODBPR,BGPODP,BGPOPARP,BGPOPARQ
$$SB^BGPOPD11    BGPOD6,BGPOEL3
H1^BGPOPD11      BGPODP10,BGPOPD10,BGPOPD12,BGPOPD13,BGPOPD14,BGPOPD17
PI^BGPOPD11      BGPODP10,BGPOPD10,BGPOPD12,BGPOPD13,BGPOPD14,BGPOPD17
    
```



```

PI1^BGPOPD1      BGPOPD4, BGPOPD7
SETN^BGPOPD1     BGPOPD0
PI^BGPOPD2       BGPOPD1
PI1^BGPOPD2      BGPOPD1
PTED2^BGPOPD2    BGPOPD1
    
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 179

```

Routine          is Invoked by:
PTED3^BGPOPD2    BGPOPD1
I1AGEP^BGPOPD5   BGPOPD0
I1AGEP^BGPOPD8   BGPOPD7
I1AGE^BGPOPD9    BGPOPD1
I1AGE^BGPOPD1A   BGPOPD1
I1AGE^BGPOPD1B   BGPOPD1
I1AGE^BGPOPD1E   BGPOPD1
^BGPOPD1L        BGPOPD1
I1AGE^BGPOPD1T   BGPODP1
I1AGE^BGPOPD1PA  BGPOPD1
I1AGE^BGPOPD1PB  BGPOPD1
PRINT^BGPOPH1    BGPODEL1
DRUGS^BGPOPOS1  BGPOPOS
LAB^BGPOPOS1     BGPOPOS
PRE^BGPOPOS2     BGPOPOS
ACEI^BGPOREF1    BGPOREF
ARB^BGPOREF1     BGPOREF
ASA^BGPOREF1     BGPOREF
BETA^BGPOREF1    BGPOREF
STATIN^BGPOREF1 BGPOREF
^BGPOSDP         BGPODP
^BGPOSDPD        BGPODP
^BGPOSDPN        BGPODP
^BGPOULF         |opt
$$D^BGPOUTL      BGPOAU1A, BGPODAR, BGPODNE1, BGPOGAG9, BGPOGAGP, BGPOGLHW
                  BGPOGNXP
$$DATE^BGPOUTL   BGPOALG1, BGPOALG2, BGPOASL, BGPOASL1, BGPOC11, BGPOC13
                  BGPOCON1, BGPOCU, BGPOCU1, BGPOD2, BGPOD21, BGPOD211, BGPOD212
                  BGPOD213, BGPOD214, BGPOD22, BGPOD24, BGPOD24A, BGPOD25
                  BGPOD27, BGPOD28, BGPOD3, BGPOD31, BGPOD39, BGPOD3A, BGPOD3B
                  BGPOD4, BGPOD5, BGPOD51
                  BGPOD52, BGPOD53, BGPOD54, BGPOD55, BGPOD5A, BGPOD6, BGPOD62
                  BGPOD7, BGPOD71, BGPOD712, BGPOD713, BGPOD714, BGPOD715
                  BGPOD72, BGPOD721, BGPOD722, BGPOD723, BGPOD724, BGPOD73
                  BGPOD731, BGPOD732, BGPOD74, BGPOD75, BGPOD76, BGPOD8, BGPOD81
                  BGPOD811, BGPOD812
                  BGPOD82, BGPOD83, BGPOD84, BGPOD841, BGPOD85, BGPOD862
                  BGPOD87, BGPOD88, BGPOD89, BGPOD9, BGPOD91, BGPODCLP, BGPODP
                  BGPODPA1, BGPODPA2, BGPODPA4, BGPODPAP, BGPODPAW, BGPODS
                  BGPOEL2, BGPOEL3, BGPOEL31, BGPOEL4, BGPOELS, BGPONPLP
                  BGPOPC1, BGPOPC10, BGPOPC11
                  BGPOPC12, BGPOPC13, BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC17
                  BGPOPC2, BGPOPC3, BGPOPC4, BGPOPC5, BGPOPC6, BGPOPC8, BGPOPC9
                  BGPOREF1, BGPOUTL2
$$EDT^BGPOUTL    BGPODNE1, BGPODS, BGPOELSL, BGPONPLP
$$LZERO^BGPOUTL BGPOAU1A, BGPOAU1EX, BGPODAR, BGPODNE1, BGPOGAG9, BGPOGAGP
$$MD^BGPOUTL     BGPOD212, BGPOD213, BGPOD3, BGPOD3B, BGPOD4, BGPOD62, BGPODPA1
                  BGPOEL2
    
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 180

```

Routine          is Invoked by:
$$RZERO^BGPOUTL BGPOAU1A, BGPOD2, BGPODAR, BGPOGAG9, BGPOGAGP, BGPOGLHW
    
```

GETIEN^BGPOUTL	BGPOPC2
GNT1^BGPOUTL	BGPOAUUL, BGPOGUPL, BGPOULF
GS^BGPOUTL	BGPOAU1A, BGPODAR, BGPOGAG9, BGPOGAGP, BGPOGAGS
JRNL^BGPOUTL	BGPOAUEX, BGPODGPU, BGPODNG, BGPOGGPU, BGPOGNT9, BGPOGNTL
REPORT^BGPOUTL	BGPOD1, BGPOD10, BGPODNE1, BGPODPA, BGPODPAF
	BGPOAUEX, BGPODAP, BGPODCL, BGPODGPU, BGPODL, BGPODNDB
	BGPODNG, BGPODNGP, BGPODNGS, BGPODPP, BGPODSTM, BGPOGALL
	BGPOGCMF, BGPOGCOM, BGPOGDSH, BGPOGGPU, BGPOGIPC, BGPOGLHW
	BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS
	BGPOGPP, BGPONPL, BGPOPCD
STMP^BGPOUTL	BGPODCI, BGPOPCCI
XTMP^BGPOUTL	BGPOD1, BGPOPC1
\$\$CPTREFT^BGPOUTL1	BGPOD24A, BGPOD3, BGPOD31, BGPOD34, BGPOD35, BGPOD37, BGPOD38
	BGPOD3B, BGPOD3C, BGPOD4, BGPOD53, BGPOD62
\$\$FIRSTCPT^BGPOUTL1	BGPOD3C, BGPOD841
\$\$FIRSTPRC^BGPOUTL1	BGPOD3C
\$\$LABEL^BGPOUTL1	BGPODP1C, BGPODP2, BGPODP3, BGPODP7, BGPOPDL1, BGPOPDL2
	BGPOPDL3
\$\$LABELE^BGPOUTL1	BGPOEL1L, BGPOELL1, BGPOELLN, BGPOELP1
\$\$LASTDX^BGPOUTL1	BGPOALG1, BGPOCON1, BGPOCU1, BGPOD1, BGPOD10, BGPOD2, BGPOD21
	BGPOD211, BGPOD22, BGPOD3, BGPOD36, BGPOD39, BGPOD3B, BGPOD4
	BGPOD52, BGPOD53, BGPOD7, BGPOD721, BGPOD724, BGPOD73
	BGPOD731, BGPOD74, BGPOD75, BGPOD9, BGPODPA2, BGPODPA4
	BGPOEL2, BGPOPC1, BGPOPC12
	BGPOPC13, BGPOPC14, BGPOPC16, BGPOPC2, BGPOPC6, BGPOPC62
	BGPOPC64, BGPOPC65, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC8
	BGPOPC9
\$\$LASTPRC^BGPOUTL1	BGPOD21, BGPOD211, BGPOD21A, BGPOD27, BGPOD3, BGPOD4, BGPOD5
	BGPOD53, BGPOD55, BGPOD62, BGPOD714, BGPOD83, BGPOD84, BGPOD87
	BGPOD88, BGPODPA4, BGPOPC10, BGPOPC16, BGPOPC8, BGPOPC9
\$\$NMIREF^BGPOUTL1	BGPOD31, BGPOD37, BGPOD3A, BGPOD3B, BGPOD3C
\$\$PRCREFT^BGPOUTL1	BGPOD62
\$\$RADREF^BGPOUTL1	BGPOD4, BGPOD62
\$\$REFUSAL^BGPOUTL1	BGPOD213, BGPOD24A, BGPOD25, BGPOD3, BGPOD5, BGPOD53, BGPOD6
	BGPOD62, BGPOD74, BGPODPA4
\$\$CHKDST^BGPOUTL2	BGPOGUA
\$\$CODEN^BGPOUTL2	BGPOD51, BGPOPC11, BGPOPC12, BGPOPC13, BGPOUTL1
\$\$DEMOCHK^BGPOUTL2	BGPOAUEX, BGPODAP, BGPODCL, BGPODEL, BGPODGPU, BGPODL
	BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS, BGPODPA, BGPODPP
	BGPODSTM, BGPONPL, BGPOPCD
\$\$EDD^BGPOUTL2	BGPOD3B
\$\$GETDEDIR^BGPOUTL2	BGPODH, BGPODH1, BGPODSL, BGPOELH, BGPOELHH, BGPOPCH, BGPOPDLH
\$\$GETDIR^BGPOUTL2	BGPOAUEX, BGPODADB, BGPODAR, BGPODEL, BGPODGPU, BGPODL
	BGPODNDB, BGPODNG, BGPOGAGP, BGPOGAGS, BGPOGELD, BGPOGFO9
	BGPOGFOR, BGPOGLHW, BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS
	BGPOGNXP, BGPONPL
\$\$ICD^BGPOUTL2	BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCU1, BGPOD1, BGPOD10
	BGPOD212, BGPOD213, BGPOD21A, BGPOD22, BGPOD24, BGPOD24A
	BGPOD25, BGPOD27, BGPOD31, BGPOD35, BGPOD37, BGPOD38, BGPOD3A
	BGPOD3C, BGPOD4, BGPOD5, BGPOD51, BGPOD52, BGPOD53, BGPOD55
	BGPOD5A, BGPOD6
<p>***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 181</p>	
Routine	is Invoked by:
\$\$ICD^BGPOUTL2	BGPOD7, BGPOD711, BGPOD713, BGPOD714, BGPOD715, BGPOD72
	BGPOD722, BGPOD723, BGPOD729, BGPOD731, BGPOD732, BGPOD74
	BGPOD75, BGPOD8, BGPOD81, BGPOD812, BGPOD82, BGPOD83, BGPOD84
	BGPOD87, BGPOD88, BGPOD9, BGPOD91, BGPODPA2, BGPODU, BGPOPC11
	BGPOPC12, BGPOPC13
	BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC4, BGPOPC6, BGPOPC61
	BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65, BGPOPC66, BGPOPC67

\$\$ICDDX^BGPOUTL2	BGPOPC68, BGPOPC69, BGPOPC7, BGPOPC9, BGPOUTL1, BGPOUTL2 BGPOALG1, BGPOALG2, BGPC11, BGPC13, BGPCU1, BGPOD213 BGPOD25, BGPOD41, BGPOD5, BGPOD52, BGPOD5A, BGPOD6, BGPOD7 BGPOD711, BGPOD72, BGPOD722, BGPOD723, BGPOD732, BGPOD74 BGPOD82, BGPOD83, BGPOD84, BGPODPA2, BGPOPC12, BGPOUTL1 BGPOUTL2
\$\$ICDOP^BGPOUTL2	BGPOUTL1
\$\$LASTDXSN^BGPOUTL2	BGPOD729, BGPODU
\$\$RCIS^BGPOUTL2	BGPOD87
DIRCHK^BGPOUTL2	dd90241.02
GETMEDS^BGPOUTL2	BGPOCON1, BGPOD21, BGPOD214, BGPOD22, BGPOD36, BGPOD39 BGPOD53, BGPOD711, BGPOD721, BGPOD722, BGPOD723, BGPOD731 BGPOD732, BGPOD74, BGPOD75, BGPOD81, BGPOD811, BGPOD82 BGPOD83, BGPOD84, BGPOD863, BGPOD864, BGPOD87, BGPOD89 BGPODPA4, BGPOPC12, BGPOPC14, BGPOPC17 BGPOPC2
UNFOLDTX^BGPOUTL2	BGPOD1, BGPOD10, BGPODPA, BGPOPC1
AGEDATE^BGPOUTL3	BGPOD32
TESTDR^BGPOUTL3	BGPODNG, BGPODNGP, BGPODNGS
GNT3^BGPOUTLC	BGPOUTL
^BGPOXTCH	opt
TAXCHK^BGPOXTCH	BGPODAP, BGPODL, BGPODPP, BGPOXTCH
^BGPOXTCN	opt
TAXCHK^BGPOXTCN	BGPODCL, BGPODGPU, BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS BGPODPA, BGPODSTM, BGPONPL
^BGPOXTEL	opt
TAXCHK^BGPOXTEL	BGPODEL
EP^BGPOXTL	BGPOXTS
^BGPOXTV	opt
INIT^BGPOXTV	BGPOGU
EP^BGPOXTV1	BGPOCTS, BGPOXTV
GUIR^BGPXBLM	BGPOGADB, BPOGAEL, BPOGAG9, BPOGAGP, BPOGAGS, BPOGAHE BPOGALL, BPOGAPU, BPOGCMP, BPOGCOM, BPOGDSH, BPOGELD BPOGFO9, BPOGFOR, BPOGGPU, BPOGIPC, BPOGLHW, BPOGLTX BPOGMTX, BPOGMUE, BPOGMUH, BPOGNPL, BPOGNST, BPOGNTP BPOGNTL, BPOGNTP BPOGNTS, BPOGNXP, BPOGPP, BPOGU
GUIEP^BMXPO	BGPOPOS
LIST^BSDAPI2	BGPODPA
\$\$SUBLST^BSTSAPI	BGPOUTL2
SUBLST^BSTSAPI	BGPOUTL2

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 182

Routine	is Invoked by:
EN^DDIOL	BGPOAU1A, BGPOAU1D, BGPOAU1M, BGPOAU1R, BGPOAU1EX, BGPOAU1UL BGPOAU1UP, BGPOUTL2
NOTICE^DGSEC4	BGPOGUA
OWNREC^DGSEC4	BGPOGUA
SENS^DGSEC4	BGPOGUA
^DIC	BGPOAU1EX, BPOCTL, BPODAP, BPODCL, BPODEL, BPODGPU, BPODL BPODNDB, BPODNE1, BPODNG, BPODNGP, BPODNGS, BPODPA BPODPAP, BPODPP, BPODSTM, BPOETL, BPOEUTL, BPOGNXP BPONPL, BPOPCD, BPOPCTL, BPOPCUT, BPOPOS, BPOPOS1 BPOUTL, BPOXTL, dd90241.0111 dd90241.02
IX^DIC	BGPOPOS
FILE^DICN	BGPOAU1R, BGPOAU1EX, BGPOAU1UL, BGPOAU1UP, BPOCTL, BPODPA BPODPAP, BPOETL, BPOGADB, BPOGAEL, BPOGAG9, BPOGAGP BPOGAGS, BPOGAHE, BPOGALL, BPOGAPU, BPOGCMP, BPOGCOM BPOGDSH, BPOGELD, BPOGFO9, BPOGFOR, BPOGGPU, BPOGIPC BPOGLHW, BPOGLST

EN^VALM BGPOPC6, BGPOPC8, BGPOPC9
BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL
BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL
BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1

TERM^VALM0 BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL
BGPODNGP, BGPODNGS, BGPODPA, BGPODSI, BGPODSL, BGPOETL
BGPONPL, BGPOPCSI, BGPOPCSL, BGPOPCTL, BGPOXTL, BGPOXTS
BGPOXTV, BGPOXTV1

CLEAR^VALM1 BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL
BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL
BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1

FULL^VALM1 BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL
BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL
BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1

^XBDBQUE BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODEL, BGPODELA
BGPODGP, BGPODGPU, BGPODL, BGPODNDB, BGPODNG, BGPODNGP
BGPODNGS, BGPODPAP, BGPODPP, BGPODSTM, BGPONPL, BGPOPCD
BGPOPCTX, BGPOXTCN, BGPOXTL

\$\$VAL^XBIDIQ1 BGPOALG1, BGPOALG2, BGPOAU1M, BGPOAU1M, BGPOAUUP, BGPOC11
BGPOC13, BGPOCON1, BGPOCTL, BGPOCTS, BGPOCU1, BGPOD21
BGPOD211, BGPOD212, BGPOD213, BGPOD214, BGPOD21A, BGPOD22
BGPOD24, BGPOD24A, BGPOD3, BGPOD31, BGPOD36, BGPOD39, BGPOD3A
BGPOD54, BGPOD55, BGPOD7

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 184

Routine is Invoked by:

\$\$VAL^XBIDIQ1 BGPOD711, BGPOD72, BGPOD721, BGPOD722, BGPOD723, BGPOD729
BGPOD73, BGPOD731, BGPOD732, BGPOD75, BGPOD8, BGPOD81
BGPOD811, BGPOD812, BGPOD84, BGPOD841, BGPOD862, BGPOD87
BGPOD88, BGPOD89, BGPOD9, BGPODH1, BGPOD1CR, BGPODNG, BGPODP1
BGPODPA4, BGPODU, BGPOELH
BGPOELHH, BGPOETL, BGPOGRB, BGPOPC12, BGPOPC13, BGPOPC14
BGPOPC15, BGPOPC16, BGPOPC17, BGPOPC2, BGPOPC4, BGPOPC6
BGPOPC61, BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65, BGPOPC66
BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC8, BGPOPC9, BGPOPCTL
BGPOPD1, BGPOPD1L, BGPOPD1H, BGPOPD1S
BGPOUTL1, BGPOUTL2, BGPOXTV, BGPOXTV1

\$\$VALI^XBIDIQ1 BGPOD21, BGPOD22, BGPOD3C, BGPOD4, BGPOD55, BGPOD7, BGPOD711
BGPOD73, BGPOD862, BGPOD87, BGPOD1CR, BGPODU, BGPOEL4
BGPOPC10, BGPOPC12, BGPOPC13, BGPOPC14, BGPOPC15, BGPOPC16
BGPOPC2, BGPOPC4, BGPOPC6, BGPOPC8, BGPOPC9, BGPOUTL1

^XBFBM BGPOAU1M, BGPOAU1L, BGPOCTL, BGPODADB, BGPODAP, BGPODAR
BGPODCL, BGPODEL, BGPODELA, BGPODGP, BGPODGPU, BGPOD1CR
BGPODL, BGPODLT, BGPODMT, BGPODNDB, BGPODNE1, BGPODNG
BGPODNGP, BGPODNGS, BGPODPA, BGPODPAP, BGPODPP, BGPODSTM
BGPOETL, BGPOEUTL, BGPOGADB, BGPOGAE1
BGPOGAG9, BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAPU
BGPOGCMP, BGPOGCOM, BGPOGDH, BGPOGELD, BGPOGFO9, BGPOGFOR
BGPOGGPU, BGPOGIPC, BGPOGLHW, BGPOGLST, BGPOGLTX, BGPOGMTX
BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNPL
BGPOGNT1, BGPOGNTS
BGPOGNXP, BGPOGPP, BGPOGRB, BGPOGUPL, BGPONPL, BGPOPCD
BGPOPCTL, BGPOPCUT, BGPOPOS1, BGPOULF, BGPOUTL, BGPOXTL
BGPOD74

\$\$EXTSET^XBIFUNC BGPOAU1M, BGPOAU1L, BGPOAU1M, BGPOGADB, BGPOGAE1, BGPOGAG9
BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAPU, BGPOGCMP
BGPOGCOM, BGPOGDH, BGPOGELD, BGPOGFO9, BGPOGFOR, BGPOGGPU
BGPOGIPC, BGPOGLHW, BGPOGLST, BGPOGLTX, BGPOGMTX, BGPOGMUE
BGPOGMUH, BGPOGNPL
BGPOGNST, BGPOGNT9, BGPOGNPL, BGPOGNT1, BGPOGNTS, BGPOGNXP

```

BGPOGPP, BGPOGUPL
GUIR^XBLM      BGPODPA, BGPODPAP
EN^XBVK       BGPOAUEX, BGPOAUUP, BGPOCTL, BGPOCTS, BGPODADB, BGPODAP
              BGPODAR, BGPODCL, BGPODEL, BGPODELA, BGPODGPA, BGPODGPU
              BGPODICR, BGPODL, BGPODLT, BGPODMT, BGPODNDB, BGPODNE1
              BGPODNG, BGPODNGP, BGPODNGS, BGPODPA, BGPODPAP, BGPODPP
              BGPODSTM, BGPOETL, BGPOGADB, BGPOGAEL
              BGPOGAG9, BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAPU
              BGPOGCMF, BGPOGCOM, BGPOGDSH, BGPOGELD, BGPOGGPU, BGPOGIPC
              BGPOGLHW, BGPOGLST, BGPOGM, BGPOGMUE, BGPOGMUH, BGPOGNPL
              BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP
              BGPOGPP, BGPOGR, BGPOGR1
              BGPOGR2, BGPOGRA, BGPOGRB, BGPOGU, BGPOLSTF, BGPONPL, BGPOPCD
              BGPOPCTL, BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1
    
```

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 185

```

Routine      is Invoked by:
  $$DT^XLFTD BGPOD36, BGPOGADB, BGPOGAEL, BGPOGAG9, BGPOGAGP, BGPOGAGS
              BGPOGAHE, BGPOGALL, BGPOGAPU, BGPOGCMF, BGPOGCOM, BGPOGDSH
              BGPOGELD, BGPOGFO9, BGPOGFOR, BGPOGGPU, BGPOGIPC, BGPOGLHW
              BGPOGLST, BGPOGLTX, BGPOGMTX, BGPOGMUE, BGPOGMUH, BGPOGNPL
              BGPOGNST, BGPOGNT9
              BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP, BGPOGPP, BGPOGUPL
  $$FMADD^XLFTD BGPOALG2, BGPOASL, BGPOAUEX, BGPOAUUL, BGPOAUUP, BGPOBAN
              BGPOC11, BGPOC13, BGPOCON1, BGPOCU, BGPOD1, BGPOD10, BGPOD21
              BGPOD211, BGPOD214, BGPOD22, BGPOD24, BGPOD24A, BGPOD25
              BGPOD28, BGPOD3, BGPOD31, BGPOD34, BGPOD37, BGPOD39, BGPOD3A
              BGPOD3B, BGPOD5, BGPOD51
              BGPOD52, BGPOD53, BGPOD6, BGPOD62, BGPOD7, BGPOD714, BGPOD715
              BGPOD721, BGPOD722, BGPOD723, BGPOD729, BGPOD73, BGPOD731
              BGPOD732, BGPOD74, BGPOD75, BGPOD76, BGPOD8, BGPOD81, BGPOD82
              BGPOD83, BGPOD84, BGPOD841, BGPOD863, BGPOD87, BGPOD88
              BGPOD89, BGPOD9, BGPODADB
              BGPODAP, BGPODAR, BGPODCL, BGPODCLP, BGPODEL, BGPODELA
              BGPODGPA, BGPODGPU, BGPODL, BGPODNDB, BGPODNE1, BGPODPA
              BGPODPA1, BGPODPA2, BGPODPA4, BGPODPAP, BGPODPP, BGPODSTM
              BGPODU, BGPOGAEL, BGPOGAHE, BGPOGALL, BGPOGAPU, BGPOGCMF
              BGPOGCOM, BGPOGDSH, BGPOGELD
              BGPOGGPU, BGPOGIPC, BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST
              BGPOGPP, BGPOGRB, BGPONPL, BGPONPLP, BGPOPC1, BGPOPC10
              BGPOPC12, BGPOPC13, BGPOPC14, BGPOPC16, BGPOPC2, BGPOPC4
              BGPOPC5, BGPOPC6, BGPOPC61, BGPOPC63, BGPOPC66, BGPOPC68
              BGPOPC69, BGPOPC8, BGPOPC9
              BGPOPCD, BGPOREF1, BGPOUTL, BGPOUTL1, BGPOUTL2, BGPOUTL3
  $$FMDIFF^XLFTD BGPOD214, BGPOD21A, BGPOD22, BGPOD24, BGPOD33, BGPOD34
              BGPOD341, BGPOD35, BGPOD36, BGPOD37, BGPOD38, BGPOD39, BGPOD3C
              BGPOD52, BGPOD7, BGPOD721, BGPOD722, BGPOD723, BGPOD731
              BGPOD732, BGPOD74, BGPOD75, BGPOD811, BGPOD82, BGPOD83
              BGPOD84, BGPOD841, BGPOD861
              BGPOD863, BGPOD87, BGPOD9, BGPODBPR, BGPODPA, BGPODPA2, BGPOGU
              BGPOPC6, BGPOPC61, BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65
              BGPOPC66, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC7
  $$FMTE^XLFTD BGPOALG1, BGPOALG2, BGPOAUEX, BGPOAUUL, BGPOAUUP, BGPOC11
              BGPOC13, BGPOCON1, BGPOCU, BGPOCU1, BGPOD1, BGPOD10, BGPOD2
              BGPOD21, BGPOD211, BGPOD212, BGPOD213, BGPOD21A, BGPOD22
              BGPOD24, BGPOD24A, BGPOD25, BGPOD27, BGPOD28, BGPOD3, BGPOD31
              BGPOD37, BGPOD3A
              BGPOD3C, BGPOD4, BGPOD41, BGPOD5, BGPOD51, BGPOD52, BGPOD53
              BGPOD54, BGPOD55, BGPOD5A, BGPOD6, BGPOD62, BGPOD7, BGPOD711
              BGPOD714, BGPOD72, BGPOD722, BGPOD723, BGPOD724, BGPOD729
              BGPOD731, BGPOD732, BGPOD74, BGPOD75, BGPOD8, BGPOD81
    
```

```

BGPOD811, BGPOD812, BGPOD84
BGPOD85, BGPOD862, BGPOD87, BGPOD88, BGPOD9, BGPOD91, BGPODADB
BGPODAP, BGPODAR, BGPODBPR, BGPODCL, BGPODCLD, BGPODCLP
BGPODEL, BGPODELA, BGPODGPA, BGPODGPU, BGPODH, BGPODH1
BGPODICR, BGPODL, BGPODLT, BGPODMT, BGPODNDB, BGPODNE1
BGPODNG, BGPODNGP, BGPODNGS

***** Cross Reference of all Routines ***** May 19, 2020@10:15:07 page 186

Routine          is Invoked by:
  $$FMTE^XLFDT   BGPODPA, BGPODPA2, BGPODPA4, BGPODPAP, BGPODPAW, BGPODPH
                  BGPODPP, BGPODS, BGPODSTM, BGPODU, BGPOEL2, BGPOEL4, BGPOELH
                  BGPOELHH, BGPOELL, BGPOELS, BGPOELSL, BGPOGU, BGPOGUA, BGPONPL
                  BGPONPLP, BGPOPC10, BGPOPC11, BGPOPC12, BGPOPC13, BGPOPCD
                  BGPOPCH, BGPOPDL
                  BGPOPDLH, BGPOUTL3
  $$FMTH^XLFDT   BGPOAUEx, BGPOAUUL, BGPOGRB
  $$HTE^XLFDT    BGPOAUUL
  $$NOW^XLFDT    BGPOAU1A, BGPOAUEx, BGPOAUUP, BGPODAR, BGPODNE1, BGPODPA
                  BGPODPAP, BGPOGADB, BGPOGAEL, BGPOGAG9, BGPOGAGP, BGPOGAGS
                  BGPOGAHE, BGPOGALL, BGPOGAPU, BGPOGCMP, BGPOGCOM, BGPOGDSH
                  BGPOGELD, BGPOGFO9, BGPOGFOR, BGPOGGPU, BGPOGIPC, BGPOGLHW
                  BGPOGLST, BGPOGLTX
                  BGPOGMTX, BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST, BGPOGNT9
                  BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP, BGPOGPP, BGPOGRB
                  BGPOGU
  $$LEAP^XLFDT2  BGPOAUEx, BGPOAUUP, BGPOGRB
  $$ABS^XLFMTH   BGPOD74
  $$CJ^XLFSTR    BGPODBPR, BGPODP, BGPOPOS
  $$REPEAT^XLFSTR BGPODICR, BGPODLT, BGPODMT
  $$STRIP^XLFSTR BGPOD39, BGPOD722, BGPODBPR, BGPODP1C, BGPODP1D, BGPODP1F
                  BGPODP1G, BGPOELL1, BGPOELLN, BGPOELP1, BGPOPDL3
  $$UP^XLFSTR    BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCU1, BGPOD2, BGPOD21
                  BGPOD213, BGPOD214, BGPOD21A, BGPOD22, BGPOD3, BGPOD31
                  BGPOD36, BGPOD39, BGPOD51, BGPOD711, BGPOD72, BGPOD721
                  BGPOD722, BGPOD723, BGPOD731, BGPOD732, BGPOD74, BGPOD75
                  BGPOD81, BGPOD811, BGPOD812
                  BGPOD82, BGPOD83, BGPOD84, BGPOD841, BGPOD863, BGPOD87
                  BGPOD89, BGPOD91, BGPODPA4, BGPODU, BGPOPC12, BGPOPC14
                  BGPOPC17, BGPOPC2, BGPOPC8, BGPOPC9, BGPOPOS1, BGPOULF
                  |dd90564.01, |dd90564.26
  ^XMD           BGPOAUUP
  $$VERSION^XPDUTL BGPOPOS
  BMES^XPDUTL    BGPOAUEx, BGPOAUUL
  MES^XPDUTL     BGPOPOS
  SETUP^XQALERT  BGPOAUUP
  DISP^XQORM1    BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL
                  BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL
                  BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1
  $$NOJOURN^ZIBGCHAR BGPOEUTL, BGPOPCUT, BGPOUTL

***** END *****

--- END ---

```

Figure 5-1: External Calls

5.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGPLD10

BQI(DFN,BQIGREF);PEP-iCare EP

- Description:
 - Entry point called by the iCare module, returns GPRA data by global reference:
 - DFN = Patient internal entry number:
 - BQIGREF = Global reference to store data.

5.3 Published Entry Points

Note: There are no published entry points for this application.

5.4 Exported Options

Table 5-1: Exported BGP options

Option Name	Description	KEY
BGPGRPC	BGPG Application Context	
BGP 19 AREA DSH	National GPRA Dashboard	
BGP 19 AREA ELDER REPORT	AREA Elder Care Report	
BGP 19 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 19 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 19 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 19 AREA MENU	Area Options	BGPZAREA
BGP 19 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 19 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 19 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 19 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 19 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 19 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 19 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 19 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	

Option Name	Description	KEY
BGP 19 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 19 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 19 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 19 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 19 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 19 ELDER REPORT	Elder Care Report	
BGP 19 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 19 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 19 IPC LAB TAX REPORT	Lab Taxonomies-IPC Report	
BGP 19 IPC MED TAX RPT	Med Taxonomies-IPC Report	
BGP 19 IPC REPORT	IPC Measures Report	
BGP 19 IPC TAXONOMY CHECK	Taxonomy Check-IPC Report	
BGP 19 IPC TAXONOMY SETUP	Taxonomy Setup-IPC Report	
BGP 19 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 19 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 19 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 19 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 19 LIST FILES	List files in a directory	
BGP 19 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 19 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 19 MAIN MENU	CRS 2019	
BGP 19 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 19 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 19 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 19 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 19 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 19 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 19 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 19 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	

Option Name	Description	KEY
BGP 19 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 19 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 19 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 19 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 19 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 19 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 19 OTHER NTL RPTS MENU	Other National Reports	
BGP 19 PAT ED REPORT	Patient Education w/Community Specified	
BGP 19 PATIENT ED MENU	Patient Education Reports	
BGP 19 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 19 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 19 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 19 REPORTS MENU	Reports	
BGP 19 SEL ALL PATS	Selected Measures w/All Communities	
BGP 19 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 19 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 19 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 19 SYSTEM SETUP	System Setup	
BGP 19 TAXONOMY CHECK	Taxonomy Check	
BGP 19 TAXONOMY REPORTS	Taxonomy Reports	
BGP 19 TAXONOMY SETUP	Taxonomy Setup	
BGP 19 UPLOAD FILES	Upload Report Files from Site	
BGP 19 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 20 AREA DSH	National GPRA Dashboard	
BGP 20 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 20 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 20 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 20 AREA MENU	Area Options	BGPZAREA
BGP 20 AUTO AREA PARAMS	Set up Area Automated Parameters	

Option Name	Description	KEY
BGP 20 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 20 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 20 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 20 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 20 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 20 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 20 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 20 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 20 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 20 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 20 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 20 ELDER REPORT	Elder Care Report	
BGP 20 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 20 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 20 IPC LAB TAX REPORT	Lab Taxonomies-IPC Report	
BGP 20 IPC MED TAX RPT	Med Taxonomies-IPC Report	
BGP 20 IPC REPORT	IPC Measures Report	
BGP 20 IPC TAXONOMY CHECK	Taxonomy Check-IPC Report	
BGP 20 IPC TAXONOMY SETUP	Taxonomy Setup-IPC Report	
BGP 20 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 20 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 20 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 20 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 20 LIST FILES	List files in a directory	
BGP 20 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 20 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 20 MAIN MENU	CRS 2020	
BGP 20 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	

Option Name	Description	KEY
BGP 20 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 20 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 20 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 20 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 20 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 20 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 20 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 20 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 20 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 20 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 20 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 20 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 20 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 20 OTHER NTL RPTS MENU	Other National Reports	
BGP 20 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 20 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 20 REPORTS MENU	Reports	
BGP 20 SEL ALL PATS	Selected Measures w/All Communities	
BGP 20 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 20 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 20 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 20 SYSTEM SETUP	System Setup	
BGP 20 TAXONOMY CHECK	Taxonomy Check	
BGP 20 TAXONOMY REPORTS	Taxonomy Reports	
BGP 20 TAXONOMY SETUP	Taxonomy Setup	
BGP 20 UPLOAD FILES	Upload Report Files from Site	
BGP 20 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGPGRPC	BGGP Application Context	
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu	BGPZMENU

6.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.
All options in this system stand alone.

7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

8.0 Archiving and Purging

There is no archiving and purging in this package.

9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539, and 90558–90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software can be generated through the use of several kernel options. This is in addition to that which is located in the help prompts and on the help screens throughout the IHS RPMS Clinical Reporting package. These include, but are not limited to, the sections that follow.

9.2 System Documentation

Online Volume Performance Standard (VPS) system documentation can be generated through the use of several kernel options, including:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the *Decentralized Hospital Computer Program (DHCP) Kernel Reference* manual.

9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings
- Local variables

- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any existing deviations from RPMS programming standards and to see how routines interact with one another (i.e., which routines call, or are called by, other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)” prompt.

9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, the BGP namespace must be specified.

9.2.3 Print Option File

Note: The Print Option File utility generates a listing of options from the Option file (#19). It can print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.

There are no published entry points for this application.

9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers

- Cross-references
- Files pointed to by the specified file
- Files that point to the specified file
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the selected file
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of files, see Table 4-1 in Section 4.1.

9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a question mark (?) at the “Select Option” prompt displays information related to the current option. Table 9-1 displays the available options.

Table 9-1: Online help options

Typing	Displays
A single question mark (?)	A list of all options accessible from the current option
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu
A single question mark (?) followed by an option name (?OPTION)	Extended help, if available, for that option

10.0 SAC Requirements and Exemptions

This program uses a standard global for exporting data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines).

The kill of these unsubscripted globals has been approved by the Standards and Conventions committee.

Glossary

Archiving

The storage of historical or little-used data off-line (often on tape.)

Cross-Reference

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate look-up and reporting.

Entry Point

A point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

INDEX (%INDEX)

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option:” (the menu’s Select prompt).

Namespace

A unique set of two to four alpha characters that are assigned to a software application by the database administrator.

Option

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

Utility

A callable routine line tag or function. A universal routine usable by anyone.

Variable

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

Acronym List

Acronym	Term Meaning
ADA	American Dental Association
CRS	Clinical Reporting System
DHCP	Decentralized Hospital Computer Program
ENDS	Electronic Nicotine Delivery System
FY	Fiscal Year
GPRA	Government Performance and Results Act
GPRAMA	GPRA Modernization Act
HHS	(Department of) Health and Human Services
ICD	International Classification of Diseases
IHS	Indian Health Service
MUMPS	Massachusetts General Hospital (M) Utility Multi Programming System
OIT	Office of Information Technology
RPMS	Resource and Patient Management System
SAC	Standards and Conventions
SBIRT	Screening, Brief Intervention and Referral to Treatment
VA	Department of Veterans Affairs
VPS	Volume Performance Standard

Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

Phone: (888) 830-7280 (toll free)

Web: <https://www.ihs.gov/itsupport/>

E-mail: itsupport@ihs.gov