

Exhibit 3-41 K**Supplies needed for Ante-area, Buffer rooms, and Segregated Compounding Areas (All are required unless stated as optional)****Ante-area**

| Supplies Needed | Comments |
|---|--|
| Continuous air pressure monitor | SCA-exempt |
| Ladder | Optional |
| Metal cart | Optional |
| Sticky mat | Place outside leading into the anteroom |
| Sterile cleaning agent | |
| Sterile 70% IPA spray or wipes | |
| Antiseptic alcohol gel for hand hygiene | |
| Low lint towels | |
| Sink with foot pedals or operated hands-free | Refer to USP 797 for sink placement in SCA |
| Storage bins (i.e., plastic or metal) | |
| Mop with replaceable mop clovers | |
| SEC cleaning products | |
| Beard cover | |
| Hair bouffant | |
| Gowns | |
| Masks | |
| Non-sterile gloves | |
| Sterile gloves | |
| Supplies for compounding | |
| Trash can (hands-free) and bags | |
| Binder with paperwork for documentation of cleaning, temperature, humidity, and air pressure of ante-area | |

Buffer rooms

| Supplies | Comments |
|---------------------------------|-----------------|
| Primary Engineering Control | ISO Class 5 |
| Continuous air pressure monitor | |
| Sterile alcohol spray or wipes | |
| Metal cart | Optional |
| Trash cans and bags | |
| Mop and low-lint mop heads | |